

- ABR. (2016). Protected-Species Monitoring at the Kodiak Ferry Terminal & Dock Improvements Project, Kodiak, Alaska, 2015–2016: ABR. 2016. Protected-Species Monitoring at the Kodiak Ferry Terminal & Dock Improvements Project, Kodiak, Alaska, 2015–2016.
- Adams, J., Felis, J. J., Mason, J. W., & Takekawa, J. Y. (2014). *Pacific Continental Shelf Environmental Assessment (PaCSEA): aerial seabird and marine mammal surveys off northern California, Oregon, and Washington, 2011-2012*.
- American National Standards Institute (ANSI) (2013). Performance and Calibration of Reference Sound Sources. Acoustical Society of America, Woodbury, NY.
- Antonelis, G. A., Stewart, B. S., & Perryman, W. F. (1990). Foraging characteristics of female northern fur seals (*Callorhinus ursinus*) and California sea lions (*Zalophus californianus*). *Canadian Journal of Zoology*, 68(1), 150-158.
- Au, W. W., & Hastings, M. C. (2008). *Principles of marine bioacoustics* (Vol. 510): Springer.
- Baker, A. R., Loughlin, T. R., Burkanov, V., Matson, C. W., Trujillo, R. G., Calkins, D. G., Wickliffe, J. K., & Bickham, J. W. (2005). Variation of mitochondrial control region sequences of Steller sea lions: The three-stock hypothesis. *Journal of Mammalogy*, 86(6), 1075-1084.
- BANGOR, W. (2013). Naval Base Kitsap at Bangor Trident Support Facilities Explosive Handling Wharf (EHW-2) Project Acoustic Monitoring Report.
- Barlow, J. (1988). Harbor porpoise, *Phocoena phocoena*, abundance estimation for California, Oregon, and Washington: I. Ship Surveys. *Fishery Bulletin*, 86(3), 417-432.
- Bograd, S. J., Schroeder, I., Sarkar, N., Qiu, X., Sydeman, W. J., & Schwing, F. B. (2009). Phenology of coastal upwelling in the California Current. *Geophysical Research Letters*, 36(1).
- Briggs, H. B., Calkins, D. G., Davis, R. W., & Thorne, R. (2005). *Habitat associations and diving activity of subadult Steller sea lions (Eumetopias jubatus) during the winter and spring in the north-central Gulf of Alaska*. Paper presented at the Sixteenth Biennial Conference on the Biology of Marine Mammals, San Diego, California.
- Calambokidis, J. (1985). *Biology of Puget Sound marine mammals and marine birds: Population health and evidence of pollution effects* (Vol. 18): US Department of Commerce, National Oceanic and Atmospheric Administration.
- Calambokidis, J., Darling, J. D., Deecke, V., Gearin, P., Goshko, M., Megill, W., Tombach, C. M., Goley, D., Toropova, C., & Gisborne, B. (2002). Abundance, range and movements of a feeding aggregation of gray whales (*Eschrichtius robustus*) from California to southeastern Alaska in 1998. *Journal of Cetacean Research and Management*, 4(3), 267-276.
- Calambokidis, J., Laake, J. L., & Klimek, A. (2012). Updated analysis of abundance and population structure of seasonal gray whales in the Pacific Northwest, 1998–2010.
- Calambokidis, J., Perez, A., & Lake, J. (2019). *Updated analysis of abundance and population structure of seasonal gray whales in the Pacific Northwest, 1996-2017*. Retrieved from Seattle, WA: <https://www.cascadiaresearch.org/publications/updated-analysis-abundance-and-population-structure-seasonal-gray-whales-pacific-2>
- Calambokidis, J., & Quan, J. (1997). *Gray whales in Washington State: Report on research in 1996*. Retrieved from Seattle, Washington: <https://www.cascadiaresearch.org/publications/gray-whales-washington-state-report-research-1996>

- Calambokidis, J., Steiger, G. H., Curtice, C., Harrison, J., Ferguson, M. C., Becker, E., DeAngelis, M., & Van Parijs, S. M. (2015). Biologically important areas for selected cetaceans within US waters-west coast region. *Aquatic Mammals*, 41(1), 128. Retrieved from DOI 10.1578/AM.41.1.2015.39.
- California Department of Transportation (Caltrans). 2015. Buehler, D., R. Oestman, J. Reyff, K. Pommerenck, B. Mitchell. 2015. Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish. Written for the California Dept. of Transportation, Div. of Environmental Analysis, Environmental Engineering, Hazardous Waste, Air, Noise, Paleontology Office. Sacramento, CA.
- Carretta, J. V., Barlow, J., Forney, K., Muto, M. M., Baker, J. D., Cameron, G., Stinchcomb, C., & Read, R. (2001). *U.S. Pacific marine mammal stock assessments: 2001*. Retrieved from <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessments>
- Carretta, J. V., Forney, K. A., & Benson, S. R. (2009). *Preliminary estimates of harbor porpoise abundance in California waters from 2002 to 2007*. Retrieved from <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessments>
- Carretta, J. V., Forney, K. A., Lowry, M. S., Barlow, J., Baker, J. D., Johnston, D., Hanson, B., Brownell, R. L., Robbins, J., Mattila, D. K., Ralls, K., Muto, M. M., Lynch, D., & Carswell, L. (2009). *U.S. Pacific marine mammals stock assessments: 2009*. Retrieved from <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessments>
- Carretta, J. V., Forney, K. A., Oleson, E. M., Weller, D. W., Lang, A. e. R., Baker, J. D., Muto, M., Hanson, B., Orr, A. J., Huber, H. R., Lowry, M. S., Barlow, J., Moore, J. E., Lynch, D., Carswell, L., & Brownell, R. L. (2019). *U.S. Pacific Marine Mammal Stock Assessments: 2018*. La Jolla, CA: <https://repository.library.noaa.gov/view/noaa/20266>
- Carretta, J. V., Forney, K. A., Oleson, E. M., Weller, D. W., Lang, A. R., Baker, J., Muto, M. M., Hanson, B., Orr, A. J., Huber, H., Lowry, M. S., Barlow, J., Moore, J. E., Lynch, D., Carswell, L., & Jr., R. L. B. (2020). *U.S. Pacific Marine Mammal Stock Assessments: 2019* (NMFS-SWFSC-629). Retrieved from <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessment-reports-region>
- Carretta, J. V., Oleson, E. M., Weller, D. W., Lang, A. R., Forney, K. A., Baker, J., Muto, M., Hanson, B., Orr, A., Huber, H., Lowry, M. S., Barlow, J., Moore, J., Lynch, D., Carswell, L., & Brownell Jr., R. L. (2015). *U.S. Pacific marine mammal stock assessments: 2014*.
- Carretta, J. V., Taylor, B. L., & Chivers, S. J. (2001). Abundance and depth distribution of harbor porpoise (*Phocoena phocoena*) in northern California determined from a 1995 ship survey. *Fishery Bulletin*, 99(1), 29-39.
- Clark, C. W., Ellison, W. T., Southall, B. L., Hatch, L., Parijs, S. V., Frankel, A., & Ponirakis, D. (2009). *Acoustic masking in marine ecosystems as a function of anthropogenic sound sources*. Retrieved from Madeira, Portugal: International Whaling Commission Scientific Committee.
- Committee on Taxonomy. (2019). *List of marine mammal species and subspecies*. Retrieved from [www.marinemammalscience.org](http://www.marinemammalscience.org).

- Cott, P. A., Popper, A. N., Mann, D. A., Jorgenson, J. K., & Hanna, B. W. (2012). Impacts of river-based air gun seismic activity on northern fishes. In *The Effects of Noise on Aquatic Life* (pp. 367-369): Springer.
- D'amelio, A. S., Modica, A., Messina, C., Ceffa, L., Curatolo, A., Rivas, G., Fabi, G., & V. (1999). Biochemical responses of European sea bass (*Dicentrarchus labrax L.*) to the stress induced by offshore experimental seismic prospecting. *Marine Pollution Bulletin*, 38(12), 1105-1114.
- Ellison, W., Southall, B., Clark, C., & Frankel, A. (2012). A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology*, 26(1), 21-28.
- Everitt, R. D., Fiscus, C. H., & DeLong, R. L. (1980). *Northern Puget Sound marine mammals*.
- Fay, R. (2009). Soundscapes and the sense of hearing of fishes. *Integrative Zoology*, 4(1), 26-32.
- Fay, R. R., Popper, A. N., & Webb, J. F. (2008). Introduction to fish bioacoustics. In *Fish bioacoustics* (pp. 1-15): Springer.
- Fewtrell, J., & McCauley, R. (2012). Impact of air gun noise on the behaviour of marine fish and squid. *Marine Pollution Bulletin*, 64(5), 984-993.
- Finneran, J. J. (2010). *Auditory weighting functions and frequency-dependent effects of sound in bottlenose dolphins (Tursiops truncatus)*.
- Finneran, J. J., Carder, D. A., Dear, R., Belting, T., McBain, J., Dalton, L., & Ridgway, S. H. (2005). Pure tone audiograms and possible aminoglycoside-induced hearing loss in belugas (*Delphinapterus leucas*). *Journal of the Acoustical Society of America*, 117(6), 3936-3943.
- Finneran, J. J., Carder, D. A., & Ridgway, S. H. (2003). Temporary Threshold Shift (TTS) measurements in bottlenose dolphins (*Tursiops truncatus*), belugas (*Delphinapterus leucas*), and California sea lions (*Zalophus californianus*). Paper presented at the Environmental Consequences of Underwater Sound (ECOUS) Symposium, San Antonio, Texas.
- Finneran, J. J., Carder, D. A., Schlundt, C. E., & Ridgway, S. H. (2005). Temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*) exposed to mid-frequency tones. *Journal of the Acoustical Society of America*, 118(4), 2696-2705.
- Finneran, J. J., & Schlundt, C. E. (2004). *Effects of intense pure tones on the behavior of trained odontocetes*. Retrieved from San Diego: SSC San Diego.
- Finneran, J. J., & Schlundt, C. E. (2010). Frequency-dependent and longitudinal changes in noise-induced hearing loss in a bottlenose dolphin (*Tursiops truncatus*). *Journal of the Acoustical Society of America*, 128(2), 567-570.
- Finneran, J. J., Schlundt, C. E., Carder, D. A., Clark, J. A., Young, J. A., Gaspin, J. B., & Ridgway, S. H. (2000). Auditory and behavioral responses of bottlenose dolphins (*Tursiops truncatus*) and a beluga whale (*Delphinapterus leucas*) to impulsive sounds resembling distant signatures of underwater explosions. *Journal of the Acoustical Society of America*, 108(1), 417-431.
- Finneran, J. J., Schlundt, C. E., Dear, R., Carder, D. A., & Ridgway, S. H. (2002). Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *Journal of the Acoustical Society of America*, 111(6), 2929-2940.
- Foote, A. D., Osborne, R. W., & Hoelzel, A. R. (2004). Whale-call response to masking boat noise. *Nature*, 428, 910.

- Ford, J. K. (2014). *Marine Mammals of British Columbia*: Royal BC Museum Victoria, British Columbia.
- Forney, K. A., Hanan, D. A., & Barlow, J. (1991). Detecting trends in harbor porpoise abundance from aerial surveys using analysis of covariance. *Fishery Bulletin*, 89(3), 367-377.
- Harvey, J. T., & Goley, D. (2011). Determining a correction factor for aerial surveys of harbor seals in California. *Marine Mammal Science*, 27(4), 719-735.
- Hastings, M. C., & Popper, A. N. (2005). *Effects of sound on fish*. Retrieved from Sacramento, California.
- HDR Inc. (2012). Naval Base Kitsap at Bangor Test Pile Program, Bangor, Washington. Final Marine Mammal Monitoring Report. Prepared for Naval Facilities Engineering Northwest, Silverdale, WA. April 2012: [http://jeffersonco-treis.info/PDF%20Files/3.07%20Threatend%20&%20Endangered%20References/Illingworth%20and%20Rodkin%20navy\\_kitsap\\_monitoring\\_report%202012.pdf](http://jeffersonco-treis.info/PDF%20Files/3.07%20Threatend%20&%20Endangered%20References/Illingworth%20and%20Rodkin%20navy_kitsap_monitoring_report%202012.pdf).
- Heath, C. B., & Perrin, W. F. (2009). California, Galapagos, and Japanese sea lions: *Zalophus californianus*, *Z. wollebaeki*, and *Z. japonicus*. In W. F. P. B. W. J. G. M. Thewissen (Ed.), *Encyclopedia of Marine Mammals* (Second ed., pp. 170-176). San Diego: Academic Press.
- Hemila, S., Nummela, S., Berta, A., & Reuter, T. (2006). High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. *Journal of the Acoustical Society of America*, 120(6), 3463-3466.
- Hildebrand, J. A. (2009). Anthropogenic and natural sources of ambient noise in the ocean. *Marine Ecology Progress Series*, 395, 20-May. doi:10.3354/meps08353.
- Holt, M. M., Noren, D. P., Veirs, V., Emmons, C. K., & Veirs, S. (2009). Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *Journal of the Acoustical Society of America*, 125(1), E127-E132.
- Huber, H. R., Jeffries, S. J., Brown, R. F., Delong, R. L., & Vanblaricom, G. (2001). Correcting aerial survey counts of harbor seals (*Phoca vitulina richardsi*) in Washington and Oregon. *Marine Mammal Science*, 17(2), 276-293. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1748-7692.2001.tb01271.x>.
- Jefferson, T. A., Leatherwood, S., & Webber, M. A. (1993). *FAO Species Identification Guide Marine Mammals of the World*. Rome: United Nations Environment Programme, Food and Agriculture Organization.
- Jefferson, T. A., Leatherwood, S., & Webber, M. A. (1993). *Marine mammals of the world: FAO species identification guide*. Retrieved from Rome, Italy.
- Jeffries, S., Huber, H., Calambokidis, J., & Laake, J. (2003). Trends and status of harbor seals in Washington State 1978-1999. *Journal of Wildlife Management*, 67(1), 207-218.
- Jeffries, S., Oliver, J., & Salzer, L. (2015). *Aerial Surveys for Pinnipeds and Sea Otters on the Washington Coast*. Retrieved from Olympia, Washington, USA: [https://www.msp.wa.gov/wp-content/uploads/2015/03/WDFW\\_SeaOtterSurveyReport.pdf](https://www.msp.wa.gov/wp-content/uploads/2015/03/WDFW_SeaOtterSurveyReport.pdf).
- Jeffries, S. J., Gearin, P. J., Huber, H. R., Saul, D. L., & Pruett, D. A. (2000). *Atlas of seal and sea lion haulout sites in Washington*. Retrieved from Olympia, Washington.
- Jemison, L. A., Pendleton, G. W., Fritz, L. W., Hastings, K. K., Maniscalco, J. M., Trites, A. W., & Gelatt, T. S. (2013). Inter-population movements of Steller sea lions in Alaska with implications for population separation. *PLoS ONE*, 8(8), e70167.

- Jemison, L. A., Pendleton, G. W., Hastings, K. K., Maniscalco, J. M., & Fritz, L. W. (2018). Spatial distribution, movements, and geographic range of Steller sea lions (*Eumetopias jubatus*) in Alaska. *PLoS ONE*, *13*(12), e0208093. doi:10.1371/journal.pone.0208093.
- Jorgenson, J. K., & Gyselman, E. C. (2009). Hydroacoustic measurements of the behavioral response of arctic riverine fishes to seismic airguns. *The Journal of the Acoustical Society of America*, *126*(3), 1598-1606.
- Kastak, D., Holt, M. M., Kastak, C. J. R., Southall, B. L., Mulsow, J., & Schusterman, R. J. (2005). *A voluntary mechanism of protection from airborne noise in a harbor seal*. Paper presented at the Sixteenth Biennial Conference on the Biology of Marine Mammals, San Diego, California.
- Kastak, D., Schusterman, R. J., Southall, B. L., & Reichmuth, C. J. (1999). Underwater temporary threshold shift induced by octave-band noise in three species of pinniped. *Journal of the Acoustical Society of America*, *106*(2), 1142-1148.
- Kastelein, R., & Jennings, N. (2012). Impacts of anthropogenic sounds on *Phocoena phocoena* (harbor porpoise). In A. N. P. A. Hawkings (Ed.), *The Effects of Noise on Aquatic Life* (pp. 5): Springer Science.
- Kastelein, R. A., Gransier, R., Hoek, L., Macleod, A., & Terhune, J. M. (2012). Hearing threshold shifts and recovery in harbor seals (*Phoca vitulina*) after octave-band noise exposure at 4 kHz. *Journal of the Acoustical Society of America*, *132*(4), 2745-2761. doi:10.1121/1.4747013.
- Kastelein, R. A., Wensveen, P., Hoek, L., & Terhune, J. M. (2009). Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America*, *126*(1), 476-483.
- Loughlin, T. R., Rugh, D. J., & Fiscus, C. H. (1984). Northern sea lion distribution and abundance: 1956-80. *Journal of Wildlife Management*, *48*(3), 729-740. Retrieved from <http://www.jstor.org/stable/3801420>.
- Loughlin, T. R., Sterling, J. T., Merrick, R. L., Sease, J. L., & York, A. E. (2003). Diving behavior of immature Steller's sea lions (*Eumetopias jubatus*). *Fishery Bulletin*, *101*(3), 566-582.
- Lowry, M. S., Boveng, P., Delong, R. L., Oliver, C. W., Stewart, B. S., Deanda, H., & Barlow, J. (1992). *Status of the California sea lion (Zalophus californianus californianus) population in 1992*.
- Lowry, M. S., & Forney, K. A. (2005). Abundance and distribution of California sea lions (*Zalophus californianus*) in central and northern California during 1998 and summer 1999. *Fishery Bulletin*, *103*(2), 331-343.
- Lucke, K., Kuchler, M., Siebert, U., Everaarts, E., Hoeve, B., & Elk, N. V. (2009). Development and testing of a rapid method for auditory screening in harbor porpoises (*Phocoena phocoena*). Paper presented at the Fifth Animal Sonar Symposium, Kyoto, Japan.
- McCauley, R. D., Fewtrell, J., Duncan, A. J., Jenner, C., Jenner, M.-N., Penrose, J. D., Prince, R. I. T., Adhitya, A., Murdoch, J., & McCabe, K. (2000). *Marine seismic surveys: Analysis and propagation of air-gun signals; and effects of air-gun exposure on humpback whales, sea turtles, fishes and squid*. Retrieved from Western Australia.
- Melin, S. R., & Delong, R. L. (2000). *At-sea distribution and diving behavior of California sea lion females from San Miguel Island, California*. Paper presented at the Fifth California Islands Symposium.



- Melin, S. R., DeLong, R. L., & Siniff, D. B. (2008). The effects of El Niño on the foraging behavior of lactating California sea lions (*Zalophus californianus californianus*) during the nonbreeding season. *Canadian Journal of Zoology*, 86(3), 192-206.
- Mooney, T. A., Nachtigall, P. E., Breese, M., Vlachos, S., & Au, W. W. L. (2009). Predicting temporary threshold shifts in a bottlenose dolphin (*Tursiops truncatus*): The effects of noise level and duration. *Journal of the Acoustical Society of America*, 125(3), 1816-1826.
- Mooney, T. A., Nachtigall, P. E., & Vlachos, S. (2009). Sonar-induced temporary hearing loss in dolphins. *Biology Letters*, 5(4), 565-567. doi:10.1098/rsbl.2009.0099.
- Muto, M. M., Helker, V. T., Angliss, R. P., Allen, B. A., Boveng, P. L., Breiwick, J. M., Cameron, M. F., Clapham, P. J., Dahle, S. P., Dahlheim, M. E., Fadely, B. S., Ferguson, M. C., Fritz, L. W., Hobbs, R. C., Ivashchenko, Y. V., Kennedy, A. S., London, J. M., Mizroch, S. A., Ream, R. R., Richmond, E. L., Shelden, K. E. W., Towell, R. G., Wade, P. R., Waite, J. M., & Zerbini, A. N. (2018). *Alaska Marine Mammal Stock Assessments, 2017* (NMFS-AFSC-378). Retrieved from Seattle, Washington.
- Muto, M. M., Helker, V. T., Delean, B. J., Young, N. C., Freed, J. C., Angliss, R. P., Boveng, P. L., Breiwick, J. M., Brost, B. M., Cameron, M. F., Clapham, P. J., Crance, J. L., Dahle, S. P., Dahlheim, M. E., Fadely, B. S., Ferguson, M. C., Fritz, L. W., Goetz, K. T., Hobbs, R. C., Ivashchenko, Y. V., Kennedy, A. S., London, J. M., Mizroch, S. A., Ream, R. R., Richmond, E. L., Shelden, K. E. W., Sweeney, K. L., Towell, R. G., Wade, P. R., Waite, J. M., & Zerbini, A. N. (2020). *Alaska Marine Mammal Stock Assessments, 2020*. Retrieved from Marine Mammal Laboratory, Alaska Fisheries Science Center: <https://s3.amazonaws.com/media.fisheries.noaa.gov/2020-12/Draft%202020%20Alaska-marine%20mammal%20stock%20assessment%20reports.pdf?null>.
- Nachtigall, P. E., Pawloski, J. L., & Au, W. W. L. (2003). Temporary threshold shifts and recovery following noise exposure in the Atlantic bottlenosed dolphin (*Tursiops truncatus*). *Journal of the Acoustical Society of America*, 113(6), 3425-3429.
- Nachtigall, P. E., Supin, A. Y., Pawloski, J. L., & Au, W. W. L. (2004). Temporary threshold shifts after noise exposure in the bottlenose dolphin (*Tursiops truncatus*) measured using evoked auditory potentials. *Marine Mammal Science*, 20(4), 672-687.
- National Oceanic and Atmospheric Administration. (2015). *United States Coast Pilot 7 - Pacific Coast: California, Oregon, Washington, Hawaii, and Pacific Islands*. 47th Edition. Available: [http://www.nauticalcharts.noaa.gov/nsd/coastpilot/files/cp7/CPB7\\_E47\\_20150508\\_1809\\_WEB.pdf](http://www.nauticalcharts.noaa.gov/nsd/coastpilot/files/cp7/CPB7_E47_20150508_1809_WEB.pdf). Accessed: May 12, 2015.
- NMFS. (2008). *Recovery plan for the Steller sea lion (Eumetopias jubatus)*. Revision. Silver Spring, Maryland: <https://www.fisheries.noaa.gov/action/notice-final-2008-revised-recovery-plan-steller-sea-lions>.
- NMFS. (2018). *Revisions to: Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0): Underwater Thresholds for Onset of Permanent and Temporary Threshold Shifts*. Silver Spring, Maryland.
- NMFS (2019). Proposed Revision of the Critical Habitat Designation for Southern Resident Killer Whales. Draft Biological Report (to accompany proposed rule). National Marine Fisheries Service West Coast Region: <https://www.fisheries.noaa.gov/west-coast/endangered-species-conservation/critical-habitat-southern-resident-killer-whales>.
- NMFS. (2020). *NOAA Marine Mammal Stranding Database (NMMSD)*.

- Northwest Area Committee. (2013). *Grays Harbor Geographic Response Plan*. December. Prepared by Washington State Department of Ecology.
- Parijs, J. C., Steiger, G. H., Curtice, C., Harrison, J., Ferguson, M. C., Becker, E., Deangelis, M., & Van, S. M. (2015). Biologically important areas for selected cetaceans within U.S. waters – West Coast region. *Aquatic Mammals*, 41(1), 39-53. doi:10.1578/am.41.1.2015.1.
- Paxton, A. B., Taylor, J. C., Nowacek, D. P., Dale, J., Cole, E., Voss, C. M., & Peterson, C. H. (2017). Seismic survey noise disrupted fish use of a temperate reef. *Marine Policy*, 78, 68-73.
- Pearson, W. H., Skalski, J. R., & Malme, C. I. (1992). Effects of sounds from a geophysical survey device on behavior of captive rockfish (*Sebastes spp.*). *Canadian Journal of Fisheries and Aquatic Sciences*, 49, 1343-1356.
- Pena, H., Handegard, N. O., & Ona, E. (2013). Feeding herring schools do not react to seismic air gun surveys. *ICES Journal of Marine Science*, 70(6), 1174-1180. doi:10.1093/icesjms/fst079.
- Peterson, R. S., & Bartholomew, G. A. (1967). *The natural history and behavior of the California sea lion*.
- Peterson, S. H., Lance, M. M., Jeffries, S. J., & Acevedo-Gutiérrez, A. (2012). Long Distance Movements and Disjunct Spatial Use of Harbor Seals (*Phoca vitulina*) in the Inland Waters of the Pacific Northwest. *PLoS ONE*, 7(6), e39046. doi:10.1371/journal.pone.0039046.
- Pitcher, K. W., Burkanov, V. N., Calkins, D. G., Boeuf, B. J. L., Mamaev, E. G., Merrick, R. L., & Pendleton, G. W. (2002). Spatial and temporal variation in the timing of births of Steller sea lions. *Journal of Mammalogy*, 82(4), 1047-1053.
- Pitcher, K. W., & Calkins, D. G. (1981). Reproductive biology of Steller sea lions in the Gulf of Alaska. *Journal of Mammalogy*, 62(3), 599-605.
- Popov, V. V., Klishin, V. O., Nechaev, D. I., Pletenko, M. G., Rozhnov, V. V., Supin, A. Y., Sysueva, E. V., & Tarakanov, M. B. (2011). Influence of acoustic noises on the white whale hearing thresholds. *Doklady Biological Sciences*, 440(1), 332-334.
- Popov, V. V., Supin, A. Y., Wang, D., Wang, K., Dong, L., & Wang, S. (2011). Noise-induced temporary threshold shift and recovery in Yangtze finless porpoises *Neophocaena phocaenoides asiaeorientalis*. *Journal of the Acoustical Society of America*, 130(1), 574-584.
- Popper, A. N., & Hastings, M. (2009). The effects of anthropogenic sources of sound on fishes. *Journal of Fish Biology*, 75(3), 455-489.
- Raum-Suryan, K. L., Pitcher, K. W., Calkins, D. G., Sease, J. L., & Loughlin, T. R. (2002). Dispersal, rookery fidelity, and metapopulation structure of Steller sea lions (*Eumetopias jubatus*) in an increasing and a decreasing population in Alaska. *Marine Mammal Science*, 18(3), 746-764.
- Read, A. J. (1990). Estimation of body condition in harbor porpoises, *Phocoena phocoena*. *Canadian Journal of Zoology*, 68(9), 1962-1966.
- Reichmuth, C., & Holt, M. M. (2013). Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A Neuroethology, Sensory, Neural and Behavioral Physiology*, 199(6), 491-507.
- Richardson Jr, W., Greene, C., Malme, C., & Thomson, D. (1995). Man-made noise. *Marine Mammals and Noise*. Academic Press, Inc., San Diego, California, 1-576.

- Richardson, W. J., Finley, K. J., Miller, G. W., Davis, R. A., & Koski, W. R. (1995). Feeding, social and migration behavior of bowhead whales, *Balaena mysticetus*, in Baffin-Bay vs the Beaufort Sea - regions with different amounts of human activity. *Marine Mammal Science*, 11(1), Jan-45. Retrieved from <Go to ISI>://A1995QG60800001.
- Schlundt, C. E., Finneran, J. J., Carder, D. A., & Ridgway, S. H. (2000). Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. *Journal of the Acoustical Society of America*, 107(6), 3496-3508.
- Scholik, A. R., & Yan, H. Y. (2001). Effects of underwater noise on auditory sensitivity of a cyprinid fish. *Hearing Research*, 152(2-Jan), 17-24. Retrieved from [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=1122327](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1122327).
- Scholik, A. R., & Yan, H. Y. (2001). The effects of underwater noise on auditory sensitivity of fish. *Proceedings of the I.O.A.*, 23(4), 27.
- Skalski, J. R., Pearson, W. H., & Malme, C. I. (1992). Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes spp.*). *Canadian Journal of Fisheries and Aquatic Sciences*, 49, 1357-1365.
- Southall, B. L., Bowles, A. E., Ellison, W. T., Finneran, J. J., Gentry, R. L., Greene, C. R., Kastak, D., Ketten, D. R., Miller, J. H., Nachtigall, P. E., Richardson, W. J., Thomas, J. A., & Tyack, P. L. (2007). Marine mammal noise and exposure criteria: initial scientific recommendations. *Aquatic Mammals*, 33, 411-521.
- U.S. Navy. (2019). *U.S. Navy Marine Species Density Database Phase III for the Northwest Training and Testing Study Area*. Retrieved from NAVFAC Pacific Technical Report. Naval Facilities Engineering Command Pacific, Pearl Harbor, HI. 262 pp. [https://nwtteis.com/portals/nwtteis/files/NWTT\\_Marine\\_Species\\_Density\\_Technical\\_Report\\_September\\_2019.pdf](https://nwtteis.com/portals/nwtteis/files/NWTT_Marine_Species_Density_Technical_Report_September_2019.pdf).
- U.S. Army Corp of Engineers. 2014. *Draft Supplemental Environmental Impact Statement for the Grays Harbor, Washington Navigation Improvement Project General Investigation Feasibility Study*. Seattle District.
- Wardle, C. S., Carter, T. J., Urquhart, G. G., Johnstone, A. D. F., Ziolkowski, A. M., Hampson, G., & Mackie, D. (2001). Effects of seismic air guns on marine fish. *Continental Shelf Research*, 21, 1005-1027.
- Wartzok, D., & Ketten, D. R. (1999). Marine mammal sensory systems. In J. E. R. I. S. A. Rommel (Ed.), *Biology of Marine Mammals* (pp. 117-175). Washington: Smithsonian Institution Press.
- Washington Department of Fish and Wildlife (2020). Priority Habitat and Species on the Web. Retrieved from: <https://geodataservices.wdfw.wa.gov/hp/phs/>. Accessed August 17, 2020.
- Washington State Department of Transportation Environmental Services Office (WSDOT 2019). U.S. 101/Chehalis River Bridge Scour Repair Project Marine Mammal Monitoring Report. Retrieved from: [https://media.fisheries.noaa.gov/dam-migration/wsdotchehalis\\_2019iha\\_monrep\\_opr1.pdf](https://media.fisheries.noaa.gov/dam-migration/wsdotchehalis_2019iha_monrep_opr1.pdf).
- Wiles, G. J. (2015). *Periodic status review for the Steller sea lion*.
- Würsig, B., Thewissen, H. G. M., & Kovacs, K. (Eds.). (2018). *Encyclopedia of Marine Mammals* (3 ed.). Cambridge, Massachusetts: Academic Press.



- Zelick, R., Mann, D., & Popper, A. N. (1999). Acoustic communication in fishes and frogs. In R. F. A. N. Popper (Ed.), *Comparative Hearing: Fish and Amphibians* (pp. 363-411). New York: Springer-Verlag.
- Zier, J. C., & Gaydos, J. K. (2014). Harbor seal species profile. *Encyclopedia of Puget Sound*.