

## Taking marine mammals incidental to the construction of the South Fork Wind Project

References: Proposed Rule published February 5, 2021

- ANSI. (American National Standards Institute). (1986). Methods of Measurement for Impulse Noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- ANSI. (1995). Bioacoustical Terminology (ANSI S3.20-1995). Acoustical Society of America, Woodbury, NY.
- ANSI. (2005). Measurement of Sound Pressure Levels in Air (ANSI S1.13-2005). Acoustical Society of America, Woodbury, NY.
- Archer, F.I., S.L. Mesnick, and A.C. Allen. (2010). Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC-457, National Marine Fisheries Service, 60.
- Au, W.W.L. and M.C. Hastings. 2008. Principles of Marine Bioacoustics. Springer, New York.
- Austin, M. E., Denes, S. L., MacDonnell, J. T., & Warner, G. A. (2016). Hydroacoustic Monitoring Report: Anchorage Port Modernization Project Test Pile Program. Version 3.0. Technical report by JASCO Applied Sciences for Anchorage Port Modernization Project Test Pile Program. Anchorage, AK.
- Bailey, H., Senior, B., Simmons, D., Rusin, J., Picken, G., & Thompson, P. M. (2010). Assessing underwater noise levels during pile-driving at an offshore windfarm and its potential effects on marine mammals. *Marine Pollution Bulletin*, 60(6), 888-897.
- Baird, R.W., and P.J. Stacey. (1991). Status of the Risso's dolphin, *Grampus griseus*, in Canada. *Canadian Field-Naturalist*, 105, 233-242.
- Barkaszi, M.J., M. Butler, R. Compton, A. Unietis, and B. Bennet. (2012). Seismic survey mitigation measures and marine mammal observer reports. OCS Study BOEM 2012-015, Bureau of Ocean Energy Management, 51 pp.
- Barkaszi, M.J., and C.J. Kelly. (2018). Seismic survey mitigation measures and protected species observer reports: synthesis report. OCS Study BOEM 2019-012, Bureau of Ocean Energy Management: 220 pp.
- Beauchamp, G. and B. Livoreil. (1997). The effect of group size on vigilance and feeding rate in spice finches (*Lonchura punctulata*). *Canadian Journal of Zoology*, 75(9), 1526-1531.
- Bejder, L., A. Samuels, H. Whitehead, N. Gales, J. Mann, R. Connor, et al. (2006). Decline in relative abundance of bottlenose dolphins exposed to long-term disturbance. *Conservation Biology*, 20(6), 1791-1798.
- Bejder, L., A. Samuels, H. Whitehead, H. Finn, and S. Allen. (2009). Impact assessment research: Use and misuse of habituation, sensitisation and tolerance in describing wildlife responses to anthropogenic stimuli. *Marine Ecology Progress Series*, 395, 177-185.

- Bellmann, M.A., (2014). Overview of existing Noise Mitigation Systems for reducing Pile-Driving Noise. Inter-Noise 2014, Melbourne, Australia. 11 pp.
- Bellmann, M.A., (2019). Results from noise measurements in European offshore wind farms. Presentation at Orsted Underwater Noise Mini Workshop. Washington, D.C., October 2, 2019. Data in Press (German).
- Bellmann M. A., Brinkmann J., May A., Wendt T., Gerlach S. & Remmers P. (2020). Unterwasserschall während des Impulsrammverfahrens: Einflussfaktoren auf Rammschall und technische Möglichkeiten zur Einhaltung von Lärmschutzwerten.“ Gefördert durch das Bundesministerium für Umwelt, Naturschutz und nukleare Sicherheit (BMU), FKZ UM16 881500. Beauftragt und geleitet durch das Bundesamt für Seeschifffahrt und Hydrographie (BSH), Auftrags-Nr. 10036866. Editiert durch die itap GmbH.
- Betke, K. (2008). Measurement of Wind Turbine Construction Noise at Horns Rev II (1256-08-a-KB)(Technical report by Institut für technische und angewandte Physik GmbH (ITAP) for BioConsultSH. Husun, Germany.
- Bettridge, S., C.S. Baker, J. Barlow, P.J. Clapham, M. Ford, D. Gouveia, et al. (2015). Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act. NOAA Technical Memorandum NMFS-SWFSC-540, National Marine Fisheries Service, 263 pp.
- Blackwell, S.B., J.W. Lawson, and M.T. Williams. (2004). Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. *Journal of the Acoustical Society of America*, 115(5), 2346-2357.
- Blecha, F. (2000). Immune system response to stress. Pages 111-122 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- Booth, C., Donovan, C., Plunkett, R., & Harwood, J. (2016). Using an interim PCoD protocol to assess the effects of disturbance associated with US Navy exercises on marine mammal populations Final Report (SMRUC-ONR-2016-004).
- Booth, C., Harwood, J., Plunkett, R., Mendes, S., & Walker, R. (2017). Using the Interim PCoD framework to assess the potential impacts of offshore wind developments in Eastern English Waters on harbour porpoises in the North Sea (Natural England Joint Publication JP024).
- Bowles, A.E., M. Smultea, B. Wursig, D.P. DeMaster, and D. Palka. (1994). Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island feasibility test. *Journal of the Acoustical Society of America*, 96(4), 2469-2484.
- Bradshaw, C.J.A., S. Boutin, and D.M. Hebert. (1998). Energetic implications of disturbance caused by petroleum exploration to woodland caribou. *Canadian Journal of Zoology*, 76(7), 1319-1324.
- Brandt, M.J., Diederichs, A., Betke, K. and G. Nehls. (2011). Responses of harbour porpoises to pile driving at the Horns Rev II offshore wind farm in the Danish North Sea. *Marine Ecology Progress Series*, 421, 205-216.
- Brandt, M. J., Dragon, A. C., Diederichs, A., Schubert, A., Kosarev, V., Nehls, G., ... & Ketzer, C. (2016). Effects of offshore pile driving on harbour porpoise abundance in the German Bight. Assessment of Noise Effects. Final Report.
- Branstetter, B.K., J.S. Trickey, K. Bakhtiari, A. Black, H. Aihara, and J.J. Finneran. (2013). Auditory masking patterns in bottlenose dolphins (*Tursiops truncatus*) with natural, anthropogenic, and synthesized noise. *Journal of the Acoustical Society of America*, 133(3), 1811-1818.
- Brown, D. M., J. Robbins, P. L. Sieswerda, R. Schoelkopf, and E. C. M. Parsons. (2017). Humpback whale (*Megaptera novaeangliae*) sightings in the New York-New Jersey harbor estuary. *Marine Mammal Science*, 34, 250-257.

- Buehler, D., R. Oestman, J. Reyff, K. Pommerenck, B. Mitchell. (2015). Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish. California Department of Transportation, Report No. CTHWANP-RT-15-306.01.01, 532 pp.
- Burns, J.J., (2009). Arctic marine mammals. *In*: Würsig, B., W. Perrin., and J.G.M Thewissen, eds. Encyclopedia of Marine Mammals. Second edition. Academic Press.
- Caltrans (California Department of Transportation). (2015). Technical guidance for assessment and mitigation of the hydroacoustic effects of pile driving on fish. California Department of Transportation, 532 pp.
- Carlson, T.J., D.L. Woodruff, G.E. Johnson, N.P. Kohn, G.R. Ploskey, M.A. Weiland, et al. (2005). Hydroacoustic measurements during pile driving at the Hood Canal Bridge, September through November 2004. PNWD-3621, Prepared by Battelle Marine Sciences Laboratory for the Washington State Department of Transportation, 165 pp.
- Casper, B.M., M.B. Halvorsen, F. Matthews, T.J. Carlson, and A.N. Popper. (2013). Recovery of barotrauma injuries resulting from exposure to pile driving sound in two sizes of hybrid striped bass. *PLoS ONE*, 8(9), e73844.
- Cetacean and Turtle Assessment Program (CETAP). 1982. A characterization of marine mammals and turtles in the mid- and north Atlantic areas of the USA outer continental shelf. Cetacean and Turtle Assessment Program, University of Rhode Island. Final Report #AA551-CT8-48 to the Bureau of Land Management, Washington, DC. 538 pp
- Christal, J., H. Whiehead, and E. Levettall. 1(998). Sperm whale social units: variation and change. *Canadian Journal of Zoology*, 76, 431-1440.
- Christiansen, F., and D. Lusseau. (2015). Linking behavior to vital rates to measure the effects of non-lethal disturbance on wildlife. *Conservation Letters*, 8(6), 424–431.
- Clark, C.W., W.T. Ellison, B.L. Southall, L. Hatch, S.M. Van Parijs, A. Frankel, and D. Ponirakis. (2009). Acoustic masking in marine ecosystems: Intuitions, analysis, and implication. *Marine Ecology Progress Series*, 395, 201-222.
- Coastal Research and Education Society of Long Island, Inc. (CRESLI). (2019). CRESLI Seal Research. Accessed 9 May 2019: <http://cresli.org/cresli/seals/sealpage.html>.
- Coastal Virginia Offshore Wind (CVOW). (2020). Final Noise and PSO Monitoring Report.
- Cole, T.V.N., P. Hamilton, A.G. Henry, P. Duley, R.M. Pace III, B.N. White and T. Frasier. (2013). Evidence of a North Atlantic right whale *Eubalaena glacialis* mating ground. *Endangered Species Research* 21, 55–64.
- Cole, T.V.N., P. Duley, M. Foster, A. Henry and D.D. Morin. (2016). 2015 Right Whale Aerial Surveys of the Scotian Shelf and Gulf of St. Lawrence. Northeast Fish. Sci. Cent. Ref. Doc. 16-02. 14 pp.
- Committee on Taxonomy. (2020). List of marine mammal species and subspecies. Society for Marine Mammalogy, [www.marinemammalscience.org](http://www.marinemammalscience.org), accessed on November 21, 2020.
- Connor, R.C. and M.R. Heithaus. (1996). Approach by great white shark elicits flight response in bottlenose dolphins. *Marine Mammal Science*, 12(4), 602-606.
- Costa, D.P., D.E. Crocker, J. Gedamke, P.M. Webb, D.S. Houser, S.B. Blackwell, et al. (2003). The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, *Mirounga angustirostris*. *Journal of the Acoustical Society of America*, 113(2), 1155-1165.
- Cott, P.A., A.N. Popper, D.A. Mann, J.K. Jorgenson, and B.W. Hanna. (2012). Impacts of river-based air gun seismic activity on northern fishes. *Advances in Experimental Medicine and Biology*, 730, 367-369.
- Cox, T.M., T.J. Ragen, A.J. Read, E. Vos, R.W. Baird, K. Balcomb, et al. (2006). Understanding the impacts of anthropogenic sound on beaked whales. *Journal of Cetacean Research and Management* 7(3), 177-187.

- Crocker, S.E., and F.D. Fratantonio. (2016). Characteristics of Sounds Emitted During High- Resolution Marine Geophysical Surveys. NUWC-NPT Technical Report 12,303, Naval Undersea Warfare Center Division, 265 pp.
- Croll, D.A., C.W. Clark, J. Calambokidis, W.T. Ellison, and B.R. Tershy. (2001). Effect of anthropogenic low-frequency noise on the foraging ecology of *Balaenoptera* whales. *Animal Conservation*, 4(1), 13-27.
- Daan, S., C. Deerenberg, and C. Dijkstra. (1996). Increased daily work precipitates natural death in the kestrel. *Journal of Animal Ecology*, 65(5), 6.
- Dahl, P. H., de Jong, C. A. F., & Popper, A. N. (2015). The Underwater Sound Field from Impact Pile Driving and Its Potential Effects on Marine Life. *Acoustics Today*, 11(2), 18-25.
- Dähne, M., Tougaard, J., Carstensen, J., Rose, A., & Nabe-Nielsen, J. (2017). Bubble curtains attenuate noise from offshore wind farm construction and reduce temporary habitat loss for harbour porpoises. *Marine Ecology Progress Series*, 580, 221-237.
- Davis, G. E., Baumgartner, M. F., Bonnell, J. M., Bell, J., Berchok, C., Thornton, J. B., ... & Clark, C. W. (2017). Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific reports*, 7(1), 13460.
- Davies, K.T.A., M.W. Brown, P.K. Hamilton, A.R. Knowlton, C.T. Taggart, A.S.M. Vanderlaan. (2019). Variation in North Atlantic right whale (*Eubalaena glacialis*) occurrence in the Bay of Fundy, Canada, over three decades. *Endangered Species Research*, 39, 159–171.
- Denes, S.L., D.G. Zeddies, and M.M. Weirathmueller. (2018). Turbine Foundation and Cable Installation at South Fork Wind Farm: Underwater Acoustic Modeling of Construction Noise. Document 01584, Version 3.0. Technical report by JASCO Applied Sciences for Jacobs Engineering Group Inc.
- Denes, S.L., M.M. Weirathmueller, and D.G. Zeddies. (2019). Foundation Installation at South Fork Wind Farm: Animal Exposure Modelling. Document 01726, Version 2.0. Technical report by JASCO Applied Sciences for Jacobs Engineering Group Inc.
- Denes., S.L., D.G. Zeddies, and M.M. Weirathmueller. (2020a). Turbine Foundation and Cable Installation at South Fork Wind Farm: Underwater Acoustic Modeling of Construction Noise. Document 01584, Version 4.0. Technical report by JASCO Applied Sciences for Jacobs Engineering Group Inc. 5 February 2020
- Denes, S.L., M.M. Weirathmueller, and D.G. Zeddies. (2020b). Foundation Installation at South Fork Wind Farm: Animal Exposure Modelling. Document 01726, Version 2.0. Technical report by JASCO Applied Sciences for Jacobs Engineering Group Inc. 5 February 2020
- Denes, S.L., M.M. Weirathmueller, and D.G. Zeddies. (2020c). Foundation Installation at South Fork Wind Farm: Animal Exposure Modelling. Document 01726, Version 2.0. Technical report by JASCO Applied Sciences for Jacobs Engineering Group Inc. 10 July 2020.
- Di Iorio, L. and C.W. Clark. (2009). Exposure to seismic survey alters blue whale acoustic communication. *Biology Letters* 6(1), 51-54.
- Dunlop, R.A., M.J. Noad, R.D. McCauley, E. Kniest, R. Slade, D. Paton, and D.H. Caton. (2017). The behavioural response of migrating humpback whales to a full seismic airgun array. *Proceedings of the Royal Society B: Biological Sciences*, 284(1869), 20171901.
- Edwards, E.F., C. Hall, T.J. Moore, C. Sheredy, and J.V. Redfern. (2015). Global distribution of fin whales, *Balaenoptera physalis*, in the post-whaling era (1980-2012). *Marine Mammal Review*, 45(4), 197-214.
- Ellison, W.T., B.L. Southall, C.W. Clark, and A.S. Frankel. (2012). A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology*, 26(1), 21-28.
- Erbe, C. (2008). Critical ratios of beluga whales (*Delphinapterus leucas*) and masked signal duration. *Journal of the Acoustical Society of America*, 124(4), 2216-2223.
- Erbe, C., C. Reichmuth, K. Cunningham, K. Lucke, and R. Dooling. (2016). Communication masking in marine mammals: A review and research strategy. *Marine Pollution Bulletin*, 103 (1-2), 15-38.

- Evans, D.L. and G.R. England. (2001). Joint interim report: Bahamas marine mammal stranding event of 15-16 March 2000. U.S. Navy and National Marine Fisheries Service, 66 pp.
- Fair, P.A. and P.R. Becker. (2000). Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery*, 7(4), 335-354.
- Farmer, N. A., Noren, D. P., Fougères, E. M., Machernis, A., & Baker, K. (2018). Resilience of the endangered sperm whale *Physeter macrocephalus* to foraging disturbance in the Gulf of Mexico, USA: A bioenergetic approach. *Marine Ecology Progress Series*, 589, 241–261.
- Fay, R.R., A.N. Popper, and J.F. Webb. (2008). Introduction to fish bioacoustics. In: Webb, J.F., R.R. Fay, and A.N. Popper, eds. *Fish Bioacoustics*. Springer Handbook of Auditory Research 32, 1-15.
- Fay, R.R. (2009). Soundscapes and the sense of hearing of fishes. *Integrative Zoology*, 4, 26-32.
- Fewtrell, J.L., and R.D. McCauley. (2012). Impact of air gun noise on the behaviour of marine fish and squid. *Marine Pollution Bulletin*, 64, 984-993.
- Finneran, J.J., and C.E. Schlundt. (2010). Frequency-dependent and longitudinal changes in noise-induced hearing loss in a bottlenose dolphin (*Tursiops truncatus*). *Journal of the Acoustical Society of America*, 128(2), 567-570.
- Finneran, J.J. and A.K. Jenkins. (2012). Criteria and thresholds for U.S. Navy acoustic and explosive effects analysis. Technical Report, Space and Naval Warfare Systems Center Pacific, U.S. Navy, 64 pp.
- Finneran, J.J. (2015). Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *Journal of the Acoustical Society of America*, 138(3), 1702-1726.
- Foote, A.D., R.W. Osborne, and A.R. Hoelzel. (2004). Whale-call response to masking boat noise. *Nature*, 428, 910.
- Ford, J.K.B. and R.R. Reeves. (2008). Fight or flight: Antipredator strategies of baleen whales. *Mammal Review*, 38(1), 50-86.
- Frankel, A.S. and C.W. Clark. (2000). Behavioral responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. *Journal of the Acoustical Society of America*, 108(4), 1930-1937.
- Fristrup, K.M., L.T. Hatch, and C.W. Clark. (2003). Variation in humpback whale (*Megaptera novaeangliae*) song length in relation to low-frequency sound broadcasts. *Journal of the Acoustical Society of America*, 113(6), 3411-3424.
- Fritz, H., M. Guillemain, and D. Durant. (2002). The cost of vigilance for intake rate in the mallard (*Anas platyrhynchos*): An approach through foraging experiments. *Ethology, Ecology and Evolution*, 14 2), 91-97.
- Gailey, G., B. Wursig, and T.L. McDonald. (2007). Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134(1-3);, 5-91.
- Gailey, G., O. Sychenko, T. McDonald, R. Racca, A. Rutenko, and K. Broker. (2016). Behavioural responses of western gray whales to a 4-D seismic survey off northeastern Sakhalin Island, Russia. *Endangered Species Research*, 30, 53-71.
- Goldbogen, J.A., J. Calambokidis, A.S. Friedlaender, J. Francis, S.L. Deruiter, A.K. Stimpert, et al. (2013a). Underwater acrobatics by the world's largest predator: 360° rolling manoeuvres by lunge-feeding blue whales. *Biology Letters*, 9(1):Article 20120986.
- Goldbogen, J.A., A.S. Friedlaender, J. Calambokidis, M.F. McKenna, M. Simon, and D.P. Nowacek. (2013b). Integrative approaches to the study of baleen whale diving behavior, feeding performance, and foraging ecology. *BioScience*, 63(2), 90-100.
- Goold, J.C. (1996). Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom* 76(3), 811-820.

- Gordon, J., D. Gillespie, J. Potter, A. Frantzis, M.P. Simmonds, R. Swift, and D. Thompson. (2003). A review of the effects of seismic surveys on marine mammals. *Marine Technology Society Journal*, 37(4), 16-34.
- Götz, T., G. Hastie, L.T. Hatch, O. Raustein, B.L. Southall, M. Tasker, and F. Thomsen. (2009). Overview of the impacts of anthropogenic underwater sound in the marine environment. OSPAR Commission, 134 pp.
- Greene, C.R., and W.J. Richardson. (1988). Characteristics of marine seismic survey sounds in the Beaufort Sea. *Journal of the Acoustical Society of America*, 83(6), 2246-2254.
- Hain, H.H., M.J. Ratnaswamy, R.D. Kenney, and H.E. Winn. (1992). The fin whale, *Balaenoptera physalis*, in waters of the northeastern United States continental shelf. Reports of the International Whaling Commission. 42, 653-669.
- Halvorsen, M.B., D.G. Zeddies, W.T. Ellison, D.R. Chicoine, and A.N. Popper. (2012a). Effects of mid-frequency active sonar on hearing in fish. *Journal of the Acoustical Society of America*, 131(1), 599-607.
- Halvorsen, M.B., B.M. Casper, C.M. Woodley, T.J. Carlson, and A.N. Popper. (2012b). Threshold for onset of injury in chinook salmon from exposure to impulsive pile driving sounds. *PLoS ONE*, 7(6).
- Harrington, F.H. and A.M. Veitch. (1992). Calving success of woodland caribou exposed to low-level jet fighter overflights. *Arctic* 45(3), 213-218.
- Harris, C.M., ed. (1998). Handbook of Acoustical Measurements and Noise Control. Acoustical Society of America, Woodbury, NY.
- Harris, C. M., L.J. Wilson, C.G. Booth, and J. Harwood. (2017, October 21-28, 2017). Population consequences of disturbance: A decision framework to identify priority populations for PCoD modelling. Paper presented at the 22nd Biennial Conference on the Biology of Marine Mammals, Halifax, Nova Scotia, Canada.
- Harwood, J., and C. Booth. (2016). The application of an interim PCoD (PCoD Lite) protocol and its extension to other marine mammal populations and sites Final Report (SMRUC-ONR-2016-004).
- Harwood, J., S. King, R. Schick, C. Donovan, and C. Booth. (2014). A protocol for implementing the interim Population Consequences of Disturbance (PCoD) Approach: quantifying and assessing the effects of UK offshore wind renewable energy developments on marine mammal populations. Reprt number SMRUL-TCE-2013-014. *Scottish Marine and Freshwater Science*, 5(2).
- Hastings, M.C. and A.N. Popper. (2005). Effects of sound on fish. Prepared by Jones & Stokes for the California Department of Transportation: 82.
- Hayes, S.A., E. Josephson, K. Maze-Foley, P.E. Rosel (eds). (2020). US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2019 U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA. NOAA Technical Memorandum NMFS-NE-264, July 2020. 479 pp.
- Hemilä, S., S. Nummela,, A. Berta, and T. Reuter. (2006). High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. *The Journal of the Acoustical Society of America*, 120(6), 3463-3466.
- Herr, H., M. Scheidat, and K. Lehnert. (2009). Seals at sea: modelling seal distribution in the German bight based on aerial survey data. *Marine Biology*, 156, 811-820.
- Hildebrand, J.A. (2009). Anthropogenic and natural sources of ambient noise in the ocean. *Marine Ecology Progress Series*, 395, 5-20.
- Hoelzel, A. R., C.W. Potter, and P.B. Best. (1998). Genetic differentiation between parapatric 'nearshore' and 'offshore' populations of the bottlenose dolphin. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 265(1402), 1177-1183.
- Holberton, R.L., B. Helmuth, and J.C. Wingfield. (1996). The corticosterone stress response in gentoo and king penguins during the non-fasting period. *Condor*, 98(4), 850-854.

- Holt, M.M., D.P. Noren, V. Veirs, C.K. Emmons, and S. Veirs. (2009). Speaking up: killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *Journal of the Acoustical Society of America*, 125(1), 27-32.
- Hood, L.C., P.D. Boersma, and J.C. Wingfield. (1998). The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *Auk*, 115(1), 76-84.
- Houser, D.S. and P.W. Moore. (2014). Report on the current and future status of underwater hearing research. Report NMMF-001-14, National Marine Mammal Foundation: 46 pp.
- Illingworth & Rodkin, Inc. (2007). Appendix I. Compendium of pile driving sound data. In Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish. Sacramento, CA: Illingworth & Rodkin, Inc. for the California Department of Transportation, Sacramento, CA, 129 pp.
- Illingworth & Rodkin, Inc. (2017). Pile-driving noise measurements at Atlantic Fleet Naval installations: 28 May 2013 - 28 April 2016. Prepared for: Naval Facilities Engineering Command Atlantic under HDR Environmental, Operations and Construction, Inc. Contract No. N62470-10-D-3011, Task Order CTO33. 152 pp.
- ISO (International Organization for Standardization). (2003). Acoustics – Description, Measurement and Assessment of Environmental Noise – Part 1: Basic Quantities and Assessment Procedures (ISO 1996-1:2003(E)). International Organization for Standardization, Geneva.
- Jessop, T.S., A.D. Tucker, C.J. Limpus, and J.M. Whittier. (2003). Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and Comparative Endocrinology*, 132(1), 161-170.
- Jorgenson, J.K., and E.C. Gyselman. (2009). Hydroacoustic measurements of the behavioral response of arctic riverine fishes to seismic airguns. *Journal of the Acoustical Society of America*, 126(3), 1598-1606.
- Khan, C. A. Henry, P. Duley, J. Gatzke, L. Crowe, and T. Cole. (2018). North Atlantic right whale sighting survey (NARWSS) and right whale sighting advisory system (RWSAS) Northeast Fish. Sci. Cent. Ref. Doc. 18-01. 13 pp.
- Khan, C., P. Duley, A. Henry, J. Gatzke, L. Crowe, and T. Cole. (2016). North Atlantic right whale sighting survey (NARWSS) and right whale sighting advisory system (RWSAS) Northeast Fish. Sci. Cent. Ref. Doc. 16-01. 12 pp.
- Kastelein, R.A., D. de Haan, N. Vaughan, C. Staal, and N.M. Schooneman. (2001). The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research*, 52(4), 351-371.
- Kastelein, R.A., W.C. Verboom, M. Muijsers, N.V. Jennings, and S. Van der Heul. (2005). The influence of acoustic emissions for underwater data transmission on the behavior of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research*, 59, 287-307.
- Kastelein, R.A., N. Jennings, W.C. Verboom, D. de Haan, and N.M. Schooneman. (2006). Differences in the response of a striped dolphin (*Stenella coeruleoalba*) and a harbour porpoise (*Phocoena phocoena*) to an acoustic alarm. *Marine Environmental Research*, 61(3), 363-378.
- Kastelein, R.A., R. Gransier, L. Hoek, and J. Olthuis. (2012). Temporary threshold shifts and recovery in a harbor porpoise (*Phocoena phocoena*) after octave-band noise at 4 kHz. *Journal of the Acoustical Society of America* 132(5), 3525-3537.

- Kastelein, R.A., P.J. Wensveen, L. Hoek, W.C. Verboom, and J.M. Terhune. (2009). Underwater detection of tonal signals between 0.125 and 100 kHz by harbor seals (*Phoca vitulina*). *The Journal of the Acoustical Society of America*, 125(2), 222-1229.
- Katona, S.K. and J.A. Beard. (1990). Population size, migrations, and feeding aggregations of the humpback whale (*Megaptera novaeangliae*) in the western North Atlantic Ocean. Rep. Int. Whal. Comm. (Special Issue), 12, 295–306.
- Kenney, R.D., G.P.Scott, T.J. Thompson, and H.E. Winn. (1997). Estimates of prey consumption and trophic impacts of cetaceans in the USA Northeast continental shelf ecosystem. *Journal of Northwestern Atlantic Fisheries Science*, 22, 155-171.
- Kenney, R.D. and K.J. Vigness-Raposa. (2009). Marine Mammals and Sea Turtles of Narragansett Bay, Block Island Sound, Rhode Island Sound, and Nearby Waters: An Analysis of Existing Data for the Rhode Island Ocean Special Area Management Plan. University of Rhode Island Technical Report 10, 337 pp.
- Kenney, R.D., and K.J. Vigness-Raposa. (2010). Marine Mammals and Sea Turtles of Narragansett Bay, Block Island Sound, Rhode Island Sound, and Nearby Waters: An Analysis of Existing Data for the Rhode Island Ocean Special Area Management Plan. In: RICRMC (Rhode Island Coastal Resources Management Council). 2010. Rhode Island Ocean Special Area Management Plan (OceanSAMP), Volumes 1 and 2.
- Koschinski, S., & Lüdemann, K. (2013). Development of Noise Mitigation Measures in Offshore Wind Farm Construction. Commissioned by the Federal Agency for Nature Conservation (Bundesamt für Naturschutz, BfN). Original report (in German) published Jul 2011, updated Feb 2013. Nehnten and Hamburg, Germany.
- King, S. L., Schick, R. S., Donovan, C., Booth, C. G., Burgman, M., Thomas, L., . . . Kurle, C. (2015). An interim framework for assessing the population consequences of disturbance. *Methods in Ecology and Evolution*, 6(10), 1150–1158.
- Kraus, S. D., Leiter, S., Stone, K., Wikgren, B., Mayo, C. A., Hughes, P., . . . Tielens, J. T. (2016). Northeast Large Pelagic Survey Collaborative Aerial and Acoustic Surveys for Large Whales and Sea Turtles. US Department of the Interior, Bureau of Ocean Energy Management. OCS Study BOEM 2016-054. Sterling, Virginia.
- Krausman, P.R., L.K. Harris, C.L. Blasch, K.K.G. Koenen, and J. Francine. (2004). Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs*, 157, 1-41.
- Kremser, U., P. Klemm, and W.D. Koetz. (2005). Estimating the risk of temporary acoustic threshold shift, caused by hydroacoustic devices, in whales in the Southern Ocean. *Antarctic Science*, 17(1), 3-10.
- Kryter, K.D., W.D. Ward, J.D. Miller, and D.H. Eldredge. (1966). Hazardous exposure to intermittent and steady-state noise. *Journal of the Acoustical Society of America*, 39(3), 451-464.,
- Kryter, K.D. (1985). *The Effects of Noise on Man*. Academic Press, New York.
- Lankford, S.E., T.E. Adams, R.A. Miller, and J.J. Cech. (2005). The cost of chronic stress: Impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology*, 78, 599-609.
- Leatherwood, S., D.K. Caldwell, and H.E. Winn. (1976). Whales, dolphins, and porpoises of the western North Atlantic. A guide to their identification. NOAA Technical Report NMFS CIRC-396. 185 pp.
- Leiter, S. M., Stone, K. M., Thompson, J. L., Accardo, C. M., Wikgren, B. C., Zani, M. A., ... & Kraus, S. D. (2017). North Atlantic right whale *Eubalaena glacialis* occurrence in offshore wind energy areas near Massachusetts and Rhode Island, USA. *Endangered Species Research*, 34, 45-59.

- Lerma, D. (2014). Naval Base Point Loma Fleet Logistics Center Fuel Pier Replacement Project: Acoustic, marine mammal, green sea turtle, and California least tern monitoring report. Prepared by Tierra Data Inc. for Naval Facilities Engineering Command Southwest: 250 pp.
- Lindeboom, H & J. Kouwenhoven, H & J. N. Bergman, M & Bouma, S & Brasseur, Sophie & Daan, R & Fijn, Ruben & de Haan, Dick & Dirksen, Sjoerd & Hal, Ralf & Hille, R & Lambers, Ris & ter Hofstede, Remment & Krijgsveld, Karen & Leopold, Mardik & Scheidat, Meike. (2011). Short-term ecological effects of an offshore wind farm in the Dutch coastal zone; a compilation. *Environmental Research Letters*. 1341. 35101-13. 10.1088/1748-9326/6/3/035101.
- Lucke, K., Lepper, P. A., Blanchet, M. A., & Siebert, U. (2011). The use of an air bubble curtain to reduce the received sound levels for harbor porpoises (*Phocoena phocoena*). *The Journal of the Acoustical Society of America*, 130(5), 3406-3412.
- Lucke, K., Siebert, U., Lepper, P.A., and Blanchet, M. (2009). Temporary shift in masked hearing thresholds in a harbor porpoise (*Phocoena phocoena*) after exposure to seismic airgun stimuli. *Journal of the Acoustical Society of America*, 125(6), 4060.
- Lusseau, D. and L. Bejder. (2007). The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. *International Journal of Comparative Psychology*, 201(2-3), 228-236.
- Madsen, P.T., M. Johnson, P.J.O. Miller, N.A. Soto, J. Lynch, and P. Tyack. (2006). Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *Journal of the Acoustical Society of America*, 120(4), 2366-2379.
- Malme, C.I., P.R. Miles, C.W. Clark, P. Tyack, and J.E. Bird. (1984). Investigations of the potential effects of underwater noise from petroleum industry activities on migrating gray whale behavior, phase II: January 1984 migration. Report No. 5586, Prepared by Bolt Beranek and Newman, Inc. for Minerals Management Service, 357 pp.
- Mayo, C.A, L. Ganley, C.A. Hudak, S. Brault, M.K. Marx, E. Burke, and M.W. Brown. (2018). Distribution, demography, and behavior of North Atlantic right whales (*Eubalaena glacialis*) in Cape Cod Bay, Massachusetts, 1998-2013. *Marine Mammal Science*, 34(4), 979–996.
- McHuron, E.A., L.K. Schwarz, D.P. Costa, and M. Mangel. (2018). A state-dependent model for assessing the population consequences of disturbance on income-breeding mammals. *Ecological Modelling*, 385, 133-144.
- Miller, J.D. (1974). Effects of noise on people. *Journal of the Acoustical Society of America*, 56(3), 729-764.
- Miller, P.J.O., N. Biassoni, A. Samuels, and P.L. Tyack. (2000). Whale songs lengthen in response to sonar. *Nature*, 405(6789), 903.
- ICES. (1995). Underwater noise of research vessels: review and recommendations. ICES Cooperative Research Report No. 209. pp. 61. <https://doi.org/10.17895/ices.pub.5317>.
- Moberg, G.P. (1987). Influence of the adrenal axis upon the gonads. Pages 456-496 in J. Clarke, ed. *Oxford Reviews in Reproductive Biology*. Oxford University Press, New York, New York.
- Moberg, G.P. (2000). Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- Mooney, T.A., P.E. Nachtigall, and S. Vlachos. (2009). Sonar-induced temporary hearing loss in dolphins. *Biology Letters*, 5(4), 565-567.
- Morton, A.B. and H.K. Symonds. (2002). Displacement of *Orcinus orca* (L.) by high amplitude sound in British Columbia, Canada. *ICES Journal of Marine Science*, 59 (1), 71-80.
- National Academies of Sciences Engineering and Medicine (NAS). (2017). Approaches to Understanding the Cumulative Effects of Stressors on Marine Mammals. Washington, DC: The National Academies Press Series.

- Nedwell, J. R., Parvin, S. J., Edwards, B., Workman, R., Brooker, A. G., & Kynoch, J. E. (2007). *Measurement and interpretation of underwater noise during construction and operation of offshore windfarms in UK waters 544R0738*. Report prepared by Subacoustech for COWRIE Ltd. Newbury, UK.
- [NEFSC] Northeast Fisheries Science Center, & [SEFSC] Southeast Fisheries Science Center. (2011a). *2010 Annual report to the inter-agency agreement M10PG00075/0001: A comprehensive assessment of marine mammal, marine turtle, and seabird abundance and spatial distribution in US waters of the western North Atlantic Ocean*.
- [NEFSC] Northeast Fisheries Science Center, & [SEFSC] Southeast Fisheries Science Center. (2011b). *2011 Annual report to the inter-agency agreement M10PG00075/0001: A comprehensive assessment of marine mammal, marine turtle, and seabird abundance and spatial distribution in US waters of the western North Atlantic Ocean*.
- [NEFSC] Northeast Fisheries Science Center, & [SEFSC] Southeast Fisheries Science Center. (2012). *2012 Annual report to the inter-agency agreement M10PG00075/0001: A comprehensive assessment of marine mammal, marine turtle, and seabird abundance and spatial distribution in US waters of the western North Atlantic Ocean*.
- [NEFSC] Northeast Fisheries Science Center, & [SEFSC] Southeast Fisheries Science Center. (2014a). *2013 Annual report to the inter-agency agreement M10PG00075/0001: A comprehensive assessment of marine mammal, marine turtle, and seabird abundance and spatial distribution in US waters of the western North Atlantic Ocean*.
- [NEFSC] Northeast Fisheries Science Center, & [SEFSC] Southeast Fisheries Science Center. (2014b). *2014 Annual report to the inter-agency agreement M10PG00075/0001: A comprehensive assessment of marine mammal, marine turtle, and seabird abundance and spatial distribution in US waters of the western North Atlantic Ocean*.
- [NEFSC] Northeast Fisheries Science Center, & [SEFSC] Southeast Fisheries Science Center. (2015). *2015 Annual report to the inter-agency agreement M10PG00075/0001: A comprehensive assessment of marine mammal, marine turtle, and seabird abundance and spatial distribution in US waters of the western North Atlantic Ocean*.
- [NEFSC] Northeast Fisheries Science Center, & [SEFSC] Southeast Fisheries Science Center. (2016). *2016 Annual report of a comprehensive assessment of marine mammal, marine turtle, and seabird abundance and spatial distribution in US waters of the western North Atlantic Ocean – AMAPPS II*.
- Nehls, G., A. Rose., A. Diederichs, M.A. Bellmann, and H. Pehlke. (2016). Noise mitigation during pile driving efficiently reduces disturbance of marine mammals. In A. N. Popper & A. D. Hawkins (Eds.), *The Effects of Noise on Aquatic Life II* (2015/11/28 ed., Vol. 875, pp. 755-762). New York: Springer.
- New, L. F., J.S. Clark., D.P. Costa, E. Fleishman, M.A. Hindell, T. Klanjscek . . . J. Harwood. (2014). Using short-term measures of behaviour to estimate long-term fitness of southern elephant seals. *Marine Ecology Progress Series*, 496, 99–108.
- Ng, S.L. and S. Leung. (2003). Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Marine Environmental Research*, 56(5), 555-567.
- NIOSH (National Institute for Occupational Safety and Health). (1998). Criteria for a Recommended Standard: Occupational Noise Exposure. United States Department of Health and Human Services, Cincinnati, OH.
- NMFS. (2018). Revision to Technical Guidance for Assessing Effects of Anthropogenic Sound on Marine Mammal Hearing. Office of Protected Resources, National Marine Fisheries Service, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Silver Spring, Maryland.

- NMFS. 2019. Fin Whale *Balaenoptera physalus* Species Overview. Internet website: Accessed 3 May 2019: <https://www.fisheries.noaa.gov/species/fin-whale>.
- NMFS. 2020. Interim Recommendation for Sound Source Level and Propagation Analysis for High Resolution Geophysical (HRG) Sources. Office of Protected Resources, National Marine Fisheries Service, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Silver Spring, Maryland.
- Northridge, S., M. Tasker, A. Webb, K. Camphuysen and M. Leopold (1997). White-beaked *Lagenorhynchus albirostris* and Atlantic white-sided dolphin *L. acutus* distributions in northwest European and U.S. North Atlantic waters. Reports of the International Whaling Commission, 47, 797-805.
- Nowacek, D.P., M.P. Johnson, and P.L. Tyack. (2004). North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London Series B Biological Sciences*, 271(1536), 227-231.
- Nowacek, D.P., L.H. Thorne, D.W. Johnston, and P.L. Tyack. (2007). Responses of cetaceans to anthropogenic noise. *Mammal Review*, 37(2), 81-115.
- NRC (National Research Council). (2003). *Ocean noise and marine mammals*. Washington, DC: National Academies Press.
- NRC (National Research Council). (2005). *Marine mammal populations and ocean noise*. Washington, DC: National Academies Press.
- Oestman, R., D. Buehler, J. Reyff, and R. Rodkin. (2009). Technical guidance for assessment and mitigation of the hydroacoustic effects of pile driving on fish. Prepared by ICF Jones & Stokes and Illingworth & Rodkin, Inc. for the California Department of Transportation.
- Oleson, E.M., J. Baker, J. Barlow, J.E. Moore, and P. Wade. (2020). North Atlantic Right Whale Monitoring and Surveillance: Report and Recommendations of the National Marine Fisheries Service's Expert Working Group. NOAA Tech. Memo. NMFS-F/OPR-64, 47 p.
- Pace, R. M., P.J. Corkeron, and S.D. Kraus. (2017). State-space mark-recapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecology and Evolution*, doi:10.1002/ece3.3406
- Paquet, D., C. Haycock, and H. Whitehead. (1997). Numbers and seasonal occurrence of humpback whales, *Megaptera novaeangliae*, off Brier Island, Nova Scotia. *Canadian Field-Naturalist*, 111(4), 548-552.
- Parks, S.E., C.W. Clark, and P.L. Tyack. (2007). Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. *Journal of the Acoustical Society of America*, 122(6), 3725-3731.
- Paxton, A.B., J.C. Taylor, D.P. Nowacek, J. Dale, E. Cole, C.M. Voss, and C.H. Peterson. (2017). Seismic survey noise disrupted fish use of a temperate reef. *Marine Policy*, 78, 68-73.
- Payne, P.M., L.A. Selzer, and A.R. Knowlton. (1984). Distribution and density of cetaceans, marine turtles, and seabirds in the shelf waters of the northeastern United States, June 1980-December 1983, based on shipboard observations. NOAA/NMFS Contract No. NA-81-FA-C-00023.
- Payne, P.M., J.R. Nicholas J. R., L. O'Brien, and K.D. Powers. (1986). The distribution of the humpback whale, *Megaptera novaeangliae*, on Georges Bank and in the Gulf of Maine in relation to densities of the sand eel, *Ammodytes americanus*. *Fisheries Bulletin*, 84:271-277.
- Payne, P.M., and D.W. Heinemann. (1990). A distributional assessment of cetaceans in the shelf and shelf edge waters of the northeastern United States based on aerial and shipboard surveys, 1978-1988. Report to NMFS. Northeast Fisheries Science Center, Woods Hole, MA 02543.
- Pearson, W.H., J.R. Skalski, and C.I. Malme. (1992). Effects of sounds from a geophysical survey device on behavior of captive rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences*, 49, 1343-1356.

- Pena, H., N.O. Handegard, and E. Ona. (2013). Feeding herring schools do not react to seismic air gun surveys. *ICES Journal of Marine Science*, 70 (6), 1174-1180.
- Pettis, H.M. *et al.* (2020). North Atlantic Right Whale Consortium 2020 Annual Report Card. Report to the North Atlantic Right Whale Consortium.
- Pirotta, E., M. Mangel, D.P. Costa, B. Mate, J.A. Goldbogen, D.M. Palacios, . . . , and L. New. (2018). A Dynamic State Model of Migratory Behavior and Physiology to Assess the Consequences of Environmental Variation and Anthropogenic Disturbance on Marine Vertebrates. *The American Naturalist*, 191(2), E40–E56. doi:10.1086/695135
- Popper, A.N. and M.C. Hastings. (2009). The effects of anthropogenic sources of sound on fishes. *Journal of Fish Biology*, 75(3), 455-489.
- Purser, J. and A.N. Radford. (2011). Acoustic noise induces attention shifts and reduces foraging performance in three-spined sticklebacks (*Gasterosteus aculeatus*). *PLoS ONE*, 6(2), e17478.
- Reichmuth, C. and M.M. Holt. (2013). Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology*, 199(6), 491-507.
- Reichmuth, C., A. Ghoul, J.M. Sills, A. Rouse, and B.L. Southall. (2016). Low-frequency temporary threshold shift not observed in spotted or ringed seals exposed to single air gun impulses. *Journal of the Acoustical Society of America*, 140(4), 2646.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. (1995). *Marine Mammals and Noise*. Academic Press, Inc., San Diego, California.
- Ridgway, S.H., D.A. Carder, R.R. Smith, T. Kamolnick, C.E. Schlundt, and W.R. Elsberry. (1997). Behavioral responses and temporary shift in masked hearing threshold of bottlenose dolphins, *Tursiops truncatus*, to 1-second tones of 141 to 201 dB re 1  $\mu$ Pa. Technical Report 1751, Naval Command, Control and Ocean Surveillance Center, 32 pp.
- Ridgway, S., D. Carder, J. Finneran, M. Keogh, T. Kamolnick, M. Todd, and A. Goldblatt. (2006). Dolphin continuous auditory vigilance for five days. *Journal of Experimental Biology*, 209(18), 3621-3628.
- Roberts, J. J., B.D. Best, L. Mannocci, E. Fujioka, P.N. Halpin, D.L. Palka, . . . , and G.G. Lockhart (2016). Habitat based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports*, 6. doi:10.1038/srep22615
- Roberts, J. J., L. Mannocci, and P.N. Halpin. (2017). Final project report: Marine species density data gap assessments and update for the AFTT study area, 2016-2017 (Opt. Year 1). Document version 1.4. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab. Durham, NC.
- Roberts, J. J., Mannocci, L., Schick, R. S., & Halpin, P. N. (2018). *Final Project Report: Marine Species Density Data Gap Assessments and Update for the AFTT Study Area, 2017-2018 (Opt. Year 2)*. Document version 1.2. Report by the Duke University Marine Geospatial Ecology Lab for Naval Facilities Engineering Command, Atlantic Durham, NC, USA.
- Roberts JJ. (2020). Revised habitat-based marine mammal density models for the U.S. Atlantic and Gulf of Mexico. Unpublished data files received with permission to use August, 2020.
- Rolland, R.M., S.E. Parks, K.E. Hunt, M. Castellote, P.J. Corkeron, D.P. Nowacek, S.K. Wasser, and S.D. Kraus. (2012). Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society B: Biological Sciences*, 279(1737), 363-2368.
- Rolland, R.M., S.E. Parks, K.E. Hunt, M. Castellote, P.J. Corkeron, D.P. Nowacek, et al. (2012). Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society of London Series B Biological Sciences*, 279(1737), 2363-2368.
- Romano, T., M. Keogh, and K. Danil. (2002a). Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the eastern tropical Pacific. Administrative Report LJ-02-35C, National Marine Fisheries Service, 37 pp.

- Romano, T.A., D.L. Felten, S.Y. Stevens, J.A. Olschowka, V. Quaranta, and S.H. Ridgway. (2002b). Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 in C.J. Pfeiffer, ed. *Molecular and Cell Biology of Marine Mammals*. Krieger Publishing Co., Malabar, Florida.
- Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, et al. (2004). Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. *Canadian Journal of Fisheries and Aquatic Sciences*, 61, 1124-1134.
- Rosel, P.E., L. Hansen, and A.A. Hohn. (2009). Restricted dispersal in a continuously distributed marine species: common bottlenose dolphins *Tursiops truncatus* in coastal waters of the western North Atlantic. *Molecular Ecology*, 18, 5030–5045.
- Russell, D. J., G.D. Hastie, D. Thompson, V.M. Janik,, P.S. Hammond, L.A. Scott-Hayward,..... and B.J. McConnell. (2016). Avoidance of wind farms by harbour seals is limited to pile driving activities. *Journal of Applied Ecology*, 53(6) 1642-1652.
- Rustemeier, Jörg, T. Griebmann, and R. Rolfes. Underwater sound mitigation of bubble curtains with different bubble size distributions. *Proceedings of Meetings on Acoustics ECUA2012*. Vol. 17. No. 1. Acoustical Society of America, 2012.
- Santulli, A., A. Modica, C. Messina, L. Ceffa, A. Curatolo, G. Rivas, et al. (1999). Biochemical responses of European sea bass (*Dicentrarchus labrax* L.) to the stress induced by offshore experimental seismic prospecting. *Marine Pollution Bulletin*, 38(12), 1105-1114.
- Scholik, A.R. and H.Y. Yan. (2001). The effects of underwater noise on auditory sensitivity of fish. *Proceedings of the Institute of Acoustics*, 23(4), 27.
- Scholik, A.R. and H.Y. Yan. (2002). The effects of noise on the auditory sensitivity of the bluegill sunfish, *Lepomis macrochirus*. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 133(1):43-52.
- Seyle, H. (1950). Stress and the general adaptation syndrome. *British Medical Journal June*, 17, 1383-1392.
- Simard, Y., N. Roy, S. Giard, and F. Aulancier. (2019). North Atlantic right whale shift to the Gulf of St. Lawrence in 2015, revealed by long-term passive acoustics. *Endangered Species Research*, 40, 271-284.
- Skalski, J.R., W.H. Pearson, and C.I. Malme. (1992). Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences*, 49, 1357-1365.
- Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, F. Larsen, J. Lien, D. Mattila, P.J. Palsbøll, J. Sigurjónsson, and P.T. Stevick. (1999). An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). *Marine Mammal Science*, 15(1), 1-32.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. (2007). Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals*, 33(4), 411-521.
- Southall, B. L., J.J. Finneran, C. Reichmuth, P.E. Nachtigall, D.R. Ketten, A.E. Bowles, ... and P.L. Tyack. (2019). Marine Mammal Noise Exposure Criteria: Updated Scientific Recommendations for Residual Hearing Effects. *Aquatic Mammals*, 45(2), 125-232.
- South Fork Wind. (2020). Construction and Operations Plan for the South Fork Wind Farm. <https://www.boem.gov/renewable-energy/state-activities/south-fork>.
- Stevick, P.T., J. Allen, M. Bérubé, P.J. Clapham, S.K. katona, F. Larsen, ....., et al. (2003). Segregation of migration by feeding ground origin in North Atlantic humpback whales (*Megaptera novaeangliae*). *Journal of Zoology*, 259(3), 231-237.
- Stone, K. M., S.M. Leiter, R.D. Kenney, B.C. Wikgren, J.L. Thompson, J.K. Taylor, and S.D. Kraus. (2017). Distribution and abundance of cetaceans in a wind energy development area offshore of Massachusetts and Rhode Island. *Journal of Coastal Conservation*, 21(4), 527-543.

- Stone, G.S., L. Cavagnaro, A. Hutt, S. Kraus, K. Baldwin, and J. Brown. (2000). Reactions of Hector's dolphins to acoustic gillnet pingers. New Zealand Department of Conservation: 28.
- Tal, D., H. Shachar-Bener, D. Hershkovitz, Y. Arieli, and A. Shupak. (2015). Evidence for the initiation of decompression sickness by exposure to intense underwater sound. *Journal of Neurophysiology*, 114(3), 1521-1529.
- Teilmann, J., J. Tougaard, L.A. Miller, T. Kirketerp, K. Hansen, and S. Brando. (2006). Reactions of captive harbor porpoises (*Phocoena phocoena*) to pinger-like sounds. *Marine Mammal Science*, 22(2), 240-260.
- Thorson, P. and J.A. Reyff. (2006). San Francisco-Oakland Bay Bridge East Span Seismic Safety Project: Marine mammal and acoustic monitoring for the marine foundations at piers E2 and T1, January-September 2006. Prepared by SRS Technologies and Illingworth & Rodkin, Inc. for the California Department of Transportation: 51.
- Urick, R.J. (1983). *Principles of Underwater Sound*. Peninsula Publishing, Los Altos, CA.
- Villegas-Amtmann, S., L.K. Schwarz, J.L. Sumich, and D.P. Costa. (2015). A bioenergetics model to evaluate demographic consequences of disturbance in marine mammals applied to gray whales. *Ecosphere*, 6(10). doi:10.1890/es15-00146.
- Ward, W.D. (1997). Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. *Encyclopedia of Acoustics*, Volume III. John Wiley & Sons, New York.
- Wardle, C.S., T.J. Carter, G.G. Urquhart, A.D.F. Johnstone, A.M. Ziolkowski, G. Hampson, and D. Mackie. (2001). Effects of seismic air guns on marine fish. *Continental Shelf Research*, 21, 1005-1027.
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel. (2014). U. S. Atlantic and Gulf of Mexico marine mammal stock assessments – 2013. 464 pp.
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). (2016). U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2015. NOAA Technical Memorandum NMFS-NE-238. 512 pp.
- Wartzok, D. and D.R. Ketten. (1999). Marine mammal sensory systems. Pages 117-175 in J.E. Reynolds and S.A. Rommel, eds. *Biology of Marine Mammals*. Smithsonian Institution Press, Washington.
- Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. (2003). Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal*, 37(4), 6-15.
- Weilgart, L.S. (2007). A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology*, 201 (2-3), 159-168.
- Westgate, A.J., and A.J. Read. (1998). Applications of new technology to the conservation of porpoises. *Marine Technology Society Journal*, 32(1), 70.
- Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, H.R. Melton, M.W. Newcomer, et al. (2007). Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134(1-3), 93-106.
- Yelverton, J.T., D.R. Richmond, E.R. Fletcher, and R.K. Jones. (1973). Safe distances from underwater explosions for mammals and birds. Defense Nuclear Agency: 67.
- Zelick, R., and D.A. Mann. (1999). Acoustic communication in fishes and frogs. In: Fay, R.R. and A.N. Popper, eds. *Comparative hearing: Fishes and amphibians*. Springer-Verlag, New York.
- Zimmer, W.M.X., and P.L. Tyack. (2007). Repetitive shallow dives pose decompression risk in deep-diving beaked whales. *Marine Mammal Science*, 23(4), 888-925.