

Takes of Marine Mammals Incidental to Specified Activities: Taking Marine Mammals Incidental to Portsmouth Naval Shipyard Dry Dock 1 Modification and Expansion

References

- ANSI (American National Standards Institute). 1986. Methods of measurement for impulse noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- ANSI, 2005. Measurement of sound pressure levels in air (ANSI S1.13-2005). Acoustical Society of America, Woodbury, NY.
- Archer, F.I., S.L. Mesnick, and A.C. Allen. (2010). Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC-457, National Marine Fisheries Service, 60.
- Au, W.W.L. and M.C. Hastings. 2008. Principles of Marine Bioacoustics. Springer, New York.
- Beauchamp, G. and B. Livoreil. 1997. The effect of group size on vigilance and feeding rate in spice finches (*Lonchura punctulata*). Canadian Journal of Zoology 75 (9):1526-1531.
- Bejder, L., A. Samuels, H. Whitehead, N. Gales, J. Mann, R. Connor, et al. 2006. Decline in relative abundance of bottlenose dolphins exposed to long-term disturbance. Conservation Biology 20 (6):1791-1798.
- Bejder, L., A. Samuels, H. Whitehead, H. Finn, and S. Allen. (2009). Impact assessment research: Use and misuse of habituation, sensitisation and tolerance in describing wildlife responses to anthropogenic stimuli. *Marine Ecology Progress Series*, 395, 177-185.
- Blackwell, S.B., J.W. Lawson, and M.T. Williams. 2004. Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. Journal of the Acoustical Society of America 115 (5):2346.
- Blecha, F. 2000. Immune system response to stress. Pages 111-122 in G.P. Moberg and J.A. Mench, eds. The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare. CABI Publishing, Oxon, United Kingdom. Bonnell, M.L., M.O. Pierson, and G.D. Farrens. 1983. Pinnipeds and sea otters of central and northern California, 1980-1983: Status, abundance and distribution. Prepared by Center for Marine Studies, University of California for Minerals Management Service: 220.
- Bowles, A.E., M. Smultea, B. Wursig, D.P. DeMaster, and D. Palka. 1994. Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island feasibility test. Journal of the Acoustical Society of America 96 (4):2469-2484.

- Bradshaw, C.J.A., S. Boutin, and D.M. Hebert. 1998. Energetic implications of disturbance caused by petroleum exploration to woodland caribou. *Canadian Journal of Zoology* 76 (7):1319-1324.
- Branstetter, B.K., J.S. Trickey, K. Bakhtiari, A. Black, H. Aihara, and J.J. Finneran. 2013. Auditory masking patterns in bottlenose dolphins (*Tursiops truncatus*) with natural, anthropogenic, and synthesized noise. *Journal of the Acoustical Society of America* 133 (3):1811-1818.
- Brown, R.F. 1988. Assessment of pinniped populations in Oregon: April 1984 to April 1985. NWAFC Processed Report 88-05, National Marine Fisheries Service: 54.
- Burns, J.J., (2009). Arctic marine mammals. *In*: Würsig, B., W. Perrin., and J.G.M Thewissen, eds. *Encyclopedia of Marine Mammals*. Second edition. Academic Press.
- California Department of Transportation (Caltrans). 2015. Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish. Available online at: http://www.dot.ca.gov/hq/env/bio/fisheries_bioacoustics.htm. November 2015.
- Casper, B.M., M.B. Halvorsen, F. Matthews, T.J. Carlson, and A.N. Popper. (2013). Recovery of barotrauma injuries resulting from exposure to pile driving sound in two sizes of hybrid striped bass. *PLoS ONE*, 8((9), e73844.
- CIANBRO. 2018a. 2017 Monitoring Report for Berth 11 Waterfront Improvement Project at Portsmouth Naval Shipyard, Kittery, Maine. April 18, 2017 – December 31, 2017.
- CIANBRO. 2018b. Sightings during 2018 drilling and pile driving operations. Two page pdf summary of sightings during 58 of 100 days monitored for Berth 11 Waterfront improvements project in 2018. Document provided via email on August 11. Dazey, E., M. McIntosh, S. Brown, and K.M. Dudzinski. 2012. Assessment of Underwater Anthropogenic Noise Associated with Construction Activities in Bechers Bay, Santa Rosa Island, California. *Journal of Environmental Protection*; 3: 1286–1294.
- Clark, C.W., W.T. Ellison, B.L. Southall, L. Hatch, S.M. Van Parijs, A. Frankel, and D. Ponirakis. 2009. Acoustic masking in marine ecosystems: intuitions, analysis, and implication. *Marine Ecology Progress Series* 395:201-222.
- Committee on Taxonomy. (2021). List of marine mammal species and subspecies. Society for Marine Mammalogy, www.marinemammalscience.org, accessed on February 21, 2021.
- Connor, R.C. and M.R. Heithaus. 1996. Approach by great white shark elicits flight response in bottlenose dolphins. *Marine Mammal Science* 12 (4):602-606.

- Cox, T.M., T.J. Ragen, A.J. Read, E. Vos, R.W. Baird, K. Balcomb, et al. (2006). Understanding the impacts of anthropogenic sound on beaked whales. *Journal of Cetacean Research and Management* 7(3), 177-187.
- Cole, R. H. (1948). *Underwater Explosions*. Princeton University Press, Princeton, New Jersey.
- Costa, D.P., D.E. Crocker, J. Gedamke, P.M. Webb, D.S. Houser, S.B. Blackwell, et al. (2003). The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, *Mirounga angustirostris*. *Journal of the Acoustical Society of America*, 113(2), 1155-1165.
- Cott, P.A., A.N. Popper, D.A. Mann, J.K. Jorgenson, and B.W. Hanna. (2012). Impacts of river-based air gun seismic activity on northern fishes. *Advances in Experimental Medicine and Biology*, 730, 367-369.
- Croll, D.A., C.W. Clark, J. Calambokidis, W.T. Ellison, and B.R. Tershy. (2001). Effect of anthropogenic low-frequency noise on the foraging ecology of *Balaenoptera* whales. *Animal Conservation*, 4(1), 13-27.
- Daan, S., C. Deerenberg, and C. Dijkstra. 1996. Increased daily work precipitates natural death in the kestrel. *Journal of Animal Ecology* 65 (5):6.
- Denes, S.L., G.J. Warner, M.E. Austin, and A.O. MacGillivay. 2016. Hydroacoustic Pile Driving Noise Study – Comprehensive Report. Document 001285, Version 2.0. Technical report by JASCO Applied Sciences for Alaska Department of Transportations & Public Facilities.
- Di Iorio, L. and C.W. Clark. 2009. Exposure to seismic survey alters blue whale acoustic communication. *Biology Letters* 6 (1):51-54.
- DoN (Department of the Navy). 2001. Final environmental impact statement, shock trial of the WINSTON S. CHURCHILL (DDG81), Department of the Navy, Washington, DC.
- DoN (Department of the Navy). 2017. Criteria and Thresholds for U.S. Navy Acoustic and Explosive Effects Analysis (Phase III). Technical Report. San Diego: SSC Pacific.
- Ellison, W.T., Southall, B.L., Clark, C.W., and Frankel, A.S. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biol.* 1:21-28.
- Erbe, C. 2008. Critical ratios of beluga whales (*Delphinapterus leucas*) and masked signal duration. *Journal of the Acoustical Society of America* 124 (4):2216-2223.
- Evans, D.L. and G.R. England. 2001. Joint interim report: Bahamas marine mammal stranding event of 15-16 March 2000. U.S. Navy and National Marine Fisheries Service: 66.

- Fair, P.A. and P.R. Becker. 2000. Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery* 7 (4):335-354.
- Fay, R.R., A.N. Popper, and J.F. Webb. (2008). Introduction to fish bioacoustics. *In: Webb, J.F., R.R. Fay, and A.N. Popper, eds. Fish Bioacoustics. Springer Handbook of Auditory Research* 32, 1-15.
- Fewtrell, J.L., and R.D. McCauley. (2012). Impact of air gun noise on the behaviour of marine fish and squid. *Marine Pollution Bulletin*, 64, 984-993.
- Finneran, J., R. Dear, D.A. Carder, and S.H. Ridgway. 2003. Auditory and behavioral responses of California sea lions (*Zalophus californianus*) to single underwater impulses from an arc-gap transducer. *The Journal of the Acoustical Society of America*, 114(3): 1667-1677.
- Finneran, J. J., Carder, D. A., Schlundt, C. E., and Ridgway, S. H. (2005). "Temporary threshold shift (TTS) in bottlenose dolphins (*Tursiops truncatus*) exposed to mid-frequency tones," *J. Acoust. Soc. Am.* 118, 2696–2705.
- Finneran, J.J. and A.K. Jenkins. (2012). Criteria and thresholds for U.S. Navy acoustic and explosive effects analysis. Technical Report, Space and Naval Warfare Systems Center Pacific, U.S. Navy, 64 pp.
- Finneran, J.J., C.E. Schlundt, R. Dear, D.A. Carder, and S.H. Ridgway. 2002. Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *Journal of the Acoustical Society of America* 111 (6):2929.
- Foote, A.D., R.W. Osborne, and A.R. Hoelzel. 2004. Whale call response to masking boat noise. *Nature* 428:910.
- Ford J.K.B and R.R. Reeves. 2008. Fight or flight: anti-predator strategies of baleen whales. *Mammal Rev* 38: 50–86.
- Frankel, A.S. and C.W. Clark. (2000). Behavioral responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. *Journal of the Acoustical Society of America*, 108(4), 1930-1937.
- Frstrup, K.M., Hatch, L.T. & Clark, C.W. 2003. Variation in humpback whale (*Megaptera novaeangliae*) song length in relation to low-frequency sound broadcasts. *Journal of the Acoustical Society of America*, 113, 3411–3424
- Fritz, L., K. Sweeney, D. Johnson, M. Lynn, T. Gelatt, and J. Gilpatrick. 2013. Aerial and ship-based surveys of Steller sea lions (*Eumetopias jubatus*) conducted in Alaska in June-July 2008 through 2012, and an update on the status and trend of the western distinct

population segment in Alaska. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-251, 91 p.

Gailey, G., B. Wursig, and T.L. McDonald. 2007. Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment* 134 (1-3):75-91.

Goertner, J.F. 1982. Prediction of underwater explosion safe ranges for sea mammals. Rep AD A139 823, 1-25, Dahlgren, VA and Silver Spring, MD: Naval Surface Weapons Center.

Goldbogen, J.A., J. Calambokidis, A.S. Friedlaender, J. Francis, S.L. Deruiter, A.K. Stimpert, et al. (2013a). Underwater acrobatics by the world's largest predator: 360° rolling manoeuvres by lunge-feeding blue whales. *Biology Letters*, 9(1):Article 20120986.

Goldbogen, J.A., A.S. Friedlaender, J. Calambokidis, M.F. McKenna, M. Simon, and D.P. Nowacek. (2013b). Integrative approaches to the study of baleen whale diving behavior, feeding performance, and foraging ecology. *BioScience*, 63(2), 90-100.

Goold, J.C. 1996. Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom* 76 (3):811-820.

Götz, T., G. Hastie, L.T. Hatch, O. Raustein, B.L. Southall, M. Tasker, and F. Thomsen. (2009). Overview of the impacts of anthropogenic underwater sound in the marine environment. OSPAR Commission, 134 pp.

Gordon, J., D. Gillespie, J. Potter, A. Frantzis, M.P. Simmonds, R. Swift, and D. Thompson. (2003). A review of the effects of seismic surveys on marine mammals. *Marine Technology Society Journal*, 37(4), 16-34.

Halvorsen, M.B., D.G. Zeddies, W.T. Ellison, D.R. Chicoine, and A.N. Popper. (2012a). Effects of mid-frequency active sonar on hearing in fish. *Journal of the Acoustical Society of America*, 131(1), 599-607

Hammill, M.O., and G. Stenson. 2006. Abundance of Northwest Atlantic hooded seals (1960–2005). DFO Canada. Canadian Science Advisory Secretariat Research Document 2006/068. 19 p. <http://www.dfo-mpo.gc.ca/csas/>

Harrington, F.H. and A.M. Veitch. 1992. Calving success of woodland caribou exposed to low-level jet fighter overflights. *Arctic* 45 (3):213-218.

Hastings, M.C. and A.N. Popper. (2005). Effects of sound on fish. Prepared by Jones & Stokes for the California Department of Transportation: 82.

- Hayes, S.A., Josephson, E., Maze-Foley, K., and Rosel, P.E., et al. 2018. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2017: (second edition). NOAA Technical Memorandum NMFS-NE-245. US Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, Massachusetts.
- Hayes, S.A., E. Josephson, K. Maze-Foley, P.E. Rosel (eds). (2020). US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2019 U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA. NOAA Technical Memorandum NMFS-NE-264, July 2020. 479 pp.
- Hemilä S, Nummela S, Berta A, Reuter T (2006) High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. *J Acoust Soc Am* 120:3463–3466
- Hempen, G. L., Keevin, T. M., & Jordan, T. L. (2007). Underwater Blast Pressures from a Confined Rock Removal During the Miami Harbor Deepening Project. International Society of Explosives Engineers.
- Hildebrand, J.A. 2009. Anthropogenic and natural sources of ambient noise in the ocean. *Marine Ecology-Progress Series*. 395:5-20.
- Holberton, R.L., B. Helmuth, and J.C. Wingfield. 1996. The corticosterone stress response in gentoo and king penguins during the non-fasting period. *Condor* 98 (4):850-854.
- Holt, M.M., D.P. Noren, V. Veirs, C.K. Emmons, and S. Veirs. 2009. Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *Journal of the Acoustical Society of America* 125 (1):EL27-32.
- Hood, L.C., P.D. Boersma, and J.C. Wingfield. 1998. The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *Auk* 115 (1):76-84.
- ISO (International Organization for Standardization). 2003. Acoustics – Description, measurement and assessment of environmental noise – Part 1: Basic quantities and assessment procedures (ISO 1996-1:2003(E)). International Organization for Standardization, Geneva.
- Jessop, T.S., A.D. Tucker, C.J. Limpus, and J.M. Whittier. 2003. Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and Comparative Endocrinology* 132 (1):161-170.

- Jorgenson, J.K., and E.C. Gyselman. (2009). Hydroacoustic measurements of the behavioral response of arctic riverine fishes to seismic airguns. *Journal of the Acoustical Society of America*, 126(3), 1598-1606.
- Kastak, D. & Schusterman, R. J. 1999. In-air and underwater hearing sensitivity of a northern elephant seal (*Mirounga angustirostris*). *Canadian Journal of Zoology*, 77(11), 1751-1758.
- Kastak, D., J. Mulsow, A. Ghaul, and C. Reichmuth. 2008. Noise-induced permanent threshold shift in a harbor seal. *Journal of the Acoustical Society of America* 123:2986.
- Kastak, D., B.L. Southall, R.J. Schusterman, and C.R. Kastak. 2005. Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. *Journal of the Acoustical Society of America* 118 (5):3154-3163.
- Kastak, D. Schusterman, R.J., Southall, B.L., & Reichmuth, C.J. 1999. Underwater temporary threshold shift induced by octave-band noise in three species of pinniped. *J. Acoust. Soc. Am.*, Vol. 106, No. 2, August 1999.
- Kastelein, R.A., R. Gransier, L. Hoek, A. Macleod, and J.M. Terhune. 2012a. Hearing threshold shifts and recovery in harbor seals (*Phoca vitulina*) after octave-band noise exposure at 4 kHz. *Journal of the Acoustical Society of America* 132 (4):2745-2761.
- Kastelein, R.A., R. Gransier, L. Hoek, and J. Olthuis. 2012b. Temporary threshold shifts and recovery in a harbor porpoise (*Phocoena phocoena*) after octave-band noise at 4 kHz. *Journal of the Acoustical Society of America* 132:3525-3537.
- Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America* 126 (1):476-483.
- Kastelein, R.A., R. Van Schie, W.C. Verboom, and D. de Haan. 2005a. Underwater hearing sensitivity of a male and a female Steller sea lion (*Eumetopias jubatus*). *Journal of the Acoustical Society of America* 118 (3):1820-1829.
- Kastelein, R.A., W.C. Verboom, M. Muijsers, N.V. Jennings, and S. Van der Heul. 2005b. The influence of acoustic emissions for underwater data transmission on the behavior of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research* 59:287-307.
- Kastelein, R.A., D. de Haan, N. Vaughan, C. Staal, and N.M. Schooneman. 2001. The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research* 52 (4):351-371.

- Ketten, D.R., 1995. Estimates of blast injury and acoustic trauma zones for marine mammals from underwater explosions. *Sensory systems of aquatic mammals*, pp.391-407.
- Krausman, P.R., L.K. Harris, C.L. Blasch, K.K.G. Koenen, and J. Francine. 2004. Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs* 157:1-41.
- Kryter, K.D., W.D. Ward, J.D. Miller, and D.H. Eldredge. (1966). Hazardous exposure to intermittent and steady-state noise. *Journal of the Acoustical Society of America*, 39(3), 451-464.,
- Kryter, K.D. (1985). *The Effects of Noise on Man*. Academic Press, New York.
- Landsberg, P.G. 2000. Underwater blast injuries. *Trauma Emer Med*. 17(2).
- Lankford, S.E., T.E. Adams, R.A. Miller, and J.J. Cech. 2005. The cost of chronic stress: Impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology* 78:599-609.
- Lucke, K., Siebert, U., Lepper, P.A., and Blanchet, M. (2009). Temporary shift in masked hearing thresholds in a harbor porpoise (*Phocoena phocoena*) after exposure to seismic airgun stimuli. *Journal of the Acoustical Society of America*, 125(6), 4060.
- Lusseau, D. and L. Bejder. (2007). The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. *International Journal of Comparative Psychology*, 201(2-3), 228-236.
- Madsen, P.T., M. Johnson, P.J.O. Miller, N.A. Soto, J. Lynch, and P. Tyack. (2006). Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *Journal of the Acoustical Society of America*, 120(4), 2366-2379.
- Malme, C. I., Miles, P. R., Clark, C. W., Tyack, P., & Bird, J. E. 1984. Investigations of the potential effects of underwater noise from petroleum-industry activities on migrating gray-whale behavior. Phase 2: January 1984 migration (No. PB-86-218377/XAB; BBN-5586). Bolt, Beranek and Newman, Inc., Cambridge, MA (USA).
- Miller, J.D. (1974). Effects of noise on people. *Journal of the Acoustical Society of America*, 56(3), 729-764.
- Miller, P.J.O., N. Biassoni, A. Samuels, and P.L. Tyack. 2000. Whale songs lengthen in response to sonar. *Nature* 405 (6789):903.

- Mitson, R.B (ed.). 1995. Underwater noise of research vessels: Review and recommendations. Cooperative Research Report No. 209, International Council for the Exploration of the Sea: 65.
- Moberg, G.P. 1987. Influence of the adrenal axis upon the gonads. Pages 456-496 in J. Clarke, ed. Oxford Reviews in Reproductive Biology. Oxford University Press, New York, New York.
- Moberg, G.P. 2000. Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare. CABI Publishing, Oxon, United Kingdom.
- Morton, A.B. and H.K. Symonds. (2002). Displacement of *Orcinus orca* (L.) by high amplitude sound in British Columbia, Canada. *ICES Journal of Marine Science*, 59 (1), 71-80.
- Nachtigall, P.E., A.Y. Supin, J.L. Pawloski, and W.W.L. Au. 2004. Temporary threshold shifts after noise exposure in the bottlenose dolphin (*Tursiops truncatus*) measured using evoked auditory potentials. *Marine Mammal Science* 20 (4):672-687.
- Ng, S.L. and S. Leung. (2003). Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Marine Environmental Research*, 56(5), 555-567.
- NMFS. 2016. Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing: Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Dept. of Commerce, NOAA. NOAA Technical Memorandum NMFS-OPR-55, 178 p.
- NMFS. (2018). Revision to Technical Guidance for Assessing Effects of Anthropogenic Sound on Marine Mammal Hearing. Office of Protected Resources, National Marine Fisheries Service, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Silver Spring, Maryland.
- NAVFAC Mid-Atlantic. (2018). Technical Memorandum Nearshore Marine Mammal Surveys, Portsmouth Naval Shipyard. Prepared by Tetra Tech, Inc, NAVFAC Atlantic Biological Resource Services, Contract: N62470-13-D-8016, Task Order: WE08. Final March.
- NAVFAC Mid-Atlantic. (2016, April 8). Nearshore Surveys and Portsmouth Naval Shipyard (PNSY) Final Report.
- NAVFAC Mid-Atlantic. (2019a). Request for Authorization for the Incidental Harassment of Marine Mammals Resulting from Modification, Expansion, and Future Operations of Dry Dock 1 at Portsmouth Naval Shipyard, Kittery, Maine October 1, 2019, Through September 30, 2020. Revised March.
- NAVFAC Mid-Atlantic. (2019b). Technical Memorandum 2018 Nearshore Marine Mammal Surveys, Portsmouth Naval Shipyard. Prepared by Tetra Tech, Inc, NAVFAC Atlantic

- Biological Resource Services, Contract: N62470-13-D-8016, Task Order: WE08. Final April.
- Navy. (2019). 2018 Monitoring Report for Berth 11 Waterfront Improvement Project at Portsmouth Naval Shipyard, Kittery, Maine: January 8, 2018 - January 7, 2019. Final Report.
- Navy. 2020. Preliminary Monitoring Report for NOAA Fisheries Incidental Harassment Authorization (IHA) Year One Activities (from May 12, 2020 to December 9, 2020) for Modification and Expansion of Dry Dock 1: Super Flood Basin (P-310). January 15, 2021. 41.
- NIOSH (National Institute for Occupational Safety and Health). 1998. Criteria for a recommended standard: Occupational noise exposure. United States Department of Health and Human Services, Cincinnati, OH.
- Nowacek, D.P., M.P. Johnson, and P.L. Tyack. (2004). North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London Series B Biological Sciences*, 271(1536), 227-231.
- Nowacek, D.P., L.H. Thorne, D.W. Johnston, and P.L. Tyack. (2007). Responses of cetaceans to anthropogenic noise. *Mammal Review*, 37(2), 81-115.
- NRC (National Research Council). (2003). *Ocean noise and marine mammals*. Washington, DC: National Academies Press.
- NRC (National Research Council). (2005). *Marine mammal populations and ocean noise*. Washington, DC: National Academies Press.
- Parks, S.E., Ketten, D.R., O'Malley, J.T. and Arruda, J., 2007a. Anatomical predictions of hearing in the North Atlantic right whale. *The Anatomical Record*, 290(6), pp.734-744.
- Parks, S.E., C.W. Clark, and P.L. Tyack. 2007b. Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. *Journal of the Acoustical Society of America* 122 (6):3725-3731.
- Paxton, A.B., J.C. Taylor, D.P. Nowacek, J. Dale, E. Cole, C.M. Voss, and C.H. Peterson. (2017). Seismic survey noise disrupted fish use of a temperate reef. *Marine Policy*, 78, 68-73.
- Pearson, W.H., J.R. Skalski, and C.I. Malme. (1992). Effects of sounds from a geophysical survey device on behavior of captive rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences*, 49, 1343-1356.
- Popper, A.N. and M.C. Hastings. (2009). The effects of anthropogenic sources of sound on fishes. *Journal of Fish Biology*, 75(3), 455-489.

- Purser, J. and A.N. Radford. 2011. Acoustic noise induces attention shifts and reduces foraging performance in three-spined sticklebacks (*Gasterosteus aculeatus*). *PLoS ONE* 6 (2):e17478.
- Reichmuth, C. and M.M. Holt. (2013). Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology*, 199(6), 491-507.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. (1995). *Marine Mammals and Noise*. Academic Press, Inc., San Diego, California.
- Ridgway, S.H., D.A. Carder, R.R. Smith, T. Kamolnick, C.E. Schlundt, and W.R. Elsberry. (1997). Behavioral responses and temporary shift in masked hearing threshold of bottlenose dolphins, *Tursiops truncatus*, to 1-second tones of 141 to 201 dB re 1 μ Pa. Technical Report 1751, Naval Command, Control and Ocean Surveillance Center, 32 pp.
- Rolland, R.M., S.E. Parks, K.E. Hunt, M. Castellote, P.J. Corkeron, D.P. Nowacek, et al. 2012. Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society of London Series B Biological Sciences* 279 (1737):2363-2368.
- Romano, T., M. Keogh, and K. Danil. 2002a. Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the eastern tropical Pacific. Administrative Report LJ-02-35C, National Marine Fisheries Service: 37.
- Romano, T.A., D.L. Felten, S.Y. Stevens, J.A. Olschowka, V. Quaranta, and S.H. Ridgway. 2002b. Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 in C.J. Pfeiffer, ed. *Molecular and Cell Biology of Marine Mammals*. Krieger Publishing Co., Malabar, Florida.
- Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, et al. 2004. Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. *Canadian Journal of Fisheries and Aquatic Sciences* 61:1124-1134.
- Santulli, A., A. Modica, C. Messina, L. Ceffa, A. Curatolo, G. Rivas, et al. (1999). Biochemical responses of European sea bass (*Dicentrarchus labrax* L.) to the stress induced by offshore experimental seismic prospecting. *Marine Pollution Bulletin*, 38(12), 1105-1114.
- Schlundt, C.E., J.J. Finneran, D.A. Carder, and S.H. Ridgway. 2000. Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. *Journal of the Acoustical Society of America* 107 (6):3496-3508.
- Scholik, A.R. and H.Y. Yan. (2001). The effects of underwater noise on auditory sensitivity of fish. *Proceedings of the Institute of Acoustics*, 23(4), 27.

- Seyle, H. 1950. Stress and the general adaptation syndrome. *British Medical Journal* June 17:1383-1392.
- Skalski, J.R., W.H. Pearson, and C.I. Malme. (1992). Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences*, 49, 1357-1365.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. (2007). Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals*, 33(4), 411-521.
- Stantec. (2020). Harp Seals. Personal Communication between Alex Prines (Stantec) and Kari Moore(Shipyard). September 10.
- tone, G.S., L. Cavagnaro, A. Hutt, S. Kraus, K. Baldwin, and J. Brown. 2000. Reactions of Hector's dolphins to acoustic gillnet pingers. New Zealand Department of Conservation: 28.
- Teilmann, J., J. Tougaard, L.A. Miller, T. Kirketerp, K. Hansen, and S. Brando. 2006. Reactions of captive harbor porpoises (*Phocoena phocoena*) to pinger-like sounds. *Marine Mammal Science* 22 (2):240-260.
- Thorson, P. and J.A. Reyff. 2006. San Francisco-Oakland Bay Bridge East Span Seismic Safety Project: marine mammal and acoustic monitoring for the marine foundations at piers E2 and T1, January-September 2006. Prepared by SRS Technologies and Illingworth & Rodkin, Inc. for the California Department of Transportation: 51.
- Urick, R.J. (1983). *Principles of Underwater Sound*. Peninsula Publishing, Los Altos, CA.
- Viada, S.T., R.M. Hammer, R. Racca, D. Hannay, M.J. Thompson, B.J. Balcom, and N.W. Phillips. 2008. Review of potential impacts to sea turtles from underwater explosive removal of offshore structures. *Environmental Impact Assessment Review* 28 (4-5):267-285.
- Ward, W.D. 1997. Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. *Encyclopedia of acoustics*, Volume III. John Wiley & Sons, New York.
- Wardle, C.S., T.J. Carter, G.G. Urquhart, A.D.F. Johnstone, A.M. Ziolkowski, G. Hampson, and D. Mackie. (2001). Effects of seismic air guns on marine fish. *Continental Shelf Research*, 21, 1005-1027.
- Waring, G.T., E. Josephson, C.P. Fairfield-Walsh, K. Maze-Foley, and editors. (2007). U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessment Report – 2006. NOAA Tech Memo NMFS NE 205. 415p.

- Waring, G.T., E. Josephson, C.P. Fairfield-Walsh, K. Maze-Foley, and editors. (2014). U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessment Report – 2013. NOAA Tech Memo NMFS NE 228.
- Waring, Gordon T., Elizabeth Josephson, Katherine Maze-Foley, and Patricia E. Rosel, Editors. (2016). US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2015. NOAA Technical Memorandum NMFS-NE-264.
- Waring, Gordon T., Elizabeth Josephson, Katherine Maze-Foley, and Patricia E. Rosel, Editors. (2019). US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2018. NOAA Technical Memorandum NMFS-NE-258.
- Waring, Gordon T., Elizabeth Josephson, Katherine Maze-Foley, and Patricia E. Rosel, Editors. (2020). US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2019. NOAA Technical Memorandum NMFS-NE-238.
- Wartzok, D. and D.R. Ketten. (1999). Marine mammal sensory systems. Pages 117-175 in J.E. Reynolds and S.A. Rommel, eds. *Biology of Marine Mammals*. Smithsonian Institution Press, Washington.
- Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. (2003). Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal*, 37(4), 6-15.
- Weilgart, L.S. (2007). A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology*, 201 (2-3), 159-168.
- Westgate, A.J., and A.J. Read. (1998). Applications of new technology to the conservation of porpoises. *Marine Technology Society Journal*, 32(1), 70.
- Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, H.R. Melton, M.W. Newcomer, et al. (2007). Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134(1-3), 93-106.
- Yelverton, J.T., D.R. Richmond, E.R. Fletcher, and R.K. Jones. (1973). Safe distances from underwater explosions for mammals and birds. Defense Nuclear Agency: 67.
- Zelick, R., and D.A. Mann. (1999). Acoustic communication in fishes and frogs. In: Fay, R.R. and A.N. Popper, eds. *Comparative hearing: Fishes and amphibians*. Springer-Verlag, New York.
- Zimmer, W.M.X., and P.L. Tyack. (2007). Repetitive shallow dives pose decompression risk in deep-diving beaked whales. *Marine Mammal Science*, 23(4), 888-925.

