

REFERENCES

- American National Standards Institute (ANSI). 1995. Bioacoustical Terminology (ANSI S3.20-1995). Acoustical Society of America, Woodbury, NY.
- ANSI. 1986. Methods for measurement of impulse noise (ANSI S12.7- 1986). New York: Acoustical Society of America.
- ANSI. 2005. Measurement of Sound Pressure Levels in Air (ANSI S1.13-2005). Acoustical Society of America, Woodbury, NY.
- Au, W.W.L. and M.C. Hastings. 2008. Principles of Marine Bioacoustics. Springer, New York.
- Bettridge, S., C.S. Baker, J. Barlow, P.J. Clapham, M. Ford, D. Gouveia, D.K. Mattila, R.M. Pace III, P.E. Rosel, G.K. Silber and P.R. Wade. 2015. Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act. NOAA Tech. Memo. NMFS-SWFSC-540. 263 pp.
- CETAP. 1982. A characterization of marine mammals and turtles in the mid- and North Atlantic areas of the U.S. outer continental shelf, final report, Cetacean and Turtle Assessment Program, University of Rhode Island. Bureau of Land Management, Washington, DC. #AA551-CT8-48. 576 pp.
- Clark, C.W. and G.C. Gagnon. 2002. Low-frequency vocal behaviors of baleen whales in the North Atlantic: Insights from IUSS detections, locations and tracking from 1992 to 1996. *J. Underwater Acoust. (US Navy)* 52(3): 609-640.
- Crocker, S.E. and F.D. Fratantonio. 2016. Characteristics of Sounds Emitted During High-Resolution Marine Geophysical Surveys. Report by Naval Undersea Warfare Center Division. NUWC-NPT Technical Report 12,203, Newport, RI, USA. p. 266. <https://apps.dtic.mil/dtic/tr/fulltext/u2/1007504.pdf>.
- Dunlop, R.A., M.J. Noad, R.D. McCauley, L. Scott-Hayward, E. Kniest, R. Slade, D. Paton, and D.H. Cato. 2017. Determining the behavioural dose–response relationship of marine mammals to air gun noise and source proximity. *Journal of Experimental Biology* 220(16): 2878-2886. <https://jeb.biologists.org/content/220/16/2878>.
- Ellison, W.T., B.L. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology* 26 (1):21-28.
- Finneran, J.J., 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *The Journal of the Acoustical Society of America*, 138(3), pp.1702-1726.
- Greene, C.R., and W.J. Richardson. 1988. Characteristics of marine seismic survey sounds in the Beaufort Sea. *Journal of the Acoustical Society of America* 83 (6):2246-2254.
- Hain, J.H.W., M.J. Ratnaswamy, R.D. Kenney, and H.E. Winn. 1992. The fin whale, *Balaenoptera physalus*, in waters of the northeastern United States continental shelf. *Reports of the International Whaling Commission* 42: 653-669.

- Harris, C.M., ed. 1998. Handbook of Acoustical Measurements and Noise Control. Acoustical Society of America, Woodbury, NY.
- Hastings, M.C. and A.N. Popper. 2005. Effects of sound on fish. Prepared by Jones & Stokes for the California Department of Transportation: 82.
- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2018. *U.S. Atlantic and Gulf of Mexico marine mammal stock assessments—2017*. U.S. Dep. Commer., NOAA Technical Memo NMFS-NE-245, Woods Hole, MA. 373 p.
- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel. 2017. *U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments—2016*. U.S. Department of Commerce, NOAA, NMFS NFSC. NOAA Technical Memorandum NMFS-NE-241, Woods Hole, Massachusetts. <https://repository.library.noaa.gov/view/noaa/14864>.
- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel. 2019. *U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments—2018*. NOAA Technical Memorandum NMFS-NE-258, Woods Hole, MA, USA. 298 p. <https://doi.org/10.25923/9rrd-tx13>.
- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel. 2018. *U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments—2017 (second edition)*. NOAA Technical Memorandum NMFS-NE-245, Woods Hole, MA, USA. p. 371. <https://www.nefsc.noaa.gov/publications/tm/tm245/>.
- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel. 2019. *U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments—2018*. NOAA Technical Memorandum NMFS-NE-258, Woods Hole, MA, USA. p. 298. <https://doi.org/10.25923/9rrd-tx13>.
- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2020. *U.S. Atlantic and Gulf of Mexico marine mammal stock assessments: 2019*. NOAA Technical Memorandum NMFS-NE-264, National Marine Fisheries Service: 479.
- Hemilä, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints (L). *Journal of the Acoustical Society of America* 120(6):3463-3466.
- ISO (International Organization for Standardization). 2003. *Acoustics – Description, Measurement and Assessment of Environmental Noise – Part 1: Basic Quantities and Assessment Procedures (ISO 1996-1:2003(E))*. International Organization for Standardization, Geneva.
- Jensen, A.S. and Silber, G.K., 2004. *Large Whale Ship Strike Database*. US Department of Commerce. National Oceanic and Atmospheric Administration. Technical Memorandum NMFS-OPR.
- Kastelein, R.A., P.J. Wensveen, L. Hoek, W.C. Verboom, and J.M. Terhune. 2009. Underwater detection of tonal signals between 0.125 and 100 kHz by harbor seals (*Phoca vitulina*). *J Acoust Soc Am* 125(2): 1222-9. <http://www.ncbi.nlm.nih.gov/pubmed/19206895>.
- Kenney, R.D. and K.J. Vigness-Raposa. 2009. *Marine Mammals and Sea Turtles of Narragansett Bay, Block Island Sound, Rhode Island Sound, and Nearby Waters: An Analysis of Existing Data for the*

Rhode Island Ocean Special Area Management Plan. University of Rhode Island Technical Report 10: 337.

- Kraus, S.D., S. Leiter, K. Stone, B. Wikgren, C.A. Mayo, P. Hughes, R.D. Kenney, C.W. Clark, A.N. Rice, et al. 2016. *Northeast Large Pelagic Survey Collaborative Aerial and Acoustic Surveys for Large Whales and Sea Turtles*. US Department of the Interior, Bureau of Ocean Energy Management. OCS Study BOEM 2016-054, Sterling, Virginia. 117 + appendices p. <https://www.boem.gov/RI-MA-Whales-Turtles/>.
- Kremser, U., Klemm, P. and KOeTZ, W.D., 2005. Estimating the risk of temporary acoustic threshold shift, caused by hydroacoustic devices, in whales in the Southern Ocean. *Antarctic Science*, 17(01), pp.3-10.
- LaBrecque, E., Curtice, C., Harrison, J., Van Parijs, S.M. and Halpin, P.N., 2015. 3. Biologically Important Areas for Cetaceans Within US Waters-Gulf of Mexico Region. *Aquatic Mammals*, 41(1), p.30.
- Leiter, SM & Stone, Kelsey & Thompson, JL & Accardo, CM & Hodge, Brooke & Zani, Monica & Cole, TVN & Kenney, RD & Mayo, CA & Kraus, Scott. 2017. North Atlantic right whale *Eubalaena glacialis* occurrence in offshore wind energy areas near Massachusetts and Rhode Island. *Endangered Species Research*. 34. 10.3354/esr00827.
- Mitson, R.B (ed.). 1995. Underwater noise of research vessels: Review and recommendations. Cooperative Research Report No. 209, International Council for the Exploration of the Sea:65.
- Morano, J.L., D.P. Salisbury, A.N. Rice, K.L. Conklin, K.L. Falk, and C.W. Clark. 2012. Seasonal changes in fin whale song in the western north Atlantic Ocean. *Journal of the Acoustical Society of America* 132(2): 1207-1212. <https://doi.org/10.1121/1.4730890>.
- National Institute for Occupational Safety and Health (NIOSH). 1998. Criteria for a recommended standard: Occupational noise exposure. United States Department of Health and Human Services, Cincinnati, OH.
- Northridge, S., Tasker, M., Webb, A., Camphuysen, K. and Leopold, M., 1997. White-beaked *Lagenorhynchus albirostris* and Atlantic white-sided dolphin *L. acutus* distributions in northwest European and US North Atlantic waters. *Rep. int. Whal. Commn*, 47, pp.797-805.
- Oleson, E.M., Baker, J., Barlow, J., Moore, J.E., and Wade, P. 2020. *North Atlantic Right Whale Monitoring and Surveillance: Report and Recommendations of the National Marine Fisheries Service's Expert Working Group*. NOAA Technical Memorandum, NMFS-OPR-64. <https://www.fisheries.noaa.gov/resource/document/north-atlantic-right-whale-monitoring-and-surveillance-report-and-recommendations>
- Pace, R. 2021. *Revisions and Further Evaluations of the Right Whale Abundance Model: Improvements for Hypothesis Testing*. U.S. Department of Commerce, NOAA, NMFS, NFSC. NOAA Technical Memorandum NMFS-NE-269, Woods Hole, Massachusetts.
- Pace RM, Corkeron, PJ, and Kraus, SD. 2017. State space estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecol Evol* 7: 8730–8741
- Payne, M. and D. W. Heinemann 1990. A distributional assessment of cetaceans in the shelfand

shelf edge waters of the northeastern United States based on aerial and shipboard surveys, 1978–1988. Report to NMFS.

Payne, P.M. and D.W. Heinemann. 1993. The distribution of pilot whales (*Globicephala* spp.) in shelf/shelf edge and slope waters of the north-eastern United States, 1978-1988. *Report of the International Whaling Commission* 14(Special Issue): 51-68.

Payne, P.M., L.A. Selzer and A.R. Knowlton. 1984. Distribution and density of cetaceans, marine turtles and seabirds in the shelf waters of the northeast U.S., June 1980 - Dec. 1983, based on shipboard observations. National Marine Fisheries Service, Woods Hole. NA81FAC00023: 245.

Reeves, R.R., B.S. Stewart, P.J. Clapham and Powell, J.A. (2002). National Audubon Society Guide to Marine Mammals of the World. Alfred A. Knopf: New York.

Reichmuth, C. and M.M. Holt. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology* 199(6):491-507.

Rice et al., 1989. Sperm Whale in Handbook of marine animals Vol 4. S.H Ridgeway and R.Harrison (eds)

Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. Marine Mammals and Noise. Academic Press, Inc., San Diego, California.

Roberts, J.J., B.D. Best, L. Mannocci, E. Fujioka, P.N. Halpin, D.L. Palka, et al. 2016. Habitat based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports* 6:22615.

Roberts JJ, Mannocci L, Halpin PN. 2017. Final Project Report: Marine Species Density Data Gap Assessments and Update for the AFTT Study Area, 2016-2017 (Opt. Year 1). Document version 1.4. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.

Roberts JJ, Mannocci L, Schick RS, Halpin PN. 2018. Final Project Report: Marine Species Density Data Gap Assessments and Update for the AFTT Study Area, 2017-2018 (Opt. Year 2). Document version 1.2. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.

Roberts, J.J., R.S. Schick, and P.N. Halpin. 2020. Final Project Report: Marine species density data gap assessments and update for the AFTT Study Area, 2018-2020 (Opt. Year 3). Document version 1.4. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC. 142 p.

Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, F. Larsen, et al. 1999. An ocean basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). *Marine Mammal Science* 15 (1):11689.

Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: initial scientific recommendations. *Aquatic Mammals* 33 (4):411-521.

- Stevick, P.T., J. Allen, P.J. Clapham, N. Friday, S.K. Katona, F. Larsen, et al. 2003. North Atlantic humpback whale abundance and rate of increase four decades after protection from whaling. *Marine Ecology Progress Series* 258:263-273.
- Urick, R.J. 1983. *Principles of Underwater Sound*. Peninsula Publishing, Los Altos, CA.
- Ward, W.D. 1997. Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. *Encyclopedia of acoustics*, Volume III. John Wiley & Sons, New York.
- Waring, G., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2017. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2016,
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2015. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2014. NOAA Technical Memorandum. Available at: http://www.nmfs.noaa.gov/pr/sars/pdf/atl2014_final.pdf
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2016. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2015. NOAA Technical Memorandum. Available at: http://www.nmfs.noaa.gov/pr/sars/pdf/atlantic2015_final.pdf
- Wartzok, D., & D.R. Ketten. 1999. Marine mammal sensory systems. *Biology of marine mammals*, 1, 117-175. Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal* 37 (4):6-15.
- Watkins, W.A., P.L. Tyack, K.E. Moore, and J.E. Bird. 1987. The 20-Hz signals of finback whales (*Balaenoptera physalus*). *Journal of the Acoustical Society of America* 82(6): 1901–1912. <https://doi.org/10.1121/1.395685>.
- Whitehead et al. 1991. Distribution and behavior of male sperm whales on the Scotian Shelf Canada. *Can J Zool* 70:912-918.