

References for Orsted's Site Characterization Survey off the Coast of Delaware 2022

- 59 *Federal Register (FR)* 28805. 1994. Designated Critical Habitat; Northern Atlantic Right Whale. June 3, 1994.
- 62 *Federal Register (FR)* 39157. 1997. Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations. July 22, 1997.
- 66 *Federal Register (FR)* 53195. 2001. Threatened Fish and Wildlife; Status Review of the Gulf of Maine/Bay of Fundy Population of Harbor Porpoise Under the Endangered Species Act (ESA). October 19, 2001.
- 69 *Federal Register (FR)* 69536. 2004. Regulations Governing the Approach to North Atlantic Right Whales. November 30, 2004.
- 73 *Federal Register (FR)* 60173. 2008. Endangered Fish and Wildlife; Final Rule to Implement Speed Restrictions to Reduce the Threat of Ship Collisions with North Atlantic Right Whales. October 10, 2008.
- 75 *Federal Register (FR)* 61690. 2010. Endangered and Threatened Wildlife and Designating Critical Habitat for the Endangered North Atlantic Right Whale. October 6, 2010.
- 75 *Federal Register (FR)* 7383. 2010. Taking of Marine Mammals Incidental to Commercial Fishing Operations; Harbor Porpoise Take Reduction Plan Regulations. February 19, 2010.
- 78 *Federal Register (FR)* 73726. 2013. Endangered Fish and Wildlife; Final Rule to Remove the Sunset Provision of the Final Rule Implementing Vessel Speed Restrictions to Reduce the Threat of Ship Collisions with North Atlantic Right Whales. December 9, 2013.
- 81 *Federal Register (FR)* 4838. 2016. Endangered and Threatened Species; Critical Habitat for Endangered North Atlantic Right Whale. January 27, 2016.
- 81 *Federal Register (FR)* 62259. 2016. Endangered and Threatened species; Identification of 14 distinct population segments of the humpback whale (*Megaptera novaengliae*) and revision of species-wide listing. September 8, 2016.
- 86 *Federal Register (FR)* 5322. 2021. Taking and Importing Marine Mammals; Taking Marine Mammals Incidental to Geophysical Surveys Related to Oil and Gas Activities in the Gulf of Mexico. 19 January 2021.
- Aguilar Soto N, Johnson MP, Madsen PT, Díaz F, Domínguez I, Brito A, Tyack P. 2008. Cheetahs of the deep sea: deep foraging sprints in short-finned pilot whales off Tenerife (Canary Islands). *Journal of Animal Ecology*, 77(5):936-947.
- Baird RW, Stacey PJ. 1991. Status of the Risso's dolphin, *Grampus griseus*, in Canada. *Canadian Field-Naturalist* 105:233-242.
- Baker K, Howson U. 2021. Data Collection and Site Survey Activities for Renewable Energy on the Atlantic Outer Continental Shelf. Biological Assessment. U.S. Department of the Interior, Bureau of Ocean Energy Management, Office of Renewable Energy Programs. October 2018, Revised February 2021. 152 pp.

- Barco SG, McLellan WA, Allen JM, Asmutis-Silvia RA, Mallon-Day R, Meagher EM, Pabst DA, Robbins J, Seton RE, Swingle WM, Weinrich MT, Clapham PJ. 2002. Population identity of humpback whales (*Megaptera novaeangliae*) in the waters of the U.S. Mid-Atlantic states. *Journal of Cetacean Research and Management* 4(2):135-141.
- Barkaszi MJ, Kelly CJ. 2019. Seismic survey mitigation measures and protected species observer reports: synthesis report. U.S. Department of the Interior, Bureau Ocean Energy Management, Gulf of Mexico OCS Region, New Orleans, LA. Contract No.: M17PD00004. OCS Study BOEM 2019-012. 220 pp.
- Baumgartner MF, Van Parijs SM, Wenzel FW, Tremblay CJ, Esch HC, Warde AM. 2008. Low frequency vocalizations attributed to sei whales (*Balaenoptera borealis*). *Journal of the Acoustical Society of America* 124(2):1339-1349.
- Best BD, Halpin PN, Read AJ, Fujioka E, Good CP, Labrecque EA, Schick RS, Roberts JJ, Hazen LJ, Qian SS, Palka DL, Garrison LP, McLellan WA. 2012. Online Cetacean Habitat Modeling System for the U.S. East Coast and Gulf of Mexico. *Endangered Species Research* 18:1-15.
- Bettridge S, Baker CS, Barlow J, Clapham PJ, Ford M, Gouveia D, Mattila DK, Pace III RM, Rosel PE, Silber GK, Wade PR. 2015. Status Review of the Humpback Whale (*Megaptera novaeangliae*) Under the Endangered Species Act. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service. NOAA Technical Memorandum NMFS Southwest Fisheries Science Center-540. 263 pp.
- Bort J, Van Parijs SM, Stevick PT, Summers E, Todd S. 2015. North Atlantic right whale *Eubalaena glacialis* vocalization patterns in the central Gulf of Maine from October 2009 through October 2010. *Endangered Species Research* 26:271-280.
- Bureau of Ocean Energy Management (BOEM). 2012. Commercial Wind Lease Issuance and Site Assessment Activities on the Atlantic Outer Continental Shelf Offshore New Jersey, Delaware, Maryland, and Virginia. Final Environmental Assessment. U.S. Department of the Interior, BOEM Office of Renewable Energy Programs. OCS EIS/EA BOEM 2012-003. 366 pp.
- Bureau of Ocean Energy Management (BOEM). 2017. Gulf of Mexico OCS Proposed Geological and Geophysical Activities. Final Programmatic Environmental Impact Statement. Prepared by CSA Ocean Sciences Inc. for U.S. Department of the Interior, BOEM Gulf of Mexico OCS Region. OCS EIS/EIA BOEM 2017-051. 792 pp.
- Bureau of Ocean Energy Management (BOEM). 2019. Survey Guidelines for Renewable Energy Development. <https://www.boem.gov/Survey-Guidelines/>. Accessed 3 March 2021.
- Brown MW, Hamilton PK, Kenney RD, Knowlton AR, Marx MK, Mayo CA, Slay CK, Kraus SD, Brault S. 2001. Sighting heterogeneity of right whales in the western North Atlantic: 1980-1992. *Journal of Cetacean Research and Management (Special Issue)* 2:245-250.
- Cetacean and Turtle Assessment Program (CETAP). 1982. A Characterization of Marine Mammals and Turtles in the Mid- and North-Atlantic Areas of the U.S. Outer Continental Shelf. Kingston, Rhode Island: University of Rhode Island, Sponsored by the U.S. Department of the Interior, Bureau of Land Management. Contract #AA552-CT8-48. 576 pp.

- Charif RA, Mellinger DK, Dunsmore KJ, Fristrup KM, Clark CW. 2002. Estimated source levels of fin whale (*Balaenoptera physalus*) vocalizations: Adjustments for surface interference. *Marine Mammal Science* 18(1):81-98.
- Christal J, Whitehead H, Lettevall E. Sperm whale social units: Variation and change. 1998. *Canadian Journal of Zoology*. 76(8):1431-1440.
- Clark CW, Clapham PJ. 2004. Acoustic monitoring on a humpback whale (*Megaptera novaeangliae*) feeding ground shows continual singing into late spring. *Proceedings of the Royal Society B: Biological Sciences* 271:1051-1057.
- Clark CW, Ellison WT, Southall BL, Hatch L, Van Parijs SM, Frankel AS, Ponirakis D. 2009. Acoustic masking in marine ecosystems: Intuitions, analysis, and implication. *Marine Ecology Progress Series* 395:201-222.
- Cole TVN, Hamilton P, Henry AG, Duley P, Pace III RM, White BN, Frasier T. 2013. Evidence of a North Atlantic right whale *Eubalaena glacialis* mating ground. *Endangered Species Research* 21(1):55-64.
- Committee on Taxonomy. 2021. List of marine mammal species and subspecies. Society for Marine Mammalogy. Internet website: <https://www.marinemammalscience.org/species-information/list-marine-mammal-species-subspecies/>. Accessed 16 February 2022.
- Craddock JE, Polloni PT, Hayward B, Wenzel FW. 2009. Food habits of Atlantic white-sided dolphins (*Lagenorhynchus acutus*). *Fisheries Bulletin* 107:384-394.
- Crocker SE, Fratantonio FD. 2016. Characteristics of Sounds Emitted During High-Resolution Marine Geophysical Surveys. Naval Undersea Warfare Center Division, Newport, RI. For U.S. Department of the Interior, Bureau of Ocean Energy Management, Environmental Assessment Division and U.S. Geological Survey. OCS Study BOEM 2016-044. NUWC-NPT Technical Report 12,203, 24 March 2016. 266 pp.
- Cunha HA, de Castro ER, Secchi ER, Crespo EA, Lailson-Brito J, Azevedo AF, Lazoski C, Solé-Cava AM. 2015. Correction: molecular and morphological differentiation of common dolphins (*Delphinus* sp.) in the southwestern Atlantic: testing the two species hypothesis in sympatry. *PLoS One* 10(11):e0140251.
- Curry BE, Smith J. 1997. Phylogeographic structure of the bottlenose dolphin (*Tursiops truncatus*): Stock identification and implications for management. *Molecular Genetics of Marine Mammals Special Publication* 3:327-347.
- Curtice C, Cleary J, Shumchenia E, Halpin PN. 2019. Marine-life Data and Analysis Team (MDAT) Technical Report on the Methods and Development of Marine-life Data to Support Regional Ocean Planning and Management. Prepared on behalf of the Marine-life Data and Analysis Team (MDAT). Accessed at <http://seamap.env.duke.edu/models/MDAT/MDAT-Technical-Report.pdf>. 81 pp.

- Davis GE, Baumgartner MF, Bonnell JM, Bell J, Berchok C, Bort Thornton J, Brault S, Buchanan G, Charif RA, Cholewiak D, Clark CW, Corkeron P, Delarue J, Dudzinski K, Hatch L, Hildebrand J, Hodge L, Klinck H, Kraus S, Martin B, Mellinger DK, Moors-Murphy H, Nieukirk S, Nowacek DP, Parks S, Read AJ, Rice AN, Risch D, Sirovic A, Soldevilla M, Stafford K, Stanistreet JE, Summers E, Todd S, Warde A, Van Parijs SM. 2017. Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific Reports* 7(1):13460.
- Department of the Navy (DoN). 2008. Request for Letter of Authorization for the incidental harassment of marine mammals resulting from Navy training activities conducted within the northwest training range complex. Prepared by Commander, U.S. Pacific Fleet for U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service Office of Protected Resources. September 2008. 322 pp.
- Engås A, Løkkeborg S, Ona E, Soldal AV. 1996. Effects of seismic shooting on local abundance and catch rates of cod (*Gadus morhua*) and haddock (*Melanogrammus aeglefinus*). *Canadian Journal of Fisheries and Aquatic Sciences* 53(10):2238-2249.
- Erbe C, Reichmuth C, Cunningham K, Lucke K, Dooling R. 2016. Communication masking in marine mammals: A review and research strategy. *Marine Pollution Bulletin* 103(1-2):15-38.
- Finneran JJ. 2016. Auditory Weighting Functions and TTS/PTS Exposure Functions for Marine Mammals Exposed to Underwater Noise. Marine Mammal Scientific and Vet Support Branch of the Biosciences Division, Space and Naval Warfare Systems Center, San Diego, CA. Technical Report 3026. 134 pp.
- Gilbert JR, Waring GT, Wynne KM, Guldager N. 2005. Changes in abundance and distribution of harbor seals in Maine, 1981-2001. *Marine Mammal Science* 21:519-535.
- Glass AH, Cole TVN, Geron M. 2009. Mortality and serious injury determinations for baleen whale stocks along the United States eastern seaboard and adjacent Canadian Maritimes, 2003–2007. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Northeast Fisheries Science Center. Document 09-04. 18 pp.
- Guazzo RA, Weller DW, Europe HM, Durban JW, D'Spain GL, Hildebrand JA. 2019. Migrating eastern North Pacific gray whale call and blow rates estimated from acoustic recordings, infrared camera video, and visual sightings. *Scientific Reports* 9(1):12617.
- Hamazaki T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina, U.S.A. to Nova Scotia, Canada). *Marine Mammal Science* 18:920-939.
- Hassel A, Knutsen T, Dalen J, Skaar K, Løkkeborg S, Misund OA, Østensen Ø, Fonn M, Haugland EK. 2004. Influence of seismic shooting on the lesser sandeel (*Ammodytes marinus*). *ICES Journal of Marine Science* 61(7):1165-1173.
- Hayes SA, Josephson E, Maze-Foley K, Rosel PE, (eds.). 2017. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments -- 2016. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA. NOAA Technical Memorandum NMFS-NE-241. 282 pp.

- Hayes SA, Josephson E, Maze-Foley K, Rosel PE (Eds). 2019. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2018. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA. NOAA Technical Memorandum NMFS-NE-258. 306 pp.
- Hayes SA, Josephson E, Maze-Foley K, Rosel PE, Byrd B, Chavez-Rosales S, Cole TVN, Garrison LP, Hatch J, Henry A, Horstman SC, Litz J, Lyssikatos MC, Mullin KD, Orphanides C, Pace RM, Palka DL, Powell J, Wenzel FW. 2020. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2019 U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA. NOAA Technical Memorandum NMFS-NE-264, July 2020. 479 pp.
- Hayes SA, Josephson E, Maze-Foley K, Rosel PE, Turek J. 2021. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2020. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, Massachusetts. NOAA Technical Memorandum NMFS-NE-271. 403 pp.
- Hayes SA, Josephson E, Maze-Foley K, Rosel PE, Turek J. 2021. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments draft 2021. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, Massachusetts. NOAA Technical Memorandum NMFS-NE-271. 403 pp.
- Hersh SL, Duffield DA. 1989. Distinction between northwest Atlantic offshore and coastal bottlenose dolphins based on hemoglobin profile and morphometry. In: S Leatherwood, RR Reeves (Eds.), The bottlenose dolphin. San Diego, CA: Academic Press. pp. 129-140.
- Hodge KB, Muirhead CA, Morano JL, Clark CW, Rice AN. 2015. North Atlantic right whale occurrence near wind energy areas along the Mid-Atlantic US coast: implications for management. *Endangered Species Research* 28(3):225-234.
- Holt MM. 2008. Sound exposure and Southern Resident killer whales (*Orcinus orca*): A review of current knowledge and data gaps. National Fisheries Service. NOAA Technical Memorandum NMFS-NWFSC-89. 77 pp.
- International Organization for Standardization (ISO). 2017. ISO 18405 Underwater Acoustics – Terminology. International Organization for Standardization, Geneva, Switzerland. 62 pp.
- Jefferson TA, Webber MA, Pitman RL. 2008. Marine mammals of the world: A comprehensive guide to their identification. London, UK: Elsevier. 573 pp.
- Jefferson TA, Webber MA, Pitman RL. 2011. Marine mammals of the world: A comprehensive guide to their identification. London, UK: Elsevier. 576 pp.
- Kastelein RA, Wensveen PJ, Hoek L, Verboom WC, Terhune JM. 2009. Underwater detection of tonal signals between 0.125 and 100 kHz by harbor seals (*Phoca vitulina*). *Journal of the Acoustical Society of America* 125(2):1222-1229.
- Katona SK, Rough V, Richardson DT. 1993. A Field Guide to Whales, Porpoises, and Seals from Cape Cod to Newfoundland. Washington, D.C.: Smithsonian Institution Press. 336 pp.

- Kenney RD. 1990. Bottlenose dolphins off the Northeastern United States. In: S Leatherwood, RR Reeves (Eds.), *The bottlenose dolphin*. San Diego, CA: Academic Press. pp. 369-386.
- Kenney RD, Winn HE, Macauley MC. 1995. Cetaceans in the Great South Channel, 1979-1989: right whale (*Eubalaena glacialis*). *Continental Shelf Research* 15:385-414.
- Kenney RD, Payne PM, Heinemann DW, Winn HE. 1996. Shifts in Northeast Shelf cetacean distributions relative to trends in Gulf of Maine/Georges Bank finfish abundance. In: K Sherman, NA Jaworski, TJ Smayda (Eds.), *The Northeast Shelf ecosystem: assessment, sustainability, and management*. Cambridge, MA: Blackwell Science, Inc. pp. 169-196.
- Kenney RD, Mayo CA, Winn HE. 2001. Migration and foraging strategies at varying spatial scales in Western North Atlantic right whales: a review of hypotheses. *Journal of Cetacean Research and Management (Special Issue)* 2:251-260.
- Kraus SD, Leiter S, Stone K, Wikgren B, Mayo C, Hughes P, Kenney RD, Clark CW, Rice AN, Estabrook B, Tielens J. 2016. Northeast Large Pelagic Survey Collaborative Aerial and Acoustic Surveys for Large Whales and Sea Turtles. Sterling, Virginia: US Department of the Interior, Bureau of Ocean Energy Management. OCS Study BOEM 2016-054. 117 pp.
- LaBrecque E, Curtice C, Harrison J, Parifs SV. 2015. Biologically Important Areas for Cetaceans within U.S. Waters – Gulf of Mexico Region. *Aquatic Mammals* 4:30-38.
- Leatherwood S, Caldwell DK, Winn HE, Schevill WE, Caldwell MC. 1976. Whales, dolphins, and porpoises of the western North Atlantic: a guide to their identification. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service. NOAA Technical Report NMFS Circular 396. 183 pp.
- Marine Acoustics, Inc. (MAI). 2018. Sound Source Verification: supporting Deepwater Wind's Skipjack Wind Farm Project off Maryland and Delaware. MAI 1046. TN 18-027.
- Martin B, MacDonnell J, Chorney NE, Zeddies D. 2012. Sound Source Verification of Fugro Geotechnical Sources: Final Report: Boomer, Sub-Bottom Profiler, Multibeam Sonar, and the R/V Taku. Technical report by JASCO Applied Sciences for Fugro GeoServices Inc. JASCO Document 00413, Version 1.0 DRAFT. 31 pp.
- Matthews LP, McCordic JA, Parks SE. 2014. Remote acoustic monitoring of North Atlantic right whales (*Eubalaena glacialis*) reveals seasonal and diel variations in acoustic behavior. *PLoS One* 9(3):e91367.
- McCauley RD, Fewtrell J, Duncan AJ, Jenner C, Jenner MN, Penrose JD, Prince RIT, Adhitya A, Murdoch J, McCabe K. 2000. Marine seismic surveys—a study of environmental implications. *APPEA Journal* 40(1):692-708.
- McCauley RD, Fewtrell J, Popper AN. 2003. High-intensity anthropogenic sound damages fish ears. *Journal of the Acoustical Society of America* 113:638-642.
- McDonald MA, Hildebrand JA, Wiggins SM, Thiele D, Glasgow D, Moore SE. 2005. Sei whale sounds recorded in the Antarctic. *Journal of the Acoustical Society of America* 118(6):3941-3945.

- Mead JG, Potter CW. 1995. Recognizing two populations of the bottlenose dolphin (*Tursiops truncatus*) of the Atlantic coast of North America-morphologic and ecologic considerations. IBI Reports 5:31-44.
- Morano JL, Rice AN, Tielens JT, Estabrook BJ, Murray A, Roberts BL, Clark CW. 2012. Acoustically Detected Year-Round Presence of Right Whales in an Urbanized Migration Corridor. Conservation Biology 26(4):698-707.
- Muir DCG, Wagemann R, Grift NP, Nortstrom RJ, Simon MA, Lien J. 1988. Organochlorine chemical and heavy metal contaminants in white-beaked dolphins (*Lagenorhynchus albirostris*) and pilot whales (*Globicephala melaena*) from the coast of Newfoundland, Canada. Archives of Environmental Contamination and Toxicology 17(5):613-629.
- Mullin KD, Fulling GL. 2003. Abundance of cetaceans in the southern US North Atlantic Ocean during summer 1998. Fishery Bulletin 101(3):603-613.
- National Marine Fisheries Service (NMFS). 2010. Recovery plan for the fin whale (*Balaenoptera physalus*). U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Protected Resources. Silver Spring, MD. 121 pp.
- National Marine Fisheries Service (NMFS). 2013a. Endangered Species Act Section 7 Consultation Biological Opinion, Commercial Wind Lease Issuance and Site Assessment Activities on the Atlantic Outer Continental Shelf in Massachusetts, Rhode Island, New York and New Jersey Wind Energy Areas. Bureau of Ocean Energy Management, Army Corps of Engineers, New England District. NER-2012-9211. 10 April 2013. 256 pp.
- National Marine Fisheries Service (NMFS). 2013b. Endangered Species Act Section 7 Consultation, Biological Opinion, Programmatic Geological and Geophysical Activities in the Mid- and South Atlantic Planning Areas from 2013 to 2020. Endangered Species Act Interagency Cooperation Division of the Office of Protected Resources, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Bureau of Ocean Energy Management, Bureau of Safety and Environmental Enforcement. 19 July 2013. 370 pp.
- National Marine Fisheries Service (NMFS). 2018a. 2018 Revisions to: Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0): Underwater Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Department of Commerce, National Oceanic and Atmospheric Administration. NOAA Technical Memorandum NMFS-OPR-59. 167 pp.
- National Marine Fisheries Service (NMFS). 2018b. Manual for Optional User Spreadsheet Tool (Version 2.0) for: 2018 Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0): Underwater Thresholds for Onset of Permanent and Temporary Threshold Shifts. Silver Spring, MD: U.S. Department of Commerce, National Oceanic and Atmospheric Administration. Silver Spring, MD. 109 pp.
- National Marine Fisheries Service (NMFS). 2019a. Interim recommendations for sound source level and propagation analysis for high resolution geophysical sources. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Protected Resources. 19 September 2019. 3 pp.

- National Marine Fisheries Service (NMFS). 2019b. Fin Whale (*Balaenoptera physalus*) 5-Year Review: Summary and Evaluation. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Protected Resources. February 2019. 40 pp.
- National Marine Fisheries Service (NMFS). 2020. Endangered Species Act. <https://www.fisheries.noaa.gov/national/endangered-species-conservation/endangered-species-act#section-3.-definitions>. Accessed 2 November 2021.
- National Marine Fisheries Service (NMFS). 2021a. ESA Section 7 Consultation Tools for Marine Mammals on the West Coast. <https://www.fisheries.noaa.gov/west-coast/endangered-species-conservation/esa-section-7-consultation-tools-marine-mammals-west>. Accessed 19 September 2021.
- National Marine Fisheries Service (NMFS). 2021b. MATLAB code to calculate the ensonified distance from sonar. Code received with permission for use 6 July 2021.
- National Marine Fisheries Service (NMFS). 2021c. Draft U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessment 2021. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service. Draft published 25 October 2021, 86 FR 58887. 329 pp.
- National Marine Fisheries Service (NMFS). 2021d. 2017-2021 North Atlantic Right Whale Unusual Mortality Event. <https://www.fisheries.noaa.gov/national/marine-life-distress/2017-2019-north-atlantic-right-whale-unusual-mortality-event>. Accessed 16 September 2021.
- National Marine Fisheries Service (NMFS). 2021e. Reducing Ship Strikes to North Atlantic Right Whales. <https://www.fisheries.noaa.gov/national/endangered-species-conservation/reducing-ship-strikes-north-atlantic-right-whales>. Accessed 16 September 2021.
- National Marine Fisheries Service (NMFS). 2021f. 2016-2021 Humpback whale unusual mortality event along the Atlantic coast. <https://www.fisheries.noaa.gov/national/marine-life-distress/2016-2019-humpback-whale-unusual-mortality-event-along-atlantic-coast> Accessed 16 September 2021.
- National Marine Fisheries Service (NMFS). 2021g. 2017–2021 Minke Whale Unusual Mortality Event along the Atlantic Coast. <https://www.fisheries.noaa.gov/national/marine-life-distress/2017-2019-minke-whale-unusual-mortality-event-along-atlantic-coast>. Accessed 18 September 2021.
- National Marine Fisheries Service (NMFS). 2021h. Minke Whale Species Overview. <https://www.fisheries.noaa.gov/species/minke-whale>. Accessed 18 September 2021.
- National Marine Fisheries Service (NMFS). 2021i. 2018–2021 Pinniped Unusual Mortality Event along the Northeast Coast. <https://www.fisheries.noaa.gov/new-england-mid-atlantic/marine-life-distress/2018-2019-pinniped-unusual-mortality-event-along>. Accessed 18 September 2021.
- National Marine Fisheries Service (NMFS). 2021j. Atlantic White-Sided Dolphin Species Overview. <https://www.fisheries.noaa.gov/species/atlantic-white-sided-dolphin>. Accessed 16 September 2021.
- National Marine Fisheries Service (NMFS). 2021k. Atlantic Spotted Dolphin Species Overview. <https://www.fisheries.noaa.gov/species/atlantic-spotted-dolphin>. Accessed 15 September 2021.

- National Oceanographic and Atmospheric Administration (NOAA). 2021. NOAA Right Whale Sighting Advisory System Interactive Mapper.
<https://www.nefsc.noaa.gov/psb/surveys/MapperiframeWithText.html>. Accessed 26 October 2021.
- National Research Council (NRC). 2005. *Marine Mammal Populations and Ocean Noise: Determining When Noise Causes Biologically Significant Effects*. Committee on Characterizing Biologically Significant Marine Mammal Behavior. Washington, D.C.: The National Academies Press. 142 pp.
- New Jersey Department of Environmental Protection (NJDEP). 2010. Ocean/Wind power ecological baseline studies January 2008–December 2009. Final Report. Prepared by Geo-Marine, Inc. July 2010. 259 pp.
- Northridge ME, Rhoads GG, Wartenberg D, Koffman D. The importance of histologic type on Pace RM. 2021. Revisions and further evaluations of the right whale abundance model: improvements for hypothesis testing. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA. NEFSC. NOAA Technical Memorandum NMFS-NE-269. April 2021. 54 pp.
- Palka D. 2012. Cetacean Abundance Estimates in US Northwestern Atlantic Ocean Waters from Summer 2011 Line Transect Survey. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA. NEFSC Reference Document 12-29. 43 pp.
- Palka DL, Chavez-Rosales S, Josephson E, Cholewiak D, Haas HL, Garrison L, Jones M, Sigourney D, Waring G, Jech M, Broughton E, Soldevilla M, Davis G, DeAngelis A, Sasso CR, Winton MV, Smolowitz RJ, Fay G, LaBrecque E, Leiness JB, Dettloff, Warden M, Murray K, Orphanides C. 2017. Atlantic Marine Assessment Program for Protected Species: 2010-2014. Washington, DC: U.S. Department of the Interior, Bureau of Ocean Energy Management, Atlantic OCS Region. OCS Study BOEM 2017-071. 211 pp.
- Pangeo Subsea. 2018. Acoustic corer sound source analysis and environmental impact for South Fork Wind Farm. RPT-08082-1. April 2, 2018. 56 pp.
- Parks SE, Tyack PL. 2005. Sound production by North Atlantic right whales (*Eubalaena glacialis*) in surface active groups. *Journal of the Acoustical Society of America* 117(5):3297-3306.
- Parks SE, Hamilton PK, Kraus SD, Tyack PL. 2005. The gunshot sound produced by male North Atlantic right whales (*Eubalaena glacialis*) and its potential function in reproductive advertisement. *Marine Mammal Science* 21(3):458-475.
- Payne PM, Selzer LA. 1989. The Distribution, abundance and selected prey of the Harbor Seal, *Phoca vitulina concolor*, in southern New England. *Marine Mammal Science* 5:173-192.
- Payne PM, Selzer LA, Knowlton AR. 1984. Distribution and density of cetaceans, marine turtles, and seabirds in the shelf waters for the northeastern United States, June 1980 - December 1983, based on shipboard observations. U.S. Department of Commerce, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA. NOAA/NMFS Contract No. NA-81-FA-C-00023. 294 pp.

- Payne PM, Nicholas JR, O'Brien L, Powers KD. 1986. The distribution of the humpback whale, *Megaptera novaeangliae*, on Georges Bank and in the Gulf of Maine in relation to densities of the sand eel, *Ammodytes americanus*. Fisheries Bulletin 84:271-277.
- Payne PM, Heinemann DW, Selzer LA. 1990. A distributional assessment of cetaceans in the shelf and shelf edge waters of the northeastern United States based on aerial and shipboard surveys, 1978-1988. Report to U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA. 253 pp.
- Pendleton DE, Pershing A, Brown MW, Mayo CA, Kenney RD, Record NR, Cole TV. 2009. Regional-scale mean copepod concentration indicates relative abundance of North Atlantic right whale. Marine Ecology Progress Series 378:211.
- Perrin W. 2002. Common Dolphins. In: W Perrin, B Wursig, J Thewissen (Eds.), Encyclopedia of Marine Mammals. San Diego, California: Academic Press. pp. 4.
- Perrin WF, Caldwell DK, Caldwell MC. 1994. Atlantic spotted dolphin *Stenella frontalis* (G. Cuvier, 1829). Handbook of Marine Mammals 5:173-190.
- Rankin S, Barlow J. 2005. Source of the North Pacific “boing” sound attributed to minke whales. Journal of the Acoustical Society of America 118(5):3346-3351.
- Rankin S, Barlow J. 2007. Vocalizations of the sei whale (*Balaenoptera borealis*) off the Hawaiian Islands. Bioacoustics 16:137-145.
- Rasmussen MH, Miller LA. 2002. Whistles and clicks from white-beaked dolphins, *Lagenorhynchus albirostris*, recorded in Faxaflói Bay, Iceland. Aquatic Mammals 28(1):78-89.
- Reeves RR. 2001. Overview of catch history, historic abundance and distribution of right whales in the western North Atlantic and in Cintra Bay, West Africa. Journal of Cetacean Research and Management 2:187-192.
- Reeves RR, Rosa C, George JC, Sheffield G, Moore M. 2012. Implications of Arctic industrial growth and strategies to mitigate future vessel and fishing gear impacts on bowhead whales. Marine Policy 36(2):454-462.
- Reeves RR, McClellan K, Werner TB. 2013. Marine mammal bycatch in gillnet and other entangling net fisheries, 1990 to 2011. Endangered Species Research 20(1):71-97.
- Rice AN, Tielens JT, Estabrook BJ, Muirhead CA, Rahaman A, Guerra M, Clark CW. 2014. Variation of ocean acoustic environments along the western north Atlantic coast: a case study in context of the right whale migration route. Ecological Informatics 21:89-99.
- Richardson W, Greene Jr. C, Malme C, Thomson D. 1995. *Marine mammals and noise*. San Diego, CA: Academic Press. 575 pp.
- Risch D, Castellote M, Clark CW, Davis GE, Dugan PJ, Hodge LEW, Kumar A, Lucke K, Mellinger DK, Nieukirk S, Popescu CM, Ramp C, Read AJ, Rice AN, Silva MA, Siebert U, Stafford KM, Verdaat H, Van Parijs SM. 2014. Seasonal migrations of North Atlantic minke whales: novel insights from large-scale passive acoustic monitoring networks. Movement Ecology 2(24):1-17.

- Roberts JJ. 2018. Revised habitat-based marine mammal density models for the U.S. Atlantic and Gulf of Mexico. Unpublished data files received with permission to use September, 2018.
- Roberts JJ. 2020. Revised habitat-based marine mammal density models for the U.S. Atlantic and Gulf of Mexico. Unpublished data files received with permission to use August, 2020.
- Roberts JJ, Best BD, Mannocci L, Fujioka E, Halpin PN, Palka DL, Garrison LP, Mullin KD, Cole TVN, Khan CB, McLellan WM, Pabst DA, Lockhart GG. 2016. Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports* 6:22615.
- Sabinsky PF, Tougaard J, Wahlberg M, Larsen ON. 2012. Seasonal, diel, tidal, and geographical variation in male harbour seal (*Phoca vitulina*) vocalizations in southern Scandinavia. In: 26th Annual Conference of the European Cetacean Society. 26-28 March 2012, Galway, Ireland.
- Salisbury DP, Clark CW, Rice AN. 2016. Right whale occurrence in the coastal waters of Virginia, USA: Endangered species presence in a rapidly developing energy market. *Marine Mammal Science* 32(2):508-519.
- Selzer LA, Payne PM. 1988. The distribution of white-sided, *Lagenorhynchus acutus* and common dolphins, *Delphinus delphis* vs. environmental features of the continental shelf of the northeastern United States. *Marine Mammal Science* 4(2):141-153.
- Slabbekoorn H, Bouton N, van Opzeeland I, Coers A, ten Cate C, Popper AN. 2010. A noisy spring: the impact of globally rising underwater sound levels on fish. *Trends in Ecology and Evolution* 25(7):419-427.
- Smith TD, Allen J, Chapman PJ, Hammon PS, Katona S, Larsen F, Lien J, Mattila D, Palsboll PJ, Sigurhonnsson J, and Stevick PT. 1999. An Ocean-basin wide mark-recapture study of the North Atlantic Humpback Whale (*Megaptera novaeangliae*). *Marine Mammal Science* 15(1):1-32.
- Southall BJ, Bowles AE, Ellison WT, Finneran JJ, Gentry RL, Greene Jr. CR, Kastak D, Ketten DR, Miller JH, Nachtigall PE, Richardson WJ, Thomas JA, Tyack PL. 2007. Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals* 33(44):411-521.
- Southall BL, Finneran JJ, Reichmuth C, Nachtigall PE, Ketten DR, Bowles AE, Ellison WT, Nowacek DP, Tyack PL. 2019. Marine mammal noise exposure criteria: Updated scientific recommendations for residual hearing effects. *Aquatic Mammals* 45(2):125-232.
- Stewart BS, Clapham PJ, Powell JA. 2002. National Audubon Society Guide to Marine Mammals of the World. New York, NY: Knopf. 528 pp.
- Stevick P, Allen J, Berube M, Clapham PJ. 2003. Segregation of migration by feeding ground origin in North Atlantic humpback whales (*Megaptera novaeangliae*). *Journal of Zoology* 259(3):231-237.
- Straley JM, 1990. Fall and winter occurrence of humpback whales (*Megaptera novaeangliae*) in southeastern Alaska. Rep. international Whaling Commission Spec. 12:319-323.
- Thompson PM, Hastie GD, Nedwell J, Barham R, Brookes KL, Cordes LS, Bailey H, McLean N. 2013. Framework for assessing impacts of pile-driving noise from offshore wind farm construction on a harbour seal population. *Environmental Impact Assessment Review* 43:73-85.

- Toth JL, Hohn AA, Able KW, Gorgone AM. 2010. Patterns of seasonal occurrence, distribution, and site fidelity of coastal bottlenose dolphins (*Tursiops truncatus*) in southern New Jersey, U.S.A. *Marine Mammal Science* 27(1):94-110.
- Torres LG, Rosel PE, D'Agrosa C, Read AJ. 2003. Improving management of overlapping bottlenose dolphin ecotypes through spatial analysis and genetics. *Marine Mammal Science* 19(3):502-514.
- U.S. Fish and Wildlife Service (USFWS). 2021. West Indian manatee *Trichechus manatus*. <https://www.fws.gov/southeast/wildlife/mammals/manatee/>. Accessed 18 September 2021.
- van der Hoop JM, Moore MJ, Barco SG, Cole TVN, Daoust PY, Henry AG, McAlpine DF, McLellan WA, Wimmer T, Solow AR. 2013. Assessment of management to mitigate anthropogenic effects on large whales. *Conservation Biology* 27(1):121-133.
- Verfuss UK, Gillespie D, Gordon J, Marques TA, Miller B, Plunkett R, Theriault JA, Tollit DJ, Zitterbart DP, Hubert P, Thomas L. 2018. Comparing methods suitable for monitoring marine mammals in low visibility conditions during seismic surveys. *Marine Pollution Bulletin* 126:1-18.
- Vester H, Hammerschmidt K, Timme M, Hallerberg S. 2014. Bag-of-calls analysis reveals group specific vocal repertoire in long-finned pilot whales. *Quantitative Methods* arXiv:1410.4711.
- Vu E, Risch D, Clark C, Gaylord S, Hatch L, Thompson M, Wiley D, Van Parijs S. 2012. Humpback whale song occurs extensively on feeding grounds in the western North Atlantic Ocean. *Aquatic Biology* 14(2):175-183.
- Wardle CS, Carter TJ, Urquhart GG, Johnstone ADF, Ziolkowski AM, Hampson G, Mackie D. 2001. Effects of seismic air guns on marine fish. *Continental Shelf Research* 21(8):1005-1027.
- Waring GT, Josephson E, Maze-Foley K, Rosel PE, (eds.). 2010. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2010. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Wood Hole, MA. NOAA Technical Memorandum NMFS-NE-219. 609 pp.
- Waring GT, Josephson E, Maze-Foley K, Rosel PE, (eds.). 2014. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2013. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Wood Hole, MA. NOAA Technical Memorandum NMFS-NE-228. 475 pp.
- Waring GT, Josephson E, Maze-Foley K, Rosel PE, (eds.). 2015. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments – 2014. U.S. Department of Commerce, National Oceanographic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA. NOAA Technical Memorandum NMFS-NE-231. 370 pp.
- Waring GT, Josephson E, Maze-Foley K, Rosel PE, (eds.). 2016. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2015. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Wood Hole, MA. NOAA Technical Memorandum NMFS-NE-238. 512 pp.
- Watkins WA, Daher MA, Reppucci GM, George JE, Martin DL, DiMarzio NA, Gannon DP. 2000. Seasonality and distribution of whale calls in the North Pacific. *Oceanography* 13:62-67.

- Weisbrod AV, Shea D, Moore MJ, Stegemann JJ. 2000. Organochlorine exposure and bioaccumulation in the endangered Northwest Atlantic right whale (*Eubalaena glacialis*) population. *Environmental Toxicology and Chemistry* 19(3):654-666.
- Whitehead H. 2002. Estimates of the current global population size and historical trajectory for sperm whales. *Marine Ecology Progressive Series* 242:295-304.
- Whitlock MC, Schluter D. 2009. *The Analysis of Biological Data*. Greenwood Village, Colorado: Roberts and Company Publishers. 704 pp.
- Whitt AD, Dudzinski K, Laliberté JR. 2013. North Atlantic right whale distribution and seasonal occurrence in nearshore waters off New Jersey, USA, and implications for management. *Endangered Species Research* 20(1):59-69.
- Whitt AD, Powell JA, Richardson AG, Bosyk JR. 2015. Abundance and distribution of Marine mammals in nearshore waters off New Jersey, USA. *Journal of Cetacean Research and Management* 15:45-59.
- Wiley DN, Asmutis RA, Pitchford TD, Gannon DP. 1995. Stranding and mortality of humpback whales, *Megaptera novaeangliae*, in the Mid-Atlantic and southeast United States, 1985-1992. *Fisheries Bulletin* 93:196-205.
- Williams KA, Connelly EE, Johnson SM, Stenhouse IJ, (eds.). 2015a. *Wildlife Densities and Habitat Use Across Temporal and Spatial Scales on the Mid-Atlantic Outer Continental Shelf: Final Report to the Department of Energy EERE Wind and Water Power Technologies Office*. Biodiversity Research Institute, Portland, ME. Report BRI 2015-11, Award Number: DE-EE0005362. 715 pp.
- Williams KA, Connelly EE, Johnson SM, Stenhouse IJ, (eds.). 2015b. *Baseline Wildlife Studies in Atlantic Waters Offshore of Maryland: Final Report to the Maryland Department of Natural Resources and the Maryland Energy Administration, 2015*. Biodiversity Research Institute, Portland, ME. Report BRI 2015-17. 437 pp.
- Wingfield JE, O'Brien M, Lyubchich V, Roberts JJ, Halpin PN, Rice AN, Bailey H. 2017. Year-round spatiotemporal distribution of harbour porpoises within and around the Maryland wind energy area. *PLoS One* 12(5):e0176653.
- Winn HE, Price CA, Sorensen PW. 1986. The distributional ecology of the right whale *Eubalaena glacialis* in the western North Atlantic. *Reports of the International Whaling Commission, Special Issue* 10:129-138.
- Wood J, Southall BL, Tollit DJ. 2012. PG&E offshore 3-D Seismic Survey Project EIR – Marine Mammal Technical Draft Report. SMRU