

TABLE 1. A SUMMARY (including footnotes) OF ATLANTIC MARINE MAMMAL STOCK ASSESSMENT REPORTS FOR STOCKS OF MARINE MAMMALS UNDER NMFS AUTHORITY THAT OCCUPY WATERS UNDER USA JURISDICTION.

Total Annual S.I. (serious injury) and Mortality and Annual Fisheries S.I. and Mortality are mean annual figures for the period 2006-2010. The “SAR revised” column indicates 2012 stock assessment reports that have been revised relative to the 2011 reports (Y=yes, N=no). If abundance, mortality, PBR or status have been revised, they are indicated with the letters “a”, “m”, “p” and “status” respectively. For those species not updated in this edition, the year of last revision is indicated. Unk = unknown and undet=undetermined (PBR for species with outdated abundance estimates is considered "undetermined").

Species	Stock Area	NMFS Ctr.	Nbest	Nbest CV	Nmin	Rmax	Fr	PBR	Total Annual S.I and Mort.	Annual Fish. S.I. and Mort. (cv)	Strategic Status	SAR Revised
North Atlantic right whale	Western North Atlantic	NEC	444	0	444	0.04 ^a	0.1	0.9	3.0 ^a	1.8 ^a	Y	Y a, m, p
Humpback whale	Gulf of Maine	NEC	823	0	823	0.065	0.1	2.7	7.8 ^b	5.8 ^b	Y	Y a, m, p
Fin whale	Western North Atlantic	NEC	3,522	0.27	2,817	0.04	0.1	5.6	2.0 ^c	0.8 ^c	Y	Y a, m, p
Sei whale	Nova Scotia	NEC	357	0.52	236	0.04	0.1	0.5	1.2 ^d	0.6 ^d	Y	Y a, m, p
Minke whale	Canadian east coast	NEC	20,741	0.30	16,199	0.04	0.5	162	5.0 ^e	4.6 ^e	N	Y a, m, p
Blue whale	Western North Atlantic	NEC	unk	unk	440	0.04	0.1	0.9	unk	unk	Y	N (2010)
Sperm whale	North Atlantic	NEC	1,593	0.36	1,187	0.04	0.1	2.4	0.6	0.4	Y	Y a, m, p
Dwarf sperm whale	Western North Atlantic	SEC	1,042	0.65	632	0.04	0.5	6.3	0	0	N	Y a, m, p
Pygmy sperm whale	Western North Atlantic	SEC	741	0.40	535	0.04	0.5	5.4	0	0	N	Y a, m, p
Killer whale	Western North Atlantic	NEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (1995)
Pygmy killer whale	Western North Atlantic	SEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (2007)
Northern bottlenose whale	Western North Atlantic	NEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (2008)
Cuvier's beaked whale	Western North Atlantic	NEC	4,962	0.37	3,670	0.04	0.5	37	0.4	0.2	N	Y a, m, p
Blainville's beaked whale	Western North Atlantic	NEC	unk	unk	unk	0.04	0.5	unk	0	0	N	Y a, m, p)
Gervais beaked whale	Western North Atlantic	NEC	1,847	0.96	935	0.04	0.5	9.4	0	0	N	Y a, m, p
Sowerby's beaked whale	Western North Atlantic	NEC	3,653	0.69	2,160	0.04	0.5	22	0	0	N	Y a, m, p
True's beaked whale	Western North Atlantic	NEC	unk	unk	unk	0.04	0.5	unk	0	0	N	Y a, m, p
Melon-headed whale	Western North Atlantic	SEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (2007)

Risso's dolphin	Western North Atlantic	NEC	15,197	0.55	9,857	0.04	0.48	95	17	17 (0.51)	N	Y a, m, p
Pilot whale, long-finned	Western North Atlantic	NEC	12,619	0.37	9,333	0.04	0.5	93	162 ^f	162 (0.15)	Y	N (2011)
Pilot whale, short-finned	Western North Atlantic	SEC	24,674	0.45	17,190	0.04	0.5	172	162 ^f	162 (0.15)	N	N (2011)
Atlantic white-sided dolphin	Western North Atlantic	NEC	48,819	0.61	30,401	0.04	0.5	304	212	212 (0.13)	N	Y a, m, p
White-beaked dolphin	Western North Atlantic	NEC	2,003	0.94	1,023	0.04	0.5	10	0	0	N	N (2007)
Short-beaked common dolphin	Western North Atlantic	NEC	67,191	0.29	52,893	0.04	0.5	529	166	166 (0.11)	N	Y a, m, p
Atlantic spotted dolphin	Western North Atlantic	SEC	26,798	0.66	16,151	0.04	0.5	162	0.2	0	N	Y a,m,p
Pantropical spotted dolphin	Western North Atlantic	SEC	4,439	0.49	3,010	0.04	0.5	30	6	6 (1.0)	N	N (2007)
Striped dolphin	Western North Atlantic	NEC	46,882	0.33	35,763	0.04	0.5	358	0	0	N	Y a, m, p
Fraser's dolphin	Western North Atlantic	SEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (2007)
Rough-toothed dolphin	Western North Atlantic	SEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (2008)
Clymene dolphin	Western North Atlantic	SEC	unk	unk	unk	0.04	0.5	undet	0	0	N	N (2007)
Spinner dolphin	Western North Atlantic	SEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (2007)
Bottlenose dolphin	Western North Atlantic, offshore	SEC	81,588 ^s	0.17	70,775 ^s	0.04	0.4	566	unk	unk	N	N (2008)
Bottlenose dolphin	Western North Atlantic, coastal, northern migratory	SEC	9,604	0.36	7,147	0.04	0.5	71	5.9-8.2	5.9-8.2	Y	N (2010)
Bottlenose dolphin	Western North Atlantic, coastal, southern migratory	SEC	12,482	0.32	9,591	0.04	0.5	96	24-55	24-55	Y	N (2010)
Bottlenose dolphin	Western North Atlantic, coastal, S. Carolina/Georgia	SEC	7,738	0.23	6,399	0.04	0.5	64	unk	unk	Y	N (2010)
Bottlenose dolphin	Western North Atlantic, coastal, northern Florida	SEC	3,064	0.24	2,511	0.04	0.5	25	unk	unk	Y	N (2010)
Bottlenose dolphin	Western North Atlantic, coastal, central Florida	SEC	6,318	0.26	5,094	0.04	0.5	51	unk	unk	Y	N (2010)
Bottlenose dolphin	Northern North Carolina Estuarine System	SEC	950	0.23	785	0.04	0.5	7.9	4.1-22.6	4.1-22.6	Y	Y a, p

Bottlenose dolphin	Southern North Carolina Estuarine System	SEC	2,454	0.53	1,614	0.04	0.5	16	0.6-1.2	0.6-1.2	Y	N (2010)
Bottlenose dolphin	Charleston Estuarine System	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2009)
Bottlenose dolphin	Northern Georgia/Southern South Carolina Estuarine System	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2009)
Bottlenose dolphin	Southern Georgia Estuarine System	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2009)
Bottlenose dolphin	Jacksonville Estuarine System	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2009)
Bottlenose dolphin	Indian River Lagoon Estuarine System	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2009)
Bottlenose dolphin	Biscayne Bay	SEC	unk	unk	unk	0.04	0.5	unk	unk	0.2	Y	N (2009)
Bottlenose dolphin	Florida Bay	SEC	514	0.17	447	0.04	0.5	4.5	unk	unk	N	N (2009)
Harbor porpoise	Gulf of Maine/Bay of Fundy	NEC	79,833	0.32	61,415	0.046	0.5	706	835	835	Y	Y a, m, p
Harbor seal	Western North Atlantic	NEC	unk	unk	unk	0.12	0.5	undet	342	337 (0.15)	N	Y m
Gray seal	Western North Atlantic	NEC	unk	unk	unk	0.12	1.0	unk	5,250	850 (0.14)	N	Y m
Harp seal	Western North Atlantic	NEC	unk	unk	unk	0.12	1.0	unk	379,673 ^h	282 (0.19)	N	Y m
Hooded seal	Western North Atlantic	NEC	unk	unk	unk	0.12	0.75	unk	5,199 ⁱ	25(0.82)	N	N (2007)
Sperm whale	Gulf of Mexico Oceanic	SEC	763	0.38	560	0.04	0.1	1.1	0.2	0	Y	Y a, m, p
Bryde's whale	Gulf of Mexico Oceanic	SEC	33	1.07	16	0.04	0.5	0.1	0.2	0	Y	Y a, p
Cuvier's beaked whale	Gulf of Mexico Oceanic	SEC	74	1.04	36	0.04	0.5	0.4	0	0	N	Y a, p
Blainville's beaked whale	Gulf of Mexico Oceanic	SEC	149 ^j	0.91	77	0.04	0.5	0.8	0	0	N	Y a, p
Gervais' beaked whale	Gulf of Mexico Oceanic	SEC	149 ^j	0.91	77	0.04	0.5	0.8	0	0	N	Y a, p
Bottlenose dolphin	Gulf of Mexico Continental shelf	SEC	unk	unk	unk	0.04	0.5	undet	unk	unk	N	Y Stranding and fishery data
Bottlenose dolphin	Gulf of Mexico, eastern coastal	SEC	7,702	0.19	6,551	0.04	0.5	66	unk	unk	N	Y Stranding and fishery data

Bottlenose dolphin	Gulf of Mexico, northern coastal	SEC	2,473	0.25	2,004	0.04	0.5	20	unk	unk	Y	Y Stranding and fishery data
Bottlenose dolphin	Gulf of Mexico, western coastal	SEC	unk	unk	unk	0.04	0.5	undet	unk	unk	Y	Y Stranding and fishery data
Bottlenose dolphin	Gulf of Mexico Oceanic	SEC	5,806	0.39	4,230	0.04	0.5	42	0.6	0.6 (1.0)	N	Y a, m, p
Bottlenose dolphin	Gulf of Mexico bay, sound, and estuary (29 stocks)	SEC	unk for all but 4 stocks	unk	unk for all but 4 stocks	0.04	0.5	undet for all but 4 stocks	unk	unk	Y for all	Y Stranding and fishery data
Bottlenose dolphin	Barataria Bay	SEC	unk	unk	unk	0.04	0.5	undet	unk	unk	Y	Y Stranding and fishery data
Bottlenose dolphin	St. Joseph Bay	SEC	146	0.18	126	0.04	0.5	1.3	unk	unk	Y	Y Stranding and fishery data
Bottlenose dolphin	Choctawhatchee Bay	SEC	179	0.04	173	0.04	0.5	1.7	unk	unk	Y	Y Stranding and fishery data
Atlantic spotted dolphin	Gulf of Mexico (Continental shelf and Oceanic)	SEC	unk	unk	unk	0.04	0.5	undet	unk	unk	N	Y Stranding and fishery data
Pantropical spotted dolphin	Gulf of Mexico Oceanic	SEC	50,880	0.27	40,699	0.04	0.5	407	3.2	3.2 (0.69)	N	Y a, m, p
Striped dolphin	Gulf of Mexico Oceanic	SEC	1,849	0.77	1,041	0.04	0.5	10	0	0	N	Y a, p
Spinner dolphin	Gulf of Mexico Oceanic	SEC	11,441	0.83	6,221	0.04	0.5	62	0	0	N	Y a, p
Rough-toothed dolphin	Gulf of Mexico (Outer continental shelf and Oceanic)	SEC	624	0.99	311	0.04	0.5	3	0	0	N	Y a, p
Clymene dolphin	Gulf of Mexico Oceanic	SEC	129	1.00	64	0.04	0.5	0.6	0	0	N	Y a, p
Fraser's dolphin	Gulf of Mexico Oceanic	SEC	unk	unk	unk	0.04	0.5	undet	0	0	N	Y a, p
Killer whale	Gulf of Mexico Oceanic	SEC	28	1.02	14	0.04	0.5	0.1	0	0	N	Y a, p
False killer whale	Gulf of Mexico Oceanic	SEC	unk	unk	unk	0.04	0.5	undet	0	0	N	Y a, p
Pygmy killer whale	Gulf of Mexico Oceanic	SEC	152	1.02	75	0.04	0.5	0.8	0	0	N	Y a, p
Dwarf sperm whale	Gulf of Mexico Oceanic	SEC	186 ^k	1.04	90	0.04	0.5	0.9	0	0	N	Y a, p
Pygmy sperm whale	Gulf of Mexico Oceanic	SEC	186 ^k	1.04	90	0.04	0.5	0.9	0.3	0.3 (1.0)	N	Y a, m, p
Melon-headed whale	Gulf of Mexico Oceanic	SEC	2,235	0.75	1,274	0.04	0.5	13	0	0	N	Y a, p

Risso's dolphin	Gulf of Mexico Oceanic	SEC	2,442	0.57	1,563	0.04	0.5	16	1.7	1.7 (0.63)	N	Y a, m, p
Pilot whale, short-finned ^l	Gulf of Mexico Oceanic	SEC	2,415	0.66	1456	0.04	0.5	15	0	0	N	Y a, p
Sperm Whale	Puerto Rico and US Virgin Islands stock	SEC	unk	unk	unk	0.04	0.1	unk	unk	unk	Y	N (2010)
Bottlenose dolphin	Puerto Rico and US Virgin Islands stock	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2011)
Cuvier's beaked whale	Puerto Rico and US Virgin Islands stock	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2011)
Pilot whale, short-finned	Puerto Rico and US Virgin Islands stock	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2011)
Spinner dolphin	Puerto Rico and US Virgin Islands stock	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2011)
Atlantic spotted dolphin	Puerto Rico and US Virgin Islands stock	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2011)

- a. The R given for right whales is the default Rmax of 0.04. The total estimated human-caused mortality and serious injury to right whales is estimated at 3.0 per year (USA waters, 1.4; Canadian waters, 0.6). This is derived from two components: 1) non-observed fishery entanglement records at 1.8 per year (USA waters, 1.6; Canadian waters, 0.2), and 2) ship strike records at 1.2 per year (USA waters, 0.8; Canadian waters, 0.4).
- b. The total estimated human-caused mortality and serious injury to the Gulf of Maine humpback whale stock is estimated as 7.8 per year (USA waters, 7.6; Canadian waters, 0.2). This average is derived from two components: 1) incidental fishery interaction records 5.8 (USA waters, 5.6; Canadian waters, 0.2); 2) records of vessel collisions, 2.0 (USA waters, 2.0; Canadian waters, 0)
- c. The total estimated human-caused mortality and serious injury to the Western North Atlantic fin whale stock is estimated as 2.0 per year (USA waters, 1.8; Canadian waters, 0.2). This average is derived from two components: 1) incidental fishery interaction records 0.8 (USA waters, 0.6; Canadian waters, 0.2); 2) records of vessel collisions, 1.2 (USA waters, 1.2; Canadian waters, 0)
- d. The total estimated human-caused mortality and serious injury to the Nova Scotia sei whale stock is estimated as 1.2 per year (USA waters, 1.0; Canadian waters, 0.2). This average is derived from two components: 1) incidental fishery interaction records 0.6 (USA waters, 0.4; Canadian waters, 0.2); 2) records of vessel collisions, 0.6 (USA waters, 0.6; Canadian waters, 0)
- e. The total estimated human-caused mortality and serious injury to the Canadian East Coast minke whale stock is estimated as 5.0 per year (USA waters, 4.0; Canadian waters, 1.0). This average is derived from four components: 1) 2.6 (0.46) minke whales per year from observed U.S. fisheries; 2) 1.0 minke whales per year (unknown CV) from U.S. fisheries using strandings and entanglement data; 3) 1.0 (unknown CV) from Canadian fisheries using strandings and entanglement data; and 4) 0.4 per year from U.S. ship strikes
- f. While abundance estimates have been attributed to each stock, the bycatch estimate includes both long-finned and short-finned pilot whales.
- g. Estimates may include sightings of the coastal form.
- h. The total estimated human caused annual mortality and serious injury to harp seals is 379,673. Estimated annual human caused mortality in US waters) 282 harp seals CV=0.19) from the observed US fisheries. The remaining mortality is derived from five components: 1) 2006-2010 average catches of Northwest Atlantic harp seals by Canada, 188,646; 2) 2006-2010 average Greenland Catch, 82,063; 3) 1,000 average catches in the Canadian Arctic; 4) 12,330 average bycatches in the Newfoundland lumpfish fishery; and 5) 95,347 average struck and lost animals.
- i. This is derived from three components: 1) 5,173 from 2001-2005 (2001 = 3,960; 2002 = 7,341; 2003 = 5,446, 2004=5,270; and 2005=3,846) average catches of Northwest Atlantic population of hooded seals by Canada and Greenland; 2) 25 hooded seals (CV=0.82) from the observed U.S. fisheries; and 3) one hooded seal from average 2001-2005 stranding mortalities resulting from non-fishery human interactions.
- j. This estimate includes Gervais' beaked whales and Blainville's beaked whales.
- k. This estimate may include both the dwarf and pygmy sperm whales.
- l. This estimate includes all *Globicephala sp.*, though it is presumed that only short-finned pilot whales are present in the Gulf of Mexico.