

References

- Au, W.W.L. and Hastings, M.C. (2008). Principles of Marine Bioacoustics. Springer, New York
- Au, W.W., Moore, P.W. and Pawloski, D.A. (1988). Detection of complex echoes in noise by an echolocating dolphin. *The Journal of the Acoustical Society of America*, 83(2), pp.662-668.
- Blecha, F. (2000). Immune system response to stress. Pages 111-122 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom. Bonnell, M.L., M.O. Pierson, and G.D. Farrens. 1983. Pinnipeds and sea otters of central and northern California, 1980-1983: Status, abundance and distribution. Prepared by Center for Marine Studies, University of California for Minerals Management Service: 220.
- Boebel, O., Clarkson, P., Coates, R., Larter, R., O'BRIEN, P.E., Plötz, J., Summerhayes, C., Tyack, T., Walton, D.W.H. and Wartzok, D. (2005). Risks posed to the Antarctic marine environment by acoustic instruments: a structured analysis. *Antarctic Science*, 17(04), pp.533-540.
- BOEM (2014) –[Commercial Lease of Submerged Lands for Renewable Energy Development on the Outer Continental Shelf](#)
- BOEM (2014) –[Environmental Assessment and Finding of No Significant Impact: Commercial Wind Lease Issuance and Site Assessment Activities on the Atlantic Outer Continental Shelf](#)
- Brownell Jr, R.L., Ralls, K., Baumann-Pickering, S. and Poole, M.M. (2009). Behavior of melon-headed whales, *Peponocephala electra*, near oceanic islands. *Marine Mammal Science*, 25(3), pp.639-658.
- Brueggeman, J.J., Grotefendt, G.A.G.R.A., Bonnell, C.E.B.M.L. and Balcomb, K.C., (1992). Oregon and Washington Marine Mammal and Seabird Surveys-Cetacean Distribution and Abundance Off Oregon and Washington, 1989-1990.
- Croll, D.A., C.W. Clark, J. Calambokidis, W.T. Ellison, and B.R. Tershy. (2001). Effect of anthropogenic low-frequency noise on the foraging ecology of *Balaenoptera* whales. *Animal Conservation* 4 (1):13-27.
- Department of Navy (DoN). (2007). Navy OPAREA Density Estimates (NODE) for the Northeast OPAREAs: Boston, Narragansett Bay, and Atlantic City. Final report. Contract number N62470-02- D-9997, CTO 0045. Norfolk, Virginia: Atlantic Division, Naval Facilities Engineering Command. Prepared by Geo-Marine, Inc., Plano, Texas.
- DeRuiter, S.L., Boyd, I., Claridge, D.E., Clark, C.W., Gagnon, C., Southall, B.L., Tyak, P.L. (2013a). Delphinid Whistle Production and Call Matching During Playback of Simulated Military Sonar. *Marine Mammal Science*, 29(2), E46-E59

- DeRuiter, S.L., Southall, B.L., Calambokidis, J., Zimmer, M.X., Sadykova, D., Falcone, E.A., Firedlander, A.S., Joseph, J.E., Moretti, D., Schorr, G.S., Thomas, L., Tyak, P.L. (2013b). First Direct Measurements of Behavioral Responses by Cuvier's Beaked Whales to Mid-Frequency Sonar. *Biology Letters*, 9:20130223.
- Desharnais, F., Heard, G.J., Hazen, M.G. and Fraser, I.A. (1999). The underwater acoustic noise field on Sable Bank. *Canadian Acoustics*, 27(3), pp.30-31.
- Dolphin, W.F., Au, W.W.L., Nachtigall, P.E. and Pawloski, J. (1995). Modulation rate transfer functions to low-frequency carriers in three species of cetaceans. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology*, 177(2), pp.235-245.
- Elasser, T.H., Klasing, K.C., Filipov, N., and Thompson, F. (2000). The metabolic consequences of stress: Targets for stress and priorities of nutrient use in G.P. Moberg and J.A. Mench, (eds.) *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- Fair, P.A. and P.R. Becker. (2000). Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery* 7 (4):335-354.
- Finneran, J.J., (2015). Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *The Journal of the Acoustical Society of America*, 138(3), pp.1702-1726.
- Finneran, J.J. and Jenkins, A.K.. (2012). Criteria and thresholds for U.S. Navy acoustic and explosive effects analysis. Technical Report, Space and Naval Warfare Systems Center Pacific, U.S. Navy: 64.
- Finneran, J.J. and Schlundt, C.E., (2010). Frequency-dependent and longitudinal changes in noise-induced hearing loss in a bottlenose dolphin (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 128(2), pp.567-570.
- Finneran, J.J., Schlundt, C.E., Dear, R., Carder, D.A., and Ridgway, S.H.. (2002). Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *Journal of the Acoustical Society of America* 111 (6):2929.
- Hayes, S.A., Josephson, E., Maze-Foley, K., Rosel, P.E. (Eds.) *et al.* (2016). NOAA Technical Memo NMFS-NE-241, US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2016.
- Holberton, R.L., Helmuth, B., and Wingfield, J.C. (1996). The corticosterone stress response in gentoo and king penguins during the non-fasting period. *Condor* 98 (4):850-854.

- Hood, L.C., Boersma, P.D., and Wingfield, V. (1998). The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *Auk* 115 (1):76-84.
- Jacobs, S.R. and Terhune, J.M., (2002). The effectiveness of acoustic harassment devices in the Bay of Fundy, Canada: seal reactions and a noise exposure model. *Aquatic Mammals*, 28(2), 147-158.
- Jansen, G. (1998). Chapter 25: Physiological effects of noise. *Handbook of Acoustical Measurements and Noise Control*. 3rd Ed: 25.1-25.19.
- Jensen, A.S. and Silber, G.K. (2003). *Large Whale Ship Strike Database*. US Department of Commerce. National Oceanic and Atmospheric Administration. Technical Memorandum NMFS-OPR.
- Jessop, T.S., Tucker, A.D., Limpus, C.J., and Whittier, J.M. (2003). Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and Comparative Endocrinology* 132 (1):161-170.
- Jones, D.M., D.E. Broadbent (1998). Chapter 24: Human performance and noise. *Handbook of Acoustical Measurements and Noise Control* (Harris, C.M. Ed). Published by Acoustical Society of America, Woodbury, NY
- Kastak, D., Reichmuth, C., Holt, M.M., Mulsow, J., Southall, B.L. and Schusterman, R.J., (2007). Onset, growth, and recovery of in-air temporary threshold shift in a California sea lion (*Zalophus californianus*). *The Journal of the Acoustical Society of America*, 122(5), pp.2916-2924.
- Kastak, D., Southall, B.L., Schusterman, R.J., and Kastak, C.R. (2005). Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. *Journal of the Acoustical Society of America* 118 (5):3154-3163.
- Kastelein, R.A., Gransier, R., Hoek, L., Macleod, A., and Terhune, J.M. (2012a). Hearing threshold shifts and recovery in harbor seals (*Phoca vitulina*) after octave-band noise exposure at 4 kHz. *Journal of the Acoustical Society of America* 132 (4):2745-2761.
- Kastelein, R.A., Gransier, R., Hoek, L., and Olthuis, J. (2012b). Temporary threshold shifts and recovery in a harbor porpoise (*Phocoena phocoena*) after octave-band noise at 4 kHz. *Journal of the Acoustical Society of America* 132:3525-3537.
- Kenney, R.D., and Vigness-Raposa, K.J. (2009). *Marine Mammals and Sea Turtles of Narragansett Bay, Block Island Sound, Rhode Island Sound, and Nearby Waters: An Analysis of Existing Data for the Rhode Island Ocean Special Area Management Plan*. Technical Report, May 31, 2009.

- Knowlton A.R. and S.D. Kraus. (2001). "Mortality and serious injury of northern right whales (*Eubalaena glacialis*) in the western North Atlantic Ocean". *Journal of Cetacean Research and Management*, Special Issue 2:193-208.
- Krausman, P.R., Harris, L.K., Blasch, C.L., Koenen, K.K.G., and Francine, J. (2004). Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs* 157:1-41.
- Kremser, U., Klemm, P. and KOeTZ, W.D. (2005). Estimating the risk of temporary acoustic threshold shift, caused by hydroacoustic devices, in whales in the Southern Ocean. *Antarctic Science*, 17(01), pp.3-10.
- Kryter, K.D. (1985). *The Effects of Noise on Man*. Academic Press, New York.
- Kryter, K.D., Ward, W.D., Miller, J.D. and Eldredge, D.H., (1966). Hazardous exposure to intermittent and steady-state noise. *The Journal of the Acoustical Society of America*, 39(3), 451-464.
- Laist, D.W., Knowlton, A.R., Mead, J.G., Collet, A.S., and Podesta, M. (2001). Collisions between ships and whales. *Marine Mammal Science* 17 (1), 35–75. Lesage, V. and M.O. Hammill. 2001. *The status of the grey seal, Halichoerus grypus*, in the Northwest Atlantic. *Can. Field-Nat.* 115(4): 653-662.
- Lankford, S.E., Adams, T.E., Miller, R.A., and Cech, J.J. (2005). The cost of chronic stress: Impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology* 78:599-609.
- Lucke, K., Siebert, U., Lepper, P.A., and Blanchet, M. (2009). Temporary shift in masked hearing thresholds in a harbor porpoise (*Phocoena phocoena*) after exposure to seismic airgun stimuli. *Journal of the Acoustical Society of America* 125 (6):4060.
- Lurton, X. (2016). Modelling of the sound field radiated by multibeam echosounders for acoustical impact assessment. *Applied Acoustics*, 101, pp.201-221.
- Lusseau, D. and L. Bejder. (2007). The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. *International Journal of Comparative Psychology* 201 (2-3):228-236.
- Madsen, P.T. and Møhl, B., (2000). Sperm whales (*Physeter catodon* L. 1758) do not react to sounds from detonators. *The Journal of the Acoustical Society of America*, 107(1), pp.668-671.
- Madsen, P.T., Payne, R., Kristiansen, N.U., Wahlberg, M., Kerr, I. and Møhl, B. (2002). Sperm whale sound production studied with ultrasound time/depth-recording tags. *Journal of Experimental Biology*, 205(13), 1899-1906.

- Malme, C.I., Würsig, B., Bird, J.E. and Tyack, P., (1986). *Behavioral responses of gray whales to industrial noise: feeding observations and predictive modeling* (No. PB-88-249057/XAB). BBN Labs., Inc., Cambridge, MA (USA).
- McEwen, B.S. and Wingfield, J.C. (2003). The concept of allostasis in biology and biomedicine. *Hormones and behavior*, 43(1), pp.2-15.
- Miller, J. H., Bowles, A. E., Gentry, R. L., Ellison, W. T., Finneran, J. J., Greene Jr, C. R., . . . Nachtigall, P. E. (2005). Strategies for weighting exposure in the development of acoustic criteria for marine mammals. *The Journal of the Acoustical Society of America*, 118(3), 2019- 2019.
- Moberg, G.P. (2000). Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- Moberg, G.P. (1987). Influence of the adrenal axis upon the gonads. Pages 456-496 in J. Clarke, ed. *Oxford Reviews in Reproductive Biology*. Oxford University Press, New York, New York.
- Mooney, T.A., Nachtigall, P.E. and Vlachos, S., (2009a). Sonar-induced temporary hearing loss in dolphins. *Biology letters*, pp.rsbl-2009.
- Mooney, T.A., Nachtigall, P.E., Breese, M., Vlachos, S. and Au, W.W., (2009b). Predicting temporary threshold shifts in a bottlenose dolphin (*Tursiops truncatus*): The effects of noise level and duration. *The Journal of the Acoustical Society of America*, 125(3), pp.1816-1826.
- Myrberg, A.A. (1978). *Ocean Noise and the Behavior of Marine Mammals: Relationships and Implications*. Academic Press.
- Nachtigall, P.E., Supin, A.Y., Pawloski, J.L, and Au, W.W.L. (2004). Temporary threshold shifts after noise exposure in the bottlenose dolphin (*Tursiops truncatus*) measured using evoked auditory potentials. *Marine Mammal Science* 20 (4):672-687.
- New England Aquarium, Boston, MA. USA. Southall, B. L., A. E. Bowles, W. T. Ellison, J. J. Finneran, R. L. Gentry, C. R. Greene, Jr., D. Kastak, D. R. Ketten, J. H. Miller, P. E. Nachtigall, W. J. Richardson, J. A. Thomas, & P. L. Tyack. (2007). Marine mammal noise exposure criteria: Initial scientific recommendations *Aquatic Mammals*, 33(4), 411-521.
- NMFS. (2016). Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing—Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. National Marine Fisheries Service, Silver Spring, MD.
- NMFS. (2012). [NMFS Office of Protected Resources Gray Seal \(*Halichoerus grypus*\) species profile](#).

- Nowacek, D.P., Johnson, M.P. and Tyack, P.L. (2004). North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London B: Biological Sciences*, 271(1536), pp.227-231.
- NRC (National Research Council). (2003). Ocean noise and marine mammals. National Academy of Sciences: 220.
- Popov, V.V., Supin, A.Y., Wang, D., Wang, K., Dong, L., and Wang, S. (2011). Noise-induced temporary threshold shift and recovery in Yangtze finless porpoises *Neophocaena phocaenoides asiaeorientalis*. *Journal of the Acoustical Society of America* 130 (1):574-584.
- Reneerkens, J., Morrison, R.G., Ramenofsky, M., Piersma, T. and Wingfield, J.C. (2002). Baseline and stress-induced levels of corticosterone during different life cycle substages in a shorebird on the high arctic breeding grounds. *Physiological and Biochemical Zoology*, 75(2), pp.200-208.
- Rhode Island Ocean Special Area Management Plan (SAMP) (2011). Rhode Island Coastal Resources Management Council. Draft, May 4, 2010.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. (1995). *Marine Mammals and Noise*. Academic Press, Inc., San Diego, California.
- Right Whale Consortium. (2014). North Atlantic Right Whale Consortium Sightings Database. 03/11/2014.
- Rivier, C. (1995). Influence of immune signals on the hypothalamic-pituitary axis of the rodent. *Frontiers in neuroendocrinology*, 16(2), pp.151-182.
- Roberts, J.J., Best, B.D., Mannocci, L., Fujioka, E., Halpin, P.N., Palka, D.L., Garrison, L.P., Mullin, K.D., Cole, T.V.N., Khan, C.B., McLellan, W.M., Pabst, D.A., Lockhart, G.G (2016) Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports* 6: 22615. doi: 10.1038/srep22615.
- Rolland, R.M., Parks, S.E., Hunt, K.E., Castellote, M., Corkeron, P.J., Nowacek, D.P., *et al.* (2012). Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society of London Series B Biological Sciences* 279 (1737):2363-2368.
- Romano, T., Keogh, M., and Danil, K. (2002a). Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the eastern tropical Pacific. Administrative Report LJ-02-35C, National Marine Fisheries Service: 37.
- Romano, T.A., Felten, D.L., Stevens, S.Y., Olschowka, J.A., Quaranta, V., and Ridgway, S.H. (2002b). Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 in C.J. Pfeiffer, ed. *Molecular and Cell Biology of Marine Mammals*. Krieger Publishing Co., Malabar, Florida.

- Ronald, K., and Gots, B.L. (2003). Seals: Phocidae, Otariidae, and Odobenidae. Pp. 789–854 in: G. A. Feldhamer, B. C. Thompson, and J. A. Chapman, eds. *Wild Mammals of North America: Biology, Management, and Economics*, second edition. Johns Hopkins University Press, Baltimore, MD.
- Schroeder, C. L. (2000). Population Status and Distribution of the Harbor Seal in Rhode Island Waters. M.S. thesis. University of Rhode Island, Graduate School of Oceanography, Narragansett, RI. xiii + 197 pp.
- Seyle, H. (1950). Stress and the general adaptation syndrome. *British Medical Journal* June 17:1383-1392.
- Smith, M.E., Kane, A.S. and Popper, A.N., (2004a). Noise-induced stress response and hearing loss in goldfish (*Carassius auratus*). *Journal of Experimental Biology*, 207(3), pp.427-435.
- Smith, M.E., Kane, A.S. and Popper, A.N., (2004b). Acoustical stress and hearing sensitivity in fishes: Does the linear threshold shift hypothesis hold water?. *Journal of Experimental Biology*, 207(20), pp.3591-3602.
- Southall, B.L., Rowles, T., Gulland, F., Baird, R.W. and Jepson, P.D. (2013). Final report of the Independent Scientific Review Panel investigating potential contributing factors to a 2008 mass stranding of melonheaded whales (*Peponocephala electra*) in Antsohihy, Madagascar. *Independent Scientific Review Panel*.
- Southall, B.L., Bowles, A.E., Ellison, W.T., Finneran, J.J., Gentry, R.L., Greene Jr., C.R., Kastak, D., Ketten, D.R., Miller, J.H., Nachtigall, P.E., Richardson, W.J., Thomas, J.A, and Tyack, P.L. (2007). Marine Mammal Noise Exposure Criteria: Initial Scientific Recommendations. *Aquatic Mammals*, Volume 33, Number 4, ISSN 0167-5427. 521 pp.
- Southall, B.L., Braun, R., Gulland, F.M., Heard, A.D., Baird, R.W., Wilkin, S.M. and Rowles, T.K. (2006). *Hawaiian Melon-headed Whale (Peponocephala electra) Mass Stranding Event of July 3-4, 2004*.
- Supin, A.Y. and Popov, V.V. (1995). Temporal resolution in the dolphin's auditory system revealed by double-click evoked potential study. *The Journal of the Acoustical Society of America*, 97(4), pp.2586-2593.
- Thompson, P. O. (1965). "Marine biological sound west of San Clemente island," U.S. Navy Electronics Laboratory Report No. 1290, San Diego, CA, p. 42.
- Thompson, D.R. and Hamer, K.C. (2000). Stress in seabirds: causes, consequences and diagnostic value. *Journal of aquatic ecosystem stress and recovery*, 7(1), pp.91-109.
- Trimper, P.G., Chubbs, T.E., Standen, N.M. and Humphries, G.W., (1998). Effects of intensive aircraft activity on the behaviour of nesting osprey. In *7th International Congress on Noise as a Public Health Problem, ICBEN, Sydney, Australia*.

- Tyack, P.L. (2000). *Functional aspects of cetacean communication* (pp. 270-307). Chicago, IL:: Cetacean societies: field studies of dolphins and whales. The University of Chicago Press.
- Urick, R.J. (1975). *A Statistical Model for the Fluctuation of Sound Transmission in the Sea* (No. NSWC/WOL/TR-75-18). Naval Surface Weapons Center, White Oak Lab, Silver Spring, MD.
- Vanderlaan, A.S. and Taggart, C.T. (2007). Vessel collisions with whales: the probability of lethal injury based on vessel speed. *Marine mammal science*, 23(1), pp.144-156.
- Ward, W.D. (1997). Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. *Encyclopedia of acoustics*, Volume III. John Wiley & Sons, New York.
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2015. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2015. NOAA Technical Memorandum. Available at: http://www.nmfs.noaa.gov/pr/sars/pdf/atl2015_final.pdf.
- Waring, G., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2013. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2012, 419 pages. Available at: www.nmfs.noaa.gov/pr/sars/pdf/ao2012.pdf.
- Waring, G., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2011. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2011, 330 pages. Available at: <http://www.nmfs.noaa.gov/pr/pdfs/sars/ao2011.pdf>.
- Waring GT, Josephson E, Maze-Foley K, and Rosel PE (eds.). 2010. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments -- 2009. NOAA Tech Memo NMFS NE 213; 528 p.
- Wartzok, D., & D.R. Ketten. 1999. Marine mammal sensory systems. *Biology of marine mammals*, 1, 117-175. Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal* 37 (4):6-15.
- Weilgart, L.S. (2007). A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology* 201 (2-3):159-168.
- Welch, B.L. and Welch, A.S., (1970). Control of brain catecholamines and serotonin during acute stress and after d-amphetamine by natural inhibition of monoamine oxidase: An hypothesis. *Amphetamines and related compounds*, ed. E. Costa & S. Garattini. New York: Raven Press.[taHA].