References

ADF&G. 2009. The subsistence harvest of harbor seals and sea lions by Alaska Natives in 2007. Technical Paper No. 345 from Alaska Department of Fish and Game, Division of Subsistence and Alaska Native Harbor Seal Commission. Available at: http://www.adfg.alaska.gov/techpap/TP345.pdf

Ainslie, MA, CAF de Jong, HS Dol, G Blacquiere, and C Marasini. 2009. Assessment of Natural and Anthropogenic Sound Sources and Acoustic Propogation in the North Sea. TNO Report TNO-DV-2009- C085. 114pp.

ANSI (American National Standards Institute). 1986. Methods of measurement for impulse noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.

ANSI. 1995. Bioacoustical Terminology (ANSI S3.20-1995). Acoustical Society of America, Woodbury, NY.

ANSI, 2005. Measurement of sound pressure levels in air (ANSI S1.13-2005). Acoustical Society of America, Woodbury, NY.

Archer, F.I., S.L. Mesnick, and A.C. Allen. 2010. Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC-457, National Marine Fisheries Service: 60.

Au, W. W. L. and Hastings, M. 2008. Principles of Marine Bioacoustics. Springer-Verlag, New York.

Beauchamp, Guy & Livoreil, Barbara. 1997. The effect of group size on vigilance and feeding rate in spice finches (*Lonchura punctata*). Canadian Journal of Zoology. 75. 1526-1531. 10.1139/z97-776.

Bejder L., A. Samuels, H. Whitehead, H. Finn, S. Allen. 2009. Impact assessment research: Use and misuse of habituation, sensitisation and tolerance in describing wildlife responses to anthropogenic stimuli Marine Ecology Progress Series, 395 (2009), pp. 177-185.

Blackwell, S.B., J.W. Lawson, and M.T. Williams. 2004. Tolerance by ringed seals (Phoca hispida) to impact pipe-driving and construction sounds at an oil production island. Journal of the Acoustical Society of America 115 (5):2346.

Blecha, F. 2000. Immune system response to stress. Pages 111-122 *in* G.P. Moberg and J.A. Mench, eds. The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare. CABI Publishing, Oxon, United Kingdom.

Bowles, A.E., M. Smultea, B. Wursig, D.P. DeMaster, and D. Palka. 1994. Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island feasibility test. Journal of the Acoustical Society of America 96 (4):2469-2484.

Buckland, S.T., K.L. Cattanach, and R.C. Hobbs. 1993. Abundance estimates of Pacific white-sided dolphin, northern right whale dolphin, Dall's porpoise and northern fur seal in the North Pacific, 1987-1990. **Int. North Pacific Fish. Comm. Bull.** 53(3):387-407.

Calambokidis, J., E.A. Falcone, T.J. Quinn, A.M. Burdin, P.J. Clapham, J.K.B. Ford, C.M. Gabriele, R. LeDuc, D. Mattila, L. Rojas-Bracho, J.M. Straley, B.L. Taylor, J. Urban, D. Weller, B.H. Witteveen, M. Yamaguchi, A. Bendlin, D. Camacho, K. Flynn, A. Havron, J. Huggins, and N. Maloney. 2008. SPLASH: Structure of Populations, Levels of Abundance and Status of Humpback Whales in the North Pacific. Final report for Contract AB133F-03-RP-00078. 58 p. Available from Cascadia Research (www.cascadiaresearch.org) and NMFS, Southwest Fisheries Science Center (http://swfsc.noaa.gov).

Calambokidis, J., J.L. Laake, and A. Pérez. 2014. Updated analysis of abundance and population structure of seasonal gray whales in the Pacific Northwest, 1996-2012. Document submitted to the Range-Wide Workshop on Gray Whale Stock Structure, April 8-11, 2014 in La Jolla, CA. 75p.

Carretta, J.V., K.A. Forney, E.M. Oleson, D.W. Weller, A.R. Lang, J. . Baker, M.M. Muto, B. Hanson, A.J. Orr, H. Huber, M.S. Lowry, J. Barlow, J.E. Moore, D. Lynch, L. Carswell, and R.L. Brownwell Jr. 2018. U.S. Pacific marine mammal stock assessments: 2017. NOAA Tech. Memo. NOAA-TM-NMFS-SWFSC-577. Nat. Mar. Fish. Serv., Southwest Fish. Sci. Center, La Jolla, CA. 161 p.

Carretta, J.V., K.A. Forney, E.M. Oleson, D.W. Weller, A.R. Lang, J. . Baker, M.M. Muto, B. Hanson, A.J. Orr, H. Huber, M.S. Lowry, J. Barlow, J.E. Moore, D. Lynch, L. Carswell, and R.L. Brownwell Jr. 2019. U.S. Pacific draft marine mammal stock assessments: 2018. NOAA Tech. Memo. NOAA-TM-NMFS-SWFSC-XXX. Nat. Mar. Fish. Serv., Southwest Fish. Sci. Center, La Jolla, CA. 161 p. Available online: https://www.fisheries.noaa.gov/national/marine-mammal-protection/draft-marine-mammal-stock-assessment-reports

Connor, R.C. and M.R. Heithaus. 1996. Approach by great white shark elicits flight response in bottlenose dolphins. Marine Mammal Science 12 (4):602-606.

Corporon, Steve. City of Ketchikan, Ports and Harbors Director, email correspondence with GeoEngineers, February 12, 2018.

Costa, D.P., D.E. Crocker, J. Gedamke, P.M. Webb, D.S. Houser, S.B. Blackwell, et al. 2003. The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, Mirounga angustirostris. Journal of the Acoustical Society of America 113 (2):1155-1165.

Cox, T.M., T.J. Ragen, A.J. Read, E. Vos, R.W. Baird, K. Balcomb, et al. 2006. Understanding the impacts of anthropogenic sound on beaked whales. Journal of Cetacean Research and Management 7 (3):177-187.

Croll, D.A., C.W. Clark, J. Calambokidis, W.T. Ellison, and B.R. Tershy. 2001. Effect of anthropogenic low-frequency noise on the foraging ecology of Balaenoptera whales. Animal Conservation 4 (1):13-27.

Daan, S., Deerenberg, C., and Dijkstra, C. 1996. Increased daily work precipitates natural death in the kestrel. J. Anim. Ecol. 65: 539–44.

Dahlheim, ME, P.A. White, and J.M. Waite. 2009. Cetaceans of Southeast Alaska: distribution and seasonal occurrence. Journal of Biogeography. 36: 410–426.

Dahlheim, M.E., A.N. Zerbini, J.M. Waite, and A.S. Kennedy. 2015. Temporal changes in abundance of harbor porpoise (Phocoena phocoena) inhabiting the inland waters of Southeast Alaska. Fishery Bulletin 113(3): 242-255.

Department of Commerce and U.S. Navy. 2001. Joint interim report: Bahamas marine mammal stranding event of 15–16 March 2000. US Department of Commerce and US Navy, Washington, D.C.

Durban, J., et al. (2013). Estimating gray whale abundance from shore-based counts using a multilevel Bayesian model. Jeju, Korea, IWC Scientific Committee**:** 9.

Ellison, W.T., B.L. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. Conserv. Biol. 26(1):21-28.

Evans, D.L. and G.R. England. 2001. Joint interim report: Bahamas marine mammal stranding event of 15-16 March 2000. U.S. Navy and National Marine Fisheries Service: 66.

Fair, Patricia & Becker, Paul. (2000). Review of stress in marine mammals. Journal of Aquatic Ecosystem Stress and Recovery. 7. 335-354. 10.1023/A:1009968113079.

Ferguson, M.C., C. Curtice, and J. Harrison. 2015. 6. Biologically important areas for cetaceans within U.S. waters – Gulf of Alaska region. **Aquat. Mamm.** 41(1):65-78.

Finneran, J.J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. The Journal Of the Acoustical Society of America 138 (3) 1702.

Finneran, J., R. Dear, D.A. Carder, and S.H. Ridgway. 2003. Auditory and behavioral responses of California sea lions (Zalophus californianus) to single underwater impulses from an arc-gap transducer. The Journal of the Acoustical Society of America, 114(3), 1667-1677.

Finneran, J.J., D.A. Carder, C.E. Schlundt, and S.H. Ridgway. 2005. Temporary threshold shift in bottlenose dolphins (Tursiops truncatus) exposed to mid-frequency tones. Journal of the Acoustical Society of America 118 (4):2696-2705.

Finneran, J.J., C.E. Schlundt, R. Dear, D.A. Carder, and S.H. Ridgway. 2002. Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. Journal of the Acoustical Society of America 111 (6):2929.

Fisheries Hydroacoustic Working Group. 2008. Agreement in principle for interim criteria for injury to fish from pile driving activities. Dated June 12, 2008. Available online: http://www.cityofsantacruz.com/home/showdocument?id=57110

Foote, A.D., R.W. Osborne, A.R. Hoelzel Environment: whale-call response to masking boat noise Nature, 428 (2004) 910–910

Ford, J.K.B. and R.R. Reeves. 2008. Fight or flight: Antipredator strategies of baleen whales. Mammal Review 38 (1):50-86.

François, R.E., and Garrison, G.R. (1982a). "Sound absorption based on ocean measurements. Part I: Pure water and magnesium sulfate contributions," J. Acoust. Soc. Am. 72, 896-907.

François, R.E., and Garrison, G.R. (1982b). "Sound absorption based on ocean measurements. Part II: Boric acid contribution and equation for total absorption," J. Acoust. Soc. Am. 72, 1879-1890.

Frankel, A.S. and C.W. Clark. 2000. Behavioral responses of humpback whales (Megaptera novaeangliae) to full-scale ATOC signals. Journal of the Acoustical Society of America 108 (4):1930-1937.

Freitag, G. 2017. (As cited in 83 FR 22009, May 11, 2018). Personal communication between Kate Arduser, Solstice Alaska Consulting, Inc. and Gary Freitag, University of Alaska Fairbanks College of Fisheries and Ocean Sciences Associate Professor Marine Advisory Program, member of NOAA Marine Mammal Stranding Network, and longtime Ketchikan resident, regarding marine mammal occurrence, behavior, and typical groups size in Ketchikan vicinity.

Friday, N. A., A. N. Zerbini, J. M. Waite, S. E. Moore, and P. J. Clapham. 2013. Cetacean distribution and abundance in relation to oceanographic domains on the eastern Bering Sea shelf in June and July of 2002, 2008, and 2010. Deep-Sea Res. II 94:244-256.

Fristrup, K.M., Hatch, L.T. & Clark, C.W. 2003. Variation in humpack whale (Megaptera novaengliae) song length in relation to low-frequency sound broadcasts. Journal of the Acoustical Society of America, 113, 3411–3424.

Fritz, Lowell; Sweeney, Kathryn; Lynn, Morgan; Gelatt, Thomas; Gilpatrick, James; Towell, Rodney 2015. Counts of Alaska Steller sea lion adult and juvenile (non-pup) conducted on rookeries and haul-outs in Alaska Aleutian Islands, Bering Sea, and others from 1904-01-01 to 2015-07-18 (NCEI Accession 0128190). Version 2.4. NOAA National Centers for Environmental Information. Dataset. doi:10.7289/V54F1NP1.

Fritz, H., M. Guillemain, and D. Durant. 2002. The cost of vigilance for intake rate in the mallard (*Anas platyrhynchos*): An approach through foraging experiments. Ethology, Ecology and Evolution 14 (2):91-97.

Gailey, G., B. Würsig, and T.L. McDonald. 2007. Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, northeast Sakhalin Island, Russia. Environ. Monit. Assess. 134(1-3):75-91.

Goertner, J. F. 1982. Prediction of Underwater Explosion Safe Ranges for Sea Mammals. NSWC TR 82-188. Silver Springs, MD: Naval Surface Weapons Center, Dahlgren Division, White Oak Detachment.

Goldbogen, J.A., J. Calambokidis, A.S. Friedlaender, J. Francis, S.L. Deruiter, A.K. Stimpert, et al. 2013a. Underwater acrobatics by the world's largest predator: 360° rolling manoeuvres by lunge-feeding blue whales. Biology Letters 9 (1):Article 20120986.

Goldbogen, J.A., A.S. Friedlaender, J. Calambokidis, M.F. McKenna, M. Simon, and D.P. Nowacek. 2013b. Integrative approaches to the study of baleen whale diving behavior, feeding performance, and foraging ecology. BioScience 63 (2):90-100.

Goold 1996. Acoustic Assessment Of Populations Of Common Dolphin Delphinus Delphis In Conjunction With Seismic Surveying. J. mar. biol. Ass. U.K. (1996), 76, 811-820.

Gordon, J., D. Gillespie, J. Potter, A. Frantzis, M.P. Simmonds, R. Swift, and D. Thompson. 2004. A review of the effects of seismic surveys on marine mammals. Marine Technology Society Journal 37 (4):16-34.

Götz, T., G. Hastie, L.T. Hatch, O. Raustein, B.L. Southall, M. Tasker, and F. Thomsen. 2009. Overview of the impacts of anthropogenic underwater sound in the marine environment. OSPAR Commission: 134.

Harrington, F.H. and A.M. Veitch. 1992. Calving success of woodland caribou exposed to low-level jet fighter overflights. Arctic 45 (3):213-218.

Harris, C.M. (ed.). 1998. Handbook of Acoustical Measurements and Noise Control. Acoustical Society of America, Woodbury, NY.

Hastings, M.C., and A.N. Popper. 2005. Effects of sound on fish. Technical report for Jones and Stokes to California Department of Transportation.

HDR. 2003. Gravina Access Project Threatened and Endangered Species Biological Assessment for Humpback Whale and Steller Sea Lion Updated November 2003. As viewed November 2017 at http://dot.alaska.gov/sereg/projects/gravina_access/documents.shtml

Hemilä, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints (L). Journal of the Acoustical Society of America 120 (6):3463-3466.

Hempen, G.L., Keevin, T.M. and Jordan, T.L., 2007. Underwater blast pressures from a confined rock removal during the Miami Harbor Deepening Project. In Proceedings of the Thirtythird Annual Conference on Explosives and Blasting Technique, Nashville, Tennessee. International Society of Explosive Engineers, Cleveland (pp. 23-32).

Hendrix, A.N., J.M. Straley, C.M. Gabriele, and S.M. Gende, 2012. Bayesian Estimation of Humpback Whale (*Megaptera novaeangliae*) Population Abundance and Movement Patterns in Southeast Alaska. Can J Fish Aquat Sci 69: 1783–1797.

Hildebrand, J.A. 2009. Anthropogenic and natural sources of ambient noise in the ocean. Marine Ecology Progress Series 395:5-20.

Hill, S.H., 1978. Canada. Department of Fisheries and the Environment. Institute of Ocean Sciences, Guide to the Effects of Underwater Shock Waves on Arctic Marine Mammals and Fish.

Hobbs, R. C., and J. M. Waite. 2010. Abundance of harbor porpoise (Phocoena phocoena) in three Alaskan regions, corrected for observer errors due to perception bias and species misidentification, and corrected for animals submerged from view. Fish. Bull., U.S. 108(3):251-267.

Holberton, R.L., B. Helmuth, and J.C. Wingfield. 1996. The corticosterone stress response in gentoo and king penguins during the non-fasting period. Condor 98 (4):850-854.

Hood, L.C., P.D. Boersma, and J.C. Wingfield. 1998. The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). Auk 115 (1):76-84.

ISO (International Organization for Standardization). 2003. Acoustics – Description, measurement and assessment of environmental noise – Part 1: Basic quantities and assessment procedures (ISO 1996-1:2003(E)). International Organization for Standardization, Geneva.

James V. Carretta, Karin. A. Forney, Erin M. Oleson, David W. Weller, Aimee R. Lang, Jason Baker, Marcia M. Muto, Brad Hanson, Anthony J. Orr, Harriet Huber, Mark S. Lowry, Jay Barlow, Jeffrey E. Moore, Deanna Lynch, Lilian Carswell, and Robert L. Brownell Jr. 2018. U.S. Pacific Marine Mammal Stock Assessments: 2017. US Department of Commerce. NOAA Technical Memorandum NMFS-SWFSC-602. https://doi.org/10.7289/V5/TM-SWFSC-602

Jefferson T.A., Dahlheim M.E., Zerbini A.N., Waite J.M., Kennedy A.S. 2019. Abundance and seasonality of Dall's porpoise (*Phocoenoides dalli*) in southeast Alaska. U.S. Department of Commerce. NOAA Technical Memorandum NMFS-AFSC-385.

Jemison L.A., Pendleton G.W., Fritz L.W., Hastings K.K., Maniscalco J.M., et al. 2013. Inter-population movements of Steller sea lions in Alaska with implications for population separation. PLoS ONE 8(8): e70167. doi:10.1371/journal.pone.0070167

Jessop, T.S., A.D. Tucker, C.J. Limpus, and J.M. Whittier. 2003. Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. General and Comparative Endocrinology 132 (1):161-170.

Johnson, D. S., and L. W. Fritz. 2014. agTrend: a Bayesian approach for estimating trends of aggregated abundance. Methods Ecol. Evol. 5:1110-1115. DOI: 10.1111/2041-210X.12231.

Johnson, J. H., and A. A. Wolman. 1984. The humpback whale, Megaptera novaeangliae. Mar. Fish. Rev. 46: 30-37.

Kastak, D., R.J. Schusterman, B.L. Southall, and C.J. Reichmuth. 1999. Underwater temporary threshold shift induced by octave-band noise in three species of pinniped. Journal of the Acoustical Society of America 106 (2):1142-1148.

Kastak, D., B.L. Southall, R.J. Schusterman, and C.R. Kastak. 2005. Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. Journal of the Acoustical Society of America 118 (5):3154-3163.

Kastak, D., J. Mulsow, A. Ghoul, and C. Reichmuth. 2008. Noise-induced permanent threshold shift in a harbor seal. Journal of the Acoustical Society of America 123:2986.

Kastelein, R.A., R. Gransier, L. Hoek, A. Macleod, and J.M. Terhune. 2012a. Hearing threshold shifts and recovery in harbor seals (Phoca vitulina) after octave-band noise exposure at 4 kHz. Journal of the Acoustical Society of America 132 (4):2745-2761.

Kastelein, R.A., R. Gransier, L. Hoek, and J. Olthuis. 2012b. Temporary threshold shifts and recovery in a harbor porpoise (Phocoena phocoena) after octave-band noise at 4 kHz. Journal of the Acoustical Society of America 132:3525-3537.

Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivityof harbor seals (Phoca vitulina) for narrow noise bands between 0.2 and 80 kHz. Journal of the Acoustical Society of America 126 (1):476-483.

Kastelein, R.A., N. Jennings, W.C. Verboom, D. de Haan, and N.M. Schooneman. 2006. Differences in the response of a striped dolphin (Stenella coeruleoalba) and a harbour

porpoise (Phocoena phocoena) to an acoustic alarm. Marine Environmental Research 61 (3):363-378.

Kastelein, R.A., W.C. Verboom, M. Muijsers, N.V. Jennings, and S. Van der Heul. 2005b. The influence of acoustic emissions for underwater data transmission on the behavior of harbour porpoises (Phocoena phocoena) in a floating pen. Marine Enviornmental Research 59:287-307.

Kastelein, R.A., D. de Haan, N. Vaughan, C. Staal, and N.M. Schooneman. 2001. The influence of three acoustic alarms on the behaviour of harbour porpoises (Phocoena phocoena) in a floating pen. Marine Environmental Research 52 (4):351-371.

Ketten, D.R., 1995. Estimates of blast injury and acoustic trauma zones for marine mammals from underwater explosions. Sensory systems of aquatic mammals, pp.391-407.

Ketten, D. 2000. Cetacean ears. Pages 43-108 In: W.W.L Au, A.N. Popper, and R.R. Fay, eds. Hearing by Whales and Dolphins. New York: Springer.

Krausman, P.R., L.K. Harris, C.L. Blasch, K.K.G. Koenen, and J. Francine. 2004. Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. Wildlife Monographs 157:1-41.

Kryter, K.D. 1985. The Effects of Noise on Man. Academic Press, New York.

Kryter, K. D., Ward, W. D., Miller, J. D., & Eldredge, D. H. (1966). Hazardous exposure to intermittent and steady-state noise. The Journal of the Acoustical Society of America, 39(3), 451-464.

Landsberg, P.G. 2000. Underwater blast injuries. Trauma Ener Med. 17(2).

Lankford, S.E., T.E. Adams, R.A. Miller, and J.J. Cech. 2005. The cost of chronic stress: Impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. Physiological and Biochemical Zoology 78:599-609.

Lucke, K., U. Siebert, P.A. Lepper, and M. Blanchet. 2009. Temporary shift in masked hearing thresholds in a harbor porpoise (Phocoena phocoena) after exposure to seismic airgun stimuli. Journal of the Acoustical Society of America 125 (6):4060.

Lusseau, D. and L. Bejder. 2007. The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. International Journal of Comparative Psychology 201 (2-3):228-236.

Madsen, P.T., M. Johnson, P.J.O. Miller, N.A. Soto, J. Lynch, and P. Tyack. 2006. Quantitative measures of air-gun pulses recorded on sperm whales (Physeter macrocephalus) using acoustic tags during controlled exposure experiments. Journal of the Acoustical Society of America 120 (4):2366-2379.

Malme, C. I., Miles, P. R., Clark, C. W., Tyack, P., & Bird, J. E. 1984.Investigations of the potential effects of underwater noise from petroleum-industry activities on migrating gray-whale behavior. Phase 2: January 1984 migration (No. PB-86-218377/XAB; BBN-5586). Bolt, Beranek and Newman, Inc., Cambridge, MA (USA).

Miller, J.D. 1974. Effects of noise on people. Journal of the Acoustical Society of America 56:729-764.

Miller, P.J.O., N. Biassoni, A. Samuels, and P.L. Tyack. 2000. Whale songs lengthen in response to sonar. Nature 405 (6789):903.

Mitson, R.B (ed.). 1995. Underwater noise of research vessels: Review and recommendations. Cooperative Research Report No. 209, International Council for the Exploration of the Sea: 65.

Moberg, G.P. 1987. Influence of the adrenal axis upon the gonads. Pages 456-496 in J. Clarke, ed. Oxford Reviews in Reproductive Biology. Oxford University Press, New York, New York.

Moberg, G.P. 2000. Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare. CABI Publishing, Oxon, United Kingdom.

Morton and Symonds., 2002. Displacement of Orcinus Orca by high amplitude sound in British Columbia. ICES J. Mar. Sci. 21:217-242

Muto, M.M., V.T. Helker, R.P. Angliss, B.A. Allen, P.L. Boveng, J.M. Breiwick, M.F. Cameron, P.J. Clapham, S.P. Dahle, M.E. Dahlheim, B.S. Fadely, M.C. Ferguson, L.W. Fritz, R.C. Hobbs, Y.V. Ivashchenko, A.S. Kennedy, J.M. London, S.A. Mizroch, R.R. Ream, E.L. Richmond, K.E.W. Shelden, R.G. Towell, P.R. Wade, J.M. Waite, and A.N. Zerbini. 2017. Alaska marine mammal stock assessments, 2016. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-355. 366 p.

Muto, M.M, V. T. Helker, R.P. Angliss, B.A. Allen, P.L. Boveng, J.M. Breiwick, M.F. Cameron, P.J. Clapham, S.P. Dahle, M.E. Dahlheim, B.S. Fadely, M.C. Ferguson, L.W. Fritz, R.C. Hobbs, Y.V. Ivashchenko, A.S. Kennedy, J.M. London, S.A. Mizroch, R.R. Ream, E.L. Richmond, K.E.W. Shelden, R.G. Towell, P.R. Wade, J.M. Waite, and A.N. Zerbini. 2018. Alaska marine mammal stock assessments, 2017. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-378, 382 p.

Mulsow, J. and C. Reichmuth. 2010. Psychophysical and electrophysiological aerial audiograms of a Steller sea lion (*Eumetopias jubatus*) a. The Journal of the Acoustical Society of America, 127(4):2692-2701.

Nachtigall, P.E., A.Y. Supin, J.L. Pawloski, and W.W.L. Au. 2004. Temporary threshold shifts after noise exposure in the bottlenose dolphin (Tursiops truncatus) measured using evoked auditory potentials. Marine Mammal Science 20 (4):672-687.

National Centers for Environmental Information. 2018. Coastal Water Temperature Guide. https://www.nodc.noaa.gov/dsdt/cwtg/alaska.html. (Accessed November 8, 2018).

Nedwell, JR, SJ Parvin, AG Brooker, and DR Lambert. 2008. Modeling and Measurement of Underwater noise Associated with the Proposed Port of Southampton Capital Dredge and Redevelopment Berths 201/202, and Assessment of the Disturbance to Salmon. Subacoustech Report, 805R0444.

Ng, S.L. and S. Leung. 2003. Behavioral response of Indo-Pacific humpback dolphin (Sousa chinensis) to vessel traffic. Marine Environmental Research 56 (5):555-567.

Nick, C. Allen Marine Tours, phone call with vessel operator and GeoEngineers, December 12, 2017.

NIOSH (National Institute for Occupational Safety and Health). 1998. Criteria for a recommended standard: Occupational noise exposure. United States Department of Health and Human Services, Cincinnati, OH.

NMFS 2016. Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing, Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. NOAA Technical Memorandum NMFS-OPR-55. July 2016.

NMFS. 2018. Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0) Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. NOAA Technical Memorandum NMFS-OPR-59 April 2018.

Nowacek, D.P., L.H. Thorne, D.W. Johnston, and P.L. Tyack. 2007. Responses of cetaceans to anthropogenic noise. Mammal Review 37 (2):81-115.

Nowacek, D.P., Johnson, M.P. and Tyack, P.L., 2004. North Atlantic right whales (Eubalaena glacialis) ignore ships but respond to alerting stimuli.Proceedings of the Royal Society of London B: Biological Sciences,271(1536), pp.227-231.

NRC (National Research Council). 2005. Marine mammal populations and ocean noise/Determining when noise causes biologically significant effects. U.S. Nat. Res. Counc., Ocean Studies Board, Committee on characterizing biologically significant marine mammal behavior (Wartzok, D.W., J. Altmann, W. Au, K. Ralls, A. Starfield, and P.L. Tyack). Nat. Acad. Press, Washington, DC. 126 p.

Parks *et al.*, 2007. Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. The Journal of the Acoustical Society of America 122, 3725 (2007)

Pearson, W.H., J.R. Skalski, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on behavior of captive rockfish (Sebastes spp.). Canadian Journal of Fisheries and Aquatic Sciences 49: 1343-1356.

Popov, V., A. Supin, D. Nechaev, E.V. Sysueva, and V. Rozhnov. 2016. Temporary threshold shifts in naïve and experienced belugas: Can dampening of the effects of fatiguing sounds be learned? p. 853-859 *In:* A.N. Popper and A. Hawkins (eds.), The effects of noise on aquatic life II. Springer, New York, NY. 1292 p. Punt, A.E. and P.R. Wade. 2009. Population status of the eastern North Pacific stock of gray whales in 2009. **J. Cetacean Res. Manage.** 12(1):15-28.

Popper, A.N. and M.C. Hastings. 2009. The effects of anthropogenic sources of sound on fishes. Journal of Fish Biology 75 (3):455-489.

Purser J, Radford AN (2011) Acoustic Noise Induces Attention Shifts and Reduces Foraging Performance in Three-Spined Sticklebacks (Gasterosteus aculeatus). PLoS ONE 6(2): e17478.

Reichmuth, C., A. Ghoul, J.M. Sills, A. Rouse, and B.L. Southall. 2016. Low-frequency temporary threshold shift not observed in spotted or ringed seals exposed to single air gun impulses. J. Acoust. Soc. Am. 140 (4): 2646-2658.

Reichmuth, C. and M.M. Holt. 2013. Comparative assessment of amphibious hearing in pinnipeds. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology 199 (6):491-507.

Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. Marine Mammals and Noise. Academic Press, Inc., San Diego, CA.

Ridgway, S. H., Carder, D. A., Smith, R. R., Kamolnick, T., Schlundt, C. E., and Elsberry, W. R. (1997). " Behavioral responses and temporary shift in masked hearing thresholds of bottlenose dolphins, Tursiops truncatus, to 1-second tones of 141–201 dB re 1 μPa," Technical Report 1751 (Naval Command, Control, and Ocean Surveillance Center, RDT&E Division, San Diego, CA).

Ridgway, S., D. Carder, J. Finneran, M. Keogh, T. Kamolnick, M. Todd, and A. Goldblatt. 2006. Dolphin continuous auditory vigilance for five days. Journal of Experimental Biology 209 (18):3621-3628.

Robinson, S. P., et al. (2011). Measurement of underwater noise arising from marine aggregate operations. The Effects of Noise on Aquatic Life. A. N. P. A. Hawkings, Springer Science**:** 4.

Rolland, R.M., S.E. Parks, K.E. Hunt, M. Castellote, P.J. Corkeron, D.P. Nowacek, S.K. Water, and S.D. Kraus. 2012. Evidence that ship noise increases stress in right whales. Proc. R. Soc. B 279:2363-2368.

Romano, T., M. Keogh, and K. Danil. 2002a. Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (Stenella attenuata) in the eastern tropical Pacific. Administrative Report LJ-02-35C, National Marine Fisheries Service: 37.

Romano, T.A., D.L. Felten, S.Y. Stevens, J.A. Olschowka, V. Quaranta, and S.H. Ridgway. 2002b. Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 in C.J. Pfeiffer, ed. Molecular and Cell Biology of Marine Mammals. Krieger Publishing Co., Malabar, Florida.

Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, et al. 2004. Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. Canadian Journal of Fisheries and Aquatic Sciences 61:1124-1134.

Parvin, S. J., Nedwell, J. R., Kynoch, J., Lovell, J., & Brooker, A. G. 2008. Assessment of underwater noise from dredging operations on the Hastings shingle bank. Report No. Subacoustech 758R0137.

Schlundt, C.E., J.J. Finneran, D.A. Carder, and S.H. Ridgway. 2000. Temporary shift in masked hearing thresholds of bottlenose dolphins, Tursiops truncatus, and white whales, Delphinapterus leucas, after exposure to intense tones. Journal of the Acoustical Society of America 107 (6):3496-3508.

Scholik, A.R. and H.Y. Yan. 2002. The effects of noise on the auditory sensitivity of the bluegill sunfish, Lepomis macrochirus. Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology 133 (1):43-52.

Scholik, A.R. and H.Y. Yan. 2001. The effects of underwater noise on auditory sensitivity of fish. Proceedings of the Institute of Acoustics 23 (4):27.

Seyle, H. 1950. Stress and the general adaptation syndrome. British Medical Journal June 17:1383-1392.

Skalski, J.R., W.H. Pearson, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (Sebastes spp.). Canadian Journal of Fisheries and Aquatic Sciences 49: 1357-1365.

Solstice Alaska Consulting, Inc. 2018. Request for an Incidental Harassment Authorization, Ketchikan Dock Company, LLS. Available online: https://www.fisheries.noaa.gov/action/incidental-take-authorization-ketchikan-dock-company-ketchikan-berth-iv-expansion-project

Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: initial scientific recommendations. Aquatic Mammals 33 (4):411-521.

Stone, G.S., L. Cavagnaro, A. Hutt, S. Kraus, K. Baldwin, and J. Brown. 2000. Reactions of Hector's dolphins to acoustic gillnet pingers. New Zealand Department of Conservation: 28.

Teilmann, J., J. Tougaard, L.A. Miller, T. Kirketerp, K. Hansen, and S. Brando. 2006. Reactions of captive harbor porpoises (Phocoena phocoena) to pinger-like sounds. Marine Mammal Science 22 (2):240-260.

Urick, R.J. 1983. Principles of Underwater Sound. Peninsula Publishing, Los Altos, CA.

Vanderhoof, L., and M. Carls, 2012, Southeast Alaska Long-term Seawater Monitoring Program for Ocean Acidification, Alaska Marine Science Symposium, Anchorage, Alaska.

Viada, S.T., R.M. Hammer, R. Racca, D. Hannay, M.J. Thompson, B.J. Balcom, and N.W. Phillips. 2008. Review of potential impacts to sea turtles from underwater explosive removal of offshore structures. Environmental Impact Assessment Review 28 (4-5):267-285.

Wade, P.R., T. J. Quinn II, J. Barlow, C. S. Baker, A. M. Burdin, J. Calambokidis, P. J. Clapham, E. Falcone, J. K. B. Ford, C. M. Gabriele, R. Leduc, D. K. Mattila, L. Rojas-Bracho, J. Straley, B. L. Taylor, Urbán R., D. Weller, B. H. Witteveen, and M. Yamaguchi. 2016. Estimates of abundance and migratory destination for North Pacific humpback whales in both summer feeding areas and winter mating and calving areas. Paper SC/66b/IA21 submitted to the Scientific Committee of the International Whaling Commission, June 2016, Bled, Slovenia.

Ward, W.D. 1997. Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. Encyclopedia of acoustics, Volume III. John Wiley & Sons, New York.

Wartzok, D., & Ketten, D. R. 1999. Marine mammal sensory systems. In J. E. Reynolds II & S. A. Rommel (Eds.), Biology of marine mammals (pp. 117-175). Washington, DC: Smithsonian Institution Press.

Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. Marine Technology Society Journal **37** (4):6-15.

Weilgart, L.S. 2007. A brief review of known effects of noise on marine mammals. Int. J. Comp. Psychol. 20:159-168.

Weston, D.E. (1960). “Underwater explosions as acoustic sources,” Proc. Phys. Soc. 76, 233-249.

Wolfe, R.J., J. Bryant, L. Hutchinson-Scarbrough, M. Kookesh, and L.A. Sill. 2013. The Subsistence Harvest of Harbor Seal and Sea Lions by Alaska Natives in 2012. Alaska Native Harbor Seal Commission and Alaska Department of Fish & Game Subsistence Technical Paper No. 383, 87 p.

Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, H.R. Melton, M.W. Newcomer, et al. 2007. Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. Environmental Monitoring and Assessment 134 (1-3):93-106.

Yelverton, J.T., Richmond, D.R., Fletcher, E.R. and Jones, R.K., 1973. Safe distances from underwater explosions for mammals and birds. Lovelace Foundation For Medical Education and Research, Albuquerque, NM.

Zerbini, A.N., J.M. Waite, J.L. Laake, and P.R. Wade. 2006. Abundance, trends, and distribution of baleen whales off Western Alaska and the Central Aleutian Islands. Deep-Sea Research 53:1772-1790.

Zimmer, W.M.X. and P.L. Tyack. 2007. Repetitive shallow dives pose decompression risk in deep-diving beaked whales. Marine Mammal Science 23 (4):888-925.