

Statter Harbor Proposed IHA References

- Alaska Seismic & Environmental LLC. 2018. General Blast Plan and Analysis: General underwater blast plan and underwater overpressure predictions. Appendix C, 1-8.
- ANSI (American National Standards Institute). 1986. Methods of measurement for impulse noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- ANSI, 2005. Measurement of sound pressure levels in air (ANSI S1.13-2005). Acoustical Society of America, Woodbury, NY.
- Archer, F.I., S.L. Mesnick, and A.C. Allen. 2010. Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC-457, National Marine Fisheries Service: 60.
- Au, W. W. L. and Hastings, M. 2008. Principles of Marine Bioacoustics. Springer-Verlag, New York.
- Beauchamp, G. and B. Livoreil. 1997. The effect of group size on vigilance and feeding rate in spice finches (*Lonchura punctulata*). Canadian Journal of Zoology 75 (9):1526-1531.
- Bejder, L., A. Samuels, H. Whitehead, N. Gales, J. Mann, R. Connor, et al. 2006. Decline in relative abundance of bottlenose dolphins exposed to long-term disturbance. Conservation Biology 20 (6):1791-1798.
- Bejder, L., A. Samuels, H. Whitehead, H. Finn, and S. Allen. 2009. Impact assessment research: Use and misuse of habituation, sensitisation and tolerance in describing wildlife responses to anthropogenic stimuli. Marine Ecology Progress Series 395:177-185.
- Bettridge, S., C.S. Baker, J. Barlow, P.J. Clapham, M. Ford, D. Gouveia, D.K. Mattila, R.M. Pace, III, P.E. Rosel, G.K. Silber, P.R. Wade. 2015. Status Review of The Humpback Whale (*Megaptera novaeangliae*) Under the Endangered Species Act. March 2015. Department of Commerce, NOAA Technical Memo. NOAA-TM-NMFS-SWFSC-540
- Blackwell, S.B., J.W. Lawson, and M.T. Williams. 2004. Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. Journal of the Acoustical Society of America 115 (5):2346.
- Blecha, F. 2000. Immune system response to stress. Pages 111-122 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- Bonnell, M.L., M.O. Pierson, and G.D. Farrens. 1983. Pinnipeds and sea otters of central and northern California, 1980-1983: Status, abundance and distribution. Prepared by Center for Marine Studies, University of California for Minerals Management Service: 220.

Bowles, A.E., M. Smultra, B. Wursig, D.P. DeMaster, and D. Palka. 1994. Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island feasibility test. *Journal of the Acoustical Society of America* 96 (4):2469-2484.

Bradshaw, C.J.A., S. Boutin, and D.M. Hebert. 1998. Energetic implications of disturbance caused by petroleum exploration to woodland caribou. *Canadian Journal of Zoology* 76 (7):1319-1324.

Branstetter, B.K., J.S. Trickey, K. Bakhtiari, A. Black, H. Aihara, and J.J. Finneran. 2013. Auditory masking patterns in bottlenose dolphins (*Tursiops truncatus*) with natural, anthropogenic, and synthesized noise. *Journal of the Acoustical Society of America* 133 (3):1811-1818. Brown, R.F. 1988. Assessment of pinniped populations in Oregon: April 1984 to April 1985. NWAFC Processed Report 88-05, National Marine Fisheries Service: 54.

Chenoweth EM, JM Straley, MV McPhee, S Atkinson, S Reifenstuhl. 2017 Humpback whales feed on hatchery released juvenile salmon. *R. Soc. open sci.* 4: 170180.

Clark, C.W., W.T. Ellison, B.L. Southall, L. Hatch, S.M. Van Parijs, A. Frankel, and D. Ponirakis. 2009. Acoustic masking in marine ecosystems: intuitions, analysis, and implication. *Marine Ecology Progress Series* 395:201-222.

Connor, R.C. and M.R. Heithaus. 1996. Approach by great white shark elicits flight response in bottlenose dolphins. *Marine Mammal Science* 12 (4):602-606.

Costa, D.P., D.E. Crocker, J. Gedamke, P.M. Webb, D.S. Houser, S.B. Blackwell, et al. 2003. The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, *Mirounga angustirostris*. *Journal of the Acoustical Society of America* 113 (2):1155-1165.

Cox, T.M., T.J. Ragen, A.J. Read, E. Vos, R.W. Baird, K. Balcomb, et al. 2006. Understanding the impacts of anthropogenic sound on beaked whales. *Journal of Cetacean Research and Management* 7 (3):177-187.

Croll, D.A., C.W. Clark, J. Calambokidis, W.T. Ellison, and B.R. Tershy. 2001. Effect of anthropogenic low-frequency noise on the foraging ecology of Balaenoptera whales. *Animal Conservation* 4 (1):13-27.

Daan, S., C. Deerenberg, and C. Dijkstra. 1996. Increased daily work precipitates natural death in the kestrel. *Journal of Animal Ecology* 65 (5):6.

Denes, S. L., G.J. Warner, M.E. Austin, and A.O. MacGillivray. 2016. Hydroacoustic Pile Driving Noise Study – Comprehensive Report. Document 001285, Version 2.0. Technical report by JASCO Applied Sciences for Alaska Department of Transportation & Public Facilities

Dickerson, C., Reine, K. J., and Clarke, D. G. (2001). "Characterization of underwater sounds produced by bucket dredging operations," DOER Technical Notes Collection (ERDC TN-

DOER-E14), U.S. Army Engineer Research and Development Center, Vicksburg, MS.
www.wes.army.mil/el/dots/doer

Di Iorio, L. and C.W. Clark. 2009. Exposure to seismic survey alters blue whale acoustic communication. *Biology Letters* 6 (1):51-54.

Ellison, W.T., B.L. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology* 26:21-28.

Erbe, C. 2008. Critical ratios of beluga whales (*Delphinapterus leucas*) and masked signal duration. *Journal of the Acoustical Society of America* 124 (4):2216-2223.

Evans, D.L. and G.R. England. 2001. Joint interim report: Bahamas marine mammal stranding event of 15-16 March 2000. U.S. Navy and National Marine Fisheries Service: 66.

Fadely, B. 2011. Benjamin Island Tagging AFSC online report
<https://www.afsc.noaa.gov/Quarterly/ond2010/divrptsNMML1.htm>

Fair, P.A. and P.R. Becker. 2000. Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery* 7 (4):335-354.

Finneran, J.J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *The Journal Of the Acoustical Society of America* 138 (3) 1702.

Finneran, J., R. Dear, D.A. Carder, and S.H. Ridgway. 2003. Auditory and behavioral responses of California sea lions (*Zalophus californianus*) to single underwater impulses from an arc-gap transducer. *The Journal of the Acoustical Society of America*, 114(3), 1667-1677.

Finneran, J.J., D.A. Carder, C.E. Schlundt, and S.H. Ridgway. 2005. Temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*) exposed to mid-frequency tones. *Journal of the Acoustical Society of America* 118 (4):2696-2705.

Finneran, J.J. and A.K. Jenkins. 2012. Criteria and thresholds for U.S. Navy acoustic and explosive effects analysis. Technical Report, Space and Naval Warfare Systems Center Pacific, U.S. Navy: 64.

Finneran, J.J., C.E. Schlundt, R. Dear, D.A. Carder, and S.H. Ridgway. 2002. Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *Journal of the Acoustical Society of America* 111 (6):2929.

Foote, A.D., R.W. Osborne, and A.R. Hoelzel. 2004. Whale-call response to masking boat noise. *Nature* 428:910.

Ford JKB, Reeves RR (2008) Fight or flight:anti-predator strategies of baleen whales. *Mammal Rev* 38: 50–86.

Fristrup, K.M., Hatch, L.T. & Clark, C.W. 2003. Variation in humpack whale (*Megaptera novaengliae*) song length in relation to low-frequency sound broadcasts. *Journal of the Acoustical Society of America*, 113, 3411–3424.

Fritz, H., M. Guillemain, and D. Durant. 2002. The cost of vigilance for intake rate in the mallard (*Anas platyrhynchos*): An approach through foraging experiments. *Ethology, Ecology and Evolution* 14 (2):91-97.

Fritz, L., K. Sweeney, D. Johnson, M. Lynn, T. Gelatt, and J. Gilpatrick. 2013. Aerial and ship-based surveys of Steller sea lions (*Eumetopias jubatus*) conducted in Alaska in June-July 2008 through 2012, and an update on the status and trend of the western distinct population segment in Alaska. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-251, 91 p.

Frankel, A.S. and C.W. Clark. 2000. Behavioral responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. *Journal of the Acoustical Society of America* 108 (4):1930-1937.

Gailey, G., B. Wursig, and T.L. McDonald. 2007. Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment* 134 (1-3):75-91.

Goertner, J.F. 1982. Prediction of underwater explosion safe ranges for sea mammals. Rep AD A139 823, 1-25, Dahlgren, VA and Silver Spring, MD: Naval Surface Weapons Center.

Goldbogen, J.A., J. Calambokidis, A.S. Friedlaender, J. Francis, S.L. Deruiter, A.K. Stimpert, et al. 2013a. Underwater acrobatics by the world's largest predator: 360° rolling manoeuvres by lunge-feeding blue whales. *Biology Letters* 9 (1):Article 20120986.

Goldbogen, J.A., A.S. Friedlaender, J. Calambokidis, M.F. McKenna, M. Simon, and D.P. Nowacek. 2013b. Integrative approaches to the study of baleen whale diving behavior, feeding performance, and foraging ecology. *BioScience* 63 (2):90-100.

Goold, J.C. 1996. Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom* 76 (3):811-820.

Gordon, J., D. Gillespie, J. Potter, A. Frantzis, M.P. Simmonds, R. Swift, and D. Thompson. 2004. A review of the effects of seismic surveys on marine mammals. *Marine Technology Society Journal* 37 (4):16-34.

Götz, T., G. Hastie, L.T. Hatch, O. Raustein, B.L. Southall, M. Tasker, and F. Thomsen. 2009. Overview of the impacts of anthropogenic underwater sound in the marine environment. *OSPAR Commission*: 134.

Harrington, F.H. and A.M. Veitch. 1992. Calving success of woodland caribou exposed to low-level jet fighter overflights. *Arctic* 45 (3):213-218.

Harris, C.M. (ed.). 1998. *Handbook of Acoustical Measurements and Noise Control*. Acoustical Society of America, Woodbury, NY.

Hastings, M.C., and A.N. Popper. 2005. Effects of sound on fish. Technical report for Jones and Stokes to California Department of Transportation.

Hemilä, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints (L). *Journal of the Acoustical Society of America* 120 (6):3463-3466.

Hildebrand, J.A. 2009. Anthropogenic and natural sources of ambient noise in the ocean. *Marine Ecology Progress Series* 395:5-20.

Hill, A. E., and Bruria S. Hill. "Sucrose fluxes and junctional water flow across *Necturus gall bladder* epithelium." *Proc. R. Soc. Lond. B* 200.1139 (1978): 163-174.

Holberton, R.L., B. Helmuth, and J.C. Wingfield. 1996. The corticosterone stress response in gentoo and king penguins during the non-fasting period. *Condor* 98 (4):850-854.

Holt, M.M., D.P. Noren, V. Veirs, C.K. Emmons, and S. Veirs. 2009. Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *Journal of the Acoustical Society of America* 125 (1):EL27-32.

Hood, L.C., P.D. Boersma, and J.C. Wingfield. 1998. The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *Auk* 115 (1):76-84.

Houser, D.S. and P.W. Moore. 2014. Report on the current and future status of underwater hearing research. Report NMMF-001-14, National Marine Mammal Foundation: 46.

ISO (International Organization for Standardization). 2003. *Acoustics – Description, measurement and assessment of environmental noise – Part 1: Basic quantities and assessment procedures (ISO 1996-1:2003(E))*. International Organization for Standardization, Geneva.

Jemison, L. 2017. Personal Communication: Lauri Jemison, Marine Mammal Biologist, Alaska Department of Fish and Game, Juneau, Alaska 99801 In-person meeting November 13, 2017; Email exchanges November 15 – February 2, 2018 with Michelle Ridgway and Bre Austin.

Jemison L.A., Pendleton G.W., Fritz L.W., Hastings K.K., Maniscalco J.M., et al. 2013. Inter-population movements of Steller sea lions in Alaska with implications for population separation. *PLoS ONE* 8(8): e70167. doi:10.1371/journal.pone.0070167

Jessop, T.S., A.D. Tucker, C.J. Limpus, and J.M. Whittier. 2003. Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. General and Comparative Endocrinology 132 (1):161-170.

Kastak, D., R.J. Schusterman, B.L. Southall, and C.J. Reichmuth. 1999. Underwater temporary threshold shift induced by octave-band noise in three species of pinniped. Journal of the Acoustical Society of America 106 (2):1142-1148.

Kastak, D., B.L. Southall, R.J. Schusterman, and C.R. Kastak. 2005. Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. Journal of the Acoustical Society of America 118 (5):3154-3163.

Kastak, D., J. Mulsow, A. Ghoul, and C. Reichmuth. 2008. Noise-induced permanent threshold shift in a harbor seal. Journal of the Acoustical Society of America 123:2986.

Kastelein, R.A., R. Gransier, L. Hoek, A. Macleod, and J.M. Terhune. 2012a. Hearing threshold shifts and recovery in harbor seals (*Phoca vitulina*) after octave-band noise exposure at 4 kHz. Journal of the Acoustical Society of America 132 (4):2745-2761.

Kastelein, R.A., R. Gransier, L. Hoek, and J. Olthuis. 2012b. Temporary threshold shifts and recovery in a harbor porpoise (*Phocoena phocoena*) after octave-band noise at 4 kHz. Journal of the Acoustical Society of America 132:3525-3537.

Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. Journal of the Acoustical Society of America 126 (1):476-483.

Kastelein, R.A., R. Van Schie, W.C. Verboom, and D. de Haan. 2005a. Underwater hearing sensitivity of a male and a female Steller sea lion (*Eumetopias jubatus*). Journal of the Acoustical Society of America 118 (3):1820-1829.

Kastelein, R.A., W.C. Verboom, M. Muijsers, N.V. Jennings, and S. Van der Heul. 2005b. The influence of acoustic emissions for underwater data transmission on the behavior of harbour porpoises (*Phocoena phocoena*) in a floating pen. Marine Environmental Research 59:287-307.

Kastelein, R.A., D. de Haan, N. Vaughan, C. Staal, and N.M. Schooneman. 2001. The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. Marine Environmental Research 52 (4):351-371.

Kawamura A. 1980 A review of food of balaenopterid whales. Sci. Reports Whales Res. Inst. 32, 155–197.

Ketten, D.R., 1995. Estimates of blast injury and acoustic trauma zones for marine mammals from underwater explosions. Sensory systems of aquatic mammals, pp.391-407.

Ketten, D. R..2000. Cetacean ears. In Hearing by whales and dolphins (pp. 43-108). Springer, New York, NY.

Klinkhart, E., K. Pitcher, G. Blundell. 2008. Harbor Seal. Alaska State Dept. of Fish and Game. Revised and reprinted 2008. Accessed from
https://www.adfg.alaska.gov/static/education/wns/harbor_seal.pdf.

Krausman, P.R., L.K. Harris, C.L. Blasch, K.K.G. Koenen, and J. Francine. 2004. Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. Wildlife Monographs 157:1-41.

Krieger, KJ, BL Wing. 1986. Hydroacoustic monitoring of prey to determine humpback whale movements. NOAA Tech. Memo. 60 (NMFS-F/NWC-98).

Kryter, K.D. 1985. The Effects of Noise on Man. Academic Press, New York.

Kryter, K. D., Ward, W. D., Miller, J. D., & Eldredge, D. H. (1966). Hazardous exposure to intermittent and steady-state noise. *The Journal of the Acoustical Society of America*, 39(3), 451-464.

Lankford, S.E., T.E. Adams, R.A. Miller, and J.J. Cech. 2005. The cost of chronic stress: Impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology* 78:599-609.

Landsberg, P.G. 2000. Underwater blast injuries. *Trauma Ener Med.* 17(2).

Linnenschmidt, M., Teilmann, J., Akamatsu, T., Dietz, R. and Miller, L.A., 2013. Biosonar, dive, and foraging activity of satellite tracked harbor porpoises (*Phocoena phocoena*). *Marine Mammal Science*, 29(2), pp.E77-E97.

Lucke, K., U. Siebert, P.A. Lepper, and M. Blanchet. 2009. Temporary shift in masked hearing thresholds in a harbor porpoise (*Phocoena phocoena*) after exposure to seismic airgun stimuli. *Journal of the Acoustical Society of America* 125 (6):4060.

Lusseau, D. and L. Bejder. 2007. The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. *International Journal of Comparative Psychology* 201 (2-3):228-236.

Madsen, P.T., M. Johnson, P.J.O. Miller, N.A. Soto, J. Lynch, and P. Tyack. 2006. Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *Journal of the Acoustical Society of America* 120 (4):2366-2379.

Malme, C. I., Miles, P. R., Clark, C. W., Tyack, P., & Bird, J. E. 1984. Investigations of the potential effects of underwater noise from petroleum-industry activities on migrating gray-whale

behavior. Phase 2: January 1984 migration (No. PB-86-218377/XAB; BBN-5586). Bolt, Beranek and Newman, Inc., Cambridge, MA (USA).

Miller, P.J.O., N. Biassoni, A. Samuels, and P.L. Tyack. 2000. Whale songs lengthen in response to sonar. *Nature* 405 (6789):903.

Mitson, R.B (ed.). 1995. Underwater noise of research vessels: Review and recommendations. Cooperative Research Report No. 209, International Council for the Exploration of the Sea: 65.

Moberg, G.P. 1987. Influence of the adrenal axis upon the gonads. Pages 456-496 in J. Clarke, ed. *Oxford Reviews in Reproductive Biology*. Oxford University Press, New York, New York.

Moberg, G.P. 2000. Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.

Moran, J.R., R.A. Heintz, J.M. Straley, J.J. Vollenweider. 2017. Regional variation in the intensity of humpback whale predation on Pacific herring in the Gulf of Alaska. *Deep-Sea Research Part II:Topical Studies in Oceanography*. Vol. 147. Pp 187 – 195. January 2018.
<http://dx.doi.org/10.1016/j.dsr2.2017.07.010>

Morton and Symonds., 2002. Displacement of *Orcinus Orca* by high amplitude sound in British Columbia. *ICES J. Mar. Sci.* 21:217-242

Muto M. M, V. T. Helker, R. P. Angliss, B. A. Allen, P. L. Boveng, J. M. Breiwick, M. F. Cameron, P. J. Clapham, S. P. Dahle, M. E. Dahlheim, B. S. Fadely, M. C. Ferguson, L. W. Fritz, R. C. Hobbs, Y. V. Ivashchenko, A. S. Kennedy, J. M. London, S. A. Mizroch, R. R. Ream, E. L. Richmond, K. E. W. Shelden, R. G. Towell, P. R. Wade, J. M. Waite, and A. Zerbini. 2017. *Alaska Marine Mammal Stock Assessments, 2017*. NOAA Technical Memorandum NMFS-AFSC-355.

Nachtigall, P.E., A.Y. Supin, J.L. Pawloski, and W.W.L. Au. 2004. Temporary threshold shifts after noise exposure in the bottlenose dolphin (*Tursiops truncatus*) measured using evoked auditory potentials. *Marine Mammal Science* 20 (4):672-687.

NIOSH (National Institute for Occupational Safety and Health). 1998. Criteria for a recommended standard: Occupational noise exposure. United States Department of Health and Human Services, Cincinnati, OH.

Ng, S.L. and S. Leung. 2003. Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Marine Environmental Research* 56 (5):555-567.

NMFS. 2018. Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0) Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. NOAA Technical Memorandum NMFS-OPR-59 April 2018.

NRC (National Research Council). 2003. Ocean noise and marine mammals. National Academy of Sciences: 220.

NRC. 2005. Marine mammal populations and ocean noise: Determining when noise causes biologically significant effects. National Academy of Sciences: 142.

Nowacek, D.P., L.H. Thorne, D.W. Johnston, and P.L. Tyack. 2007. Responses of cetaceans to anthropogenic noise. *Mammal Review* 37 (2):81-115.

Nowacek, D.P., Johnson, M.P. and Tyack, P.L., 2004. North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London B: Biological Sciences*, 271(1536), pp.227-231.

Parks, S.E., Ketten, D.R., O'Malley, J.T. and Arruda, J., 2007a. Anatomical predictions of hearing in the North Atlantic right whale. *The Anatomical Record*, 290(6), pp.734-744.

Parks, S.E., C.W. Clark, and P.L. Tyack. 2007b. Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. *Journal of the Acoustical Society of America* 122 (6):3725-3731.

Purser, J. and A.N. Radford. 2011. Acoustic noise induces attention shifts and reduces foraging performance in three-spined sticklebacks (*Gasterosteus aculeatus*). *PLoS ONE* 6 (2):e17478.

Reichmuth, C. and M.M. Holt. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology* 199 (6):491-507.

Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. *Marine Mammals and Noise*. Academic Press, Inc., San Diego, CA.

Ridgway, S.H., D.A. Carder, R.R. Smith, T. Kamolnick, C.E. Schlundt, and W.R. Elsberry. 1997. Behavioral responses and temporary shift in masked hearing threshold of bottlenose dolphins, *Tursiops truncatus*, to 1-second tones of 141 to 201 dB re 1 μ Pa. Technical Report 1751, Naval Command, Control and Ocean Surveillance Center: 32.

Ridgway, S., D. Carder, J. Finneran, M. Keogh, T. Kamolnick, M. Todd, and A. Goldblatt. 2006. Dolphin continuous auditory vigilance for five days. *Journal of Experimental Biology* 209 (18):3621-3628.

Rolland, R.M., S.E. Parks, K.E. Hunt, M. Castellote, P.J. Corkeron, D.P. Nowacek, et al. 2012. Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society of London Series B Biological Sciences* 279 (1737):2363-2368.

Romano, T., M. Keogh, and K. Danil. 2002a. Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the eastern tropical Pacific. Administrative Report LJ-02-35C, National Marine Fisheries Service: 37.

Romano, T.A., D.L. Felten, S.Y. Stevens, J.A. Olschowka, V. Quaranta, and S.H. Ridgway. 2002b. Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 in C.J. Pfeiffer, ed. Molecular and Cell Biology of Marine Mammals. Krieger Publishing Co., Malabar, Florida.

Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, et al. 2004. Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. Canadian Journal of Fisheries and Aquatic Sciences 61:1124-1134.

Schlundt, C.E., J.J. Finneran, D.A. Carder, and S.H. Ridgway. 2000. Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. Journal of the Acoustical Society of America 107 (6):3496-3508.

Sease, J.L. 1992. Status Review: Harbor Seals (*Phoca vitulina*) in Alaska. Alaska Fisheries Science Center. NMFS, NOAA, U.S. Dept. of Commerce. December, 1992. Seattle, Washington.

Seyle, H. 1950. Stress and the general adaptation syndrome. British Medical Journal June 17:1383-1392.

Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: initial scientific recommendations. Aquatic Mammals 33 (4):411-521.

Straley, J.M., J.R. Moran, K.M. Boswell, J.J. Vollenweider, R.A. Heintz, T.J. Quinn II, B.H. Witteveen, S.D. Rice. 2017. Seasonal presence and potential influence of humpback whales on wintering Pacific herring populations in the Gulf of Alaska. Deep-Sea Research Part II: Topical Studies in Oceanography <http://dx.doi.org/10.1016/j.dsr2.2017.08.008>

Stone, G.S., L. Cavagnaro, A. Hutt, S. Kraus, K. Baldwin, and J. Brown. 2000. Reactions of Hector's dolphins to acoustic gillnet pingers. New Zealand Department of Conservation: 28.

Teerlink, S.F. 2017. Humpback whales and humans: a multi-disciplinary approach to exploring the whale watching industry in Juneau, Alaska. University of Alaska Fairbanks.

Teilmann, J., J. Tougaard, L.A. Miller, T. Kirketerp, K. Hansen, and S. Brando. 2006. Reactions of captive harbor porpoises (*Phocoena phocoena*) to pinger-like sounds. Marine Mammal Science 22 (2):240-260.

Thorson, P. and J.A. Reyff. 2006. San Francisco-Oakland Bay Bridge East Span Seismic Safety Project: marine mammal and acoustic monitoring for the marine foundations at piers E2 and T1, January-September 2006. Prepared by SRS Technologies and Illingworth & Rodkin, Inc. for the California Department of Transportation: 51.

- Urick, R.J. 1983. Principles of Underwater Sound. Peninsula Publishing, Los Altos, CA.
- Viada, S.T., R.M. Hammer, R. Racca, D. Hannay, M.J. Thompson, B.J. Balcom, and N.W. Phillips. 2008. Review of potential impacts to sea turtles from underwater explosive removal of offshore structures. *Environmental Impact Assessment Review* 28 (4-5):267-285.
- Vollenweider, J.J., Heintz, R.A., Schaufler, L., Bradshaw, R., 2011. Seasonal cycles in whole body proximate composition and energy content of forage fish vary with water depth. *Mar Biol.* 158, 413-42
- Wade, P.R., T.J. Quinn II, J. Barlow, C.S. Baker, A.M. Burdin, J. Calambokidis, P.J. Clapham, E. Falcone, J.K.B. Ford, C.M. Gabriele, R. Leduc, D.K. Mattila, L. Rojas-Bracho, J. Straley, B.L. Taylor, J. Urbán, D. Weller, B.H. Witteveen, and M. Yamaguchi. 2016. Estimates of abundance and migratory destination for North Pacific humpback whales in both summer feeding areas and winter mating and calving areas. Paper SC/66b/IA21 submitted to the Scientific Committee of the International Whaling Commission, June 2016, Bled, Slovenia. Available at www.iwcoffice.org.
- Ward, W.D. 1997. Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. *Encyclopedia of acoustics, Volume III*. John Wiley & Sons, New York.
- Wartzok, D., & Ketten, D. R. 1999. Marine mammal sensory systems. In J. E. Reynolds II & S. A. Rommel (Eds.), *Biology of marine mammals* (pp. 117-175). Washington, DC: Smithsonian Institution Press.
- Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal* 37 (4):6-15.
- Weilgart, L.S. 2007. A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology* 201 (2-3):159-168.
- Witteveen, B.H., R.J. Foy, K.M. Wynne, Y. Tremblay. 2008. Investigation of foraging habits and prey selection by humpback whales (*Megaptera novaeangliae*) using acoustic tags and concurrent fish surveys. *Mar. Mamm. Sci.* 24: 516–534.
- Witteveen, B.H. and K.M. Wynne. 2017. Site fidelity and movement of humpback whales (*Megaptera novaeangliae*) in the western Gulf of Alaska as revealed by photo-identification. *Can. J. Zool.* 95: 169– 175 dx.doi.org/10.1139/cjz-2016-0101
- WSDOT. 2015. Elliott Bay Seawall Project Season 2 (2015) Revised Acoustic Monitoring Report. Prepared by The Greenbusch Group.
- Wynne, K. 2017. Personal Communication: Kate Wynne, Chair, Alaska Scientific Review Group. NOAA/NMFS, Seattle, Washington Email exchange: November 5- December 6, 2017.

Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, H.R. Melton, M.W. Newcomer, et al. 2007. Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. Environmental Monitoring and Assessment 134 (1-3):93-106.

Yelverton, J.T., Richmond, D.R., Fletcher, E.R. and Jones, R.K., 1973. Safe distances from underwater explosions for mammals and birds. Lovelace Foundation For Medical Education and Research, Albuquerque, NM.

Zimmer, W.M.X. and P.L. Tyack. 2007. Repetitive shallow dives pose decompression risk in deep-diving beaked whales. Marine Mammal Science 23 (4):888-925.