

**MITT Final Rule References for NMFS Website
July 2020**

- Abramson, L., S. Polefka, S. Hastings, & K. Bor. (2011). *Reducing the Threat of Ship Strikes on Large Cetaceans in the Santa Barbara Channel Region and Channel Islands National Marine Sanctuary: Recommendations and Case Studies* (Marine Sanctuaries Conservation Series). Silver Spring, MD: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Office of Ocean and Coastal Resource Management, Office of National Marine Sanctuaries.
- Accomando, A. W., Mulsow, J., Branstetter, B. K., Schlundt, C. E., & Finneran, J. J. (2020). Directional hearing sensitivity for 2–30 kHz sounds in the bottlenose dolphin (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 147(1), 388–398.
- Aicken, W., Clements, E., Harland, E., Healy, S., Smith, G., Ward, P., . . . Pierpont, C. (2005). STUFT2 Trial: Environmental protection data analysis report Unpublished report prepared by QuinetiQ Limited for the United Kingdom Ministry of Defense. Hampshire, United Kingdom.
- André, M., Solé, M., Lenoir, M., Durfort, M., Quero, C., Mas, A., ... & Zaugg, S. (2011). Low-frequency sounds induce acoustic trauma in cephalopods. *Frontiers in Ecology and the Environment*, 9(9), 489–493.
- Astrup, J., & B. Mohl. (1993). Detection of Intense Ultrasound by the Cod *Gadus Morhua*. *Journal of Experimental Biology*, 182, 71–80.
- Astrup, J. (1999). Ultrasound detection in fish - a parallel to the sonar-mediated detection of bats by ultrasound-sensitive insects? *Comparative Biochemistry and Physiology, Part A*, 124, 19–27.
- Au, W. W., & Hastings, M. C. (2008). Principles of marine bioacoustics (pp. 121–174). New York: Springer.
- Au, W. W. L. (1993). *The Sonar of Dolphins*. New York: Springer-Verlag.
- Au, W. W. L., R. W. Floyd, R. H. Penner, & A. E. Murchison. (1974). Measurement of echolocation signals of the Atlantic bottlenose dolphin, *Tursiops truncatus* Montagu, in open waters. *Journal of the Acoustical Society of America*, 56(4), 1280–1290.
- Au, D. W. K., & W. L. Perryman. (1985). Dolphin habitats in the eastern tropical Pacific. *Fishery Bulletin*, 83, 623–643.
- Ayres, K. L., R. K. Booth, J. A. Hempelmann, K. L. Koski, C. K. Emmons, R. W. Baird, K. Balcomb-Bartok, M. B. Hanson, M. J. Ford, & S. K. Wasser. (2012). Distinguishing the impacts of inadequate prey and vessel traffic on an endangered killer whale (*Orcinus orca*) population. *PLoS ONE*, 7(6), e36842.
- Bain, D. E. (2002). *A Model Linking Energetic Effects of Whale Watching to Killer Whale (Orcinus orca) Population Dynamics*. Friday Harbor, WA: Friday Harbor Laboratories University of Washington.
- Baird, R. W., and A. M. Gorgone. (2005). False Killer Whale Dorsal Fin Disfigurements as a Possible Indicator of Long-Line Fishery Interactions in Hawaiian Waters. *Pacific Science*, 59(4), 593–601.
- Baird, R. W., Webster, D. L., Mahaffy, S. D., McSweeney, D. J., Schorr, G. S., & Ligon, A. D. (2008a). Site fidelity and association patterns in a deep-water dolphin: Rough-toothed dolphins (*Steno bredanensis*) in the Hawaiian Archipelago. *Marine Mammal Science*, 24, 535–553.
<http://dx.doi.org/10.1111/j.1748-7692.2008.00201.x>
- Barlow, J. (2006). Cetacean abundance in Hawaiian waters estimated from a Summer–Fall survey in 2002. *Marine Mammal Science*, 22(2), 446–464.
- Barlow, J. (2010). *Cetacean Abundance in the California Current Estimated from a 2008 Ship-Based Line-Transect Survey* (NOAA Technical Memorandum NMFS-SWFSC-456). La Jolla, CA: Southwest Fisheries Science Center.
- Barlow, J. (2016). *Cetacean Abundance in the California Current Estimated from Ship-based Linetranssect Surveys in 1991–2014*. (NOAA Administrative Report NMFS-SWFSC-LJ1601). La Jolla, CA: Southwest Fisheries Science Center.
- Barlow, J., & K. A. Forney. (2007). Abundance and population density of cetaceans in the California Current ecosystem. *Fishery Bulletin*, 105, 509–526.

- Barlow, J., M. C. Ferguson, E. A. Becker, J. V. Redfern, K. A. Forney, I. L. Vilchis, P. C. Fiedler, T. Gerrodette, & L. T. Ballance. (2009). *Predictive Modeling of Cetacean Densities in the Eastern Pacific Ocean* (NOAA Technical Memorandum NMFS-SWFSC-444). La Jolla, CA: Southwest Fisheries Science Center.
- Beauchamp, G., & Livoreil, B. (1997). The effect of group size on vigilance and feeding rate in spice finches (*Lonchura punctulata*). *Canadian Journal of Zoology*, 75(9), 1526-1531.
- Becker, E. A., K. A. Forney, M. C. Ferguson, D. G. Foley, R. C. Smith, J. Barlow, & J. V. Redfern. (2010). Comparing California Current cetacean-habitat models developed using in situ and remotely sensed sea surface temperature data. *Marine Ecology Progress Series*, 413, 163–183.
- Becker, E. A., K. A. Forney, M. C. Ferguson, J. Barlow, & J. V. Redfern. (2012a). *Predictive Modeling of Cetacean Densities in the California Current Ecosystem based on Summer/Fall Ship Surveys in 1991–2008* (NOAA Technical Memorandum NMFS-SWFSC-499). La Jolla, CA: Southwest Fisheries Science Center.
- Becker, E. A., K. A. Forney, D. G. Foley, R. C. Smith, T. J. Moore, & J. Barlow. (2014). Predicting seasonal density patterns of California cetaceans based on habitat models. *Endangered Species Research*, 23(1), 1–22.
- Becker, E. A., K. A. Forney, P. C. Fiedler, J. Barlow, S. J. Chivers, C. A. Edwards, A. M. Moore, & J. V. Redfern. (2016). Moving Towards Dynamic Ocean Management: How Well Do Modeled Ocean Products Predict Species Distributions? *Remote Sensing*, 8(2), 149.
- Bednekoff, P. A., & Lima, S. L. (1998). Randomness, chaos and confusion in the study of antipredator vigilance. *Trends in Ecology & Evolution*, 13(7), 284-287.
- Bejder, L., A. Samuels, H. Whitehead, and N. Gales. (2006a). Interpreting short-term behavioural responses to disturbance within a longitudinal perspective. *Animal Behaviour*, 72, 1149–1158.
- Bejder, L., and S. Videsen, and L. Hermannsen, and M. Simon, and D. Hanf, and P. T. Madsen. 2019. Low energy expenditure and resting behaviour of humpback whale mother-calf pairs highlights conservation importance of sheltered breeding areas. *Scientific Reports* 9(1):771.
- Berman-Kowalewski, M., F. M. D. Gulland, S. Wilkin, J. Calambokidis, B. Mate, J. Cordaro, D. Rotstein, J. St. Leger, P. Collins, K. Fahy, & S. Dover. (2010). Association between blue whale (*Balaenoptera musculus*) mortality and ship strikes along the California Coast. *Aquatic Mammals*, 36(1), 59–66.
- Bernaldo de Quiros, Y., O. Gonzalez-Diaz, M. Arbelo, E. Sierra, S. Sacchini, & A. Fernandex. (2012). Decompression vs. decomposition: distribution, amount, and gas composition of bubbles in stranded marine mammals. *frontiers in Physiology*, 3 Article 177, 19.
- Best, P.B. (1982). Whales: Why do they Strand? *African Wildlife*, 36(3), 96-97, 99.
- Bickel, S. L., J. D. Malloy Hammond, & K. W. Tang. (2011). Boat-generated turbulence as a potential source of mortality among copepods. *Journal of Experimental Marine Biology and Ecology*, 401(1–2), 105–109.
- Bishop, M. J. (2008). Displacement of epifauna from seagrass blades by boat wake. *Journal of Experimental Marine Biology and Ecology*, 354(1), 111–118.
- Blackwell, S. B., J. W. Lawson, & M. T. Williams. (2004). Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. *The Journal of Acoustical Society of America*, 115(5 (Pt. 1)), 2346–2357.
- Blackwell, S. B., C. S. Nations, T. L. McDonald, C. R. Greene, A. M. Thode, M. Guerra, & A. M. Macrander. (2013). Effects of airgun sounds on bowhead whale calling rates in the Alaskan Beaufort Sea. *Marine Mammal Science*.
- Blackwell, S. B., C. S. Nations, T. L. McDonald, A. M. Thode, D. Mathias, K. H. Kim, C. R. Greene, Jr., & A. M. Macrander. (2015). Effects of airgun sounds on bowhead whale calling rates: evidence for two behavioral thresholds. *PLoS ONE*, 10(6), e0125720.
- Blecha, F. (2000). Immune system response to stress. In G. P. Moberg & J. A. Mench (Eds.), *The Biology of Animal Stress* (pp. 111-122): CABI Publishing.
- Born, E. W., Riget, F. F., Dietz, R., & Andriashek, D. (1999). Escape responses of hauled out ringed seals (*Phoca hispida*) to aircraft disturbance. *Polar Biology*, 21(3), 171-178.

- Bowles, A. E., M. Smultea, B. Würsig, D. P. DeMaster, & D. Palka. (1994). Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island Feasibility Test. *The Journal of Acoustical Society of America*, 96, 2469–2484.
- Boyd, I., D. Claridge, C. Clark, & B. Southall. (2008). *BRS 2008 Preliminary Report*. U.S. Navy NAVSEA PEO IWS 5, ONR, U.S. Navy Environmental Readiness Division, NOAA, SERDP.
- Bradford, A. L., K. A. Forney, E. M. Oleson, & J. Barlow. (2017). Abundance estimates of cetaceans from a line-transect survey within the U.S. Hawaiian Islands Exclusive Economic Zone. *Fishery Bulletin*, 115(2), 129–142.
- Bradshaw, C. J., Boutin, S., & Hebert, D. M. (1998). Energetic implications of disturbance caused by petroleum exploration to woodland caribou. *Canadian Journal of Zoology*, 76(7), 1319-1324.
- Branstetter, B. K., and J. J. Finneran. (2008). Comodulation masking release in bottlenose dolphins (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 1, 625–633.
- Branstetter, B. K., J. S. Trickey, K. Bakhtiari, A. Black, H. Aihara, & J. J. Finneran. (2013). Auditory masking patterns in bottlenose dolphins (*Tursiops truncatus*) with natural, anthropogenic, and synthesized noise. *Journal of the Acoustical Society of America*, 133(3), 1811–1818.
- Braun, C. B., & T. Grande. (2008). Evolution of Peripheral Mechanisms for the Enhancement of Sound Reception. *ResearchGate*, 46.
- Brenowitz, E.A. (1982) The active space of red-winged blackbird song. *Journal of Comparative Physiology*, 147:511–522
- Brenowitz, E.A. (2004). Plasticity of the adult avian song control system. *Annals of the New York Academy of Science* 1016, 560–585.
- Brownell, R. L., Jr., K. Ralls, S. Baumann-Pickering, & M. M. Poole. (2009). Behavior of melon-headed whales, *Peponocephala electra*, near oceanic islands. *Marine Mammal Science*, 25(3), 639–658.
- Brumm, H. (2004). Causes and consequences of song amplitude adjustment in a territorial bird: a case study in nightingales. *Anais da Academia Brasileira de Ciências*, 76(2), 289-295.
- Brumm, H., and H. Slabbekoorn. (2005). Acoustic communication in noise. *Advances in the Study of Behavior*, 35, 151–209.
- Bruintjes, R., J. Purser, K. A. Everley, S. Mangan, S. D. Simpson, & A. N. Radford. (2016). Rapid recovery following short-term acoustic disturbance in two fish species. *Royal Society - Open Science*, 3(1), 150686.
- Budelmann, B. U. (1992). Hearing in nonarthropod invertebrates. In D. B. Webster, R. R. Fay, and A. N. Popper (Eds.), *Evolutionary Biology of Hearing* (pp. 141–155). New York, NY: Springer-Verlag.
- Budelmann, B. U., & Williamson, R. O. D. D. Y. (1994). Directional sensitivity of hair cell afferents in the Octopus statocyst. *Journal of Experimental Biology*, 187(1), 245-259.
- Burger, J., & Gochfeld, M. (1990). Risk discrimination of direct versus tangential approach by basking black iguanas (*Ctenosaura similis*): Variation as a function of human exposure. *Journal of Comparative Psychology*, 104(4), 388.
- Burger, J., & Gochfeld, M. (1981). Discrimination of the threat of direct versus tangential approach to the nest by incubating herring and great black-backed gulls. *Journal of Comparative and Physiological Psychology*, 95(5), 676.
- Carretta, J. V., E. Oleson, D. W. Weller, A. R. Lang, K. A. Forney, J. Baker, M. M. Muto, B. Hanson, A. J. Orr, H. Huber, M. S. Lowry, J. Barlow, J. Moore, D. Lynch, L. Carswell, & R. L. Brownell. (2015). *U.S. Pacific Marine Mammal Stock Assessments: 2014* (NOAA Technical Memorandum NMFS-SWFSC-549). La Jolla, CA: Southwest Fisheries Science Center.
- Carretta, J. V., K. Danil, S. J. Chivers, D. W. Weller, D. S. Janiger, M. Berman-Kowalewski, K. M. Hernandez, J. T. Harvey, R. C. Dunkin, D. R. Casper, S. Stoudt, M. Flannery, K. Wilkinson, J. Huggins, & D. M. Lambourn. (2016a). Recovery rates of bottlenose dolphin (*Tursiops truncatus*) carcasses estimated from stranding and survival rate data. *Marine Mammal Science*, 32(1), 349–362.

- Carretta, J. V., M. M. Muto, S. Wilkin, J. Greenman, K. Wilkinson, M. DeAngelis, J. Viezbicke, D. Lawson, & J. Jannot. (2016b). *Sources of Human-Related Injury and Mortality for U.S. Pacific West Coast Marine Mammal Stock Assessments, 2010–2014* (NOAA Technical Memorandum NMFS-SWFSC-554). La Jolla, CA: Southwest Fisheries Science Center.
- Carretta, J. V., E. M. Oleson, J. Baker, D. W. Weller, A. R. Lang, K. A. Forney, M. M. Muto, B. Hanson, A. J. Orr, H. Huber, M. S. Lowry, J. Barlow, J. E. Moore, D. Lynch, L. Carswell, & R. L. Brownell, Jr. (2017a). *U.S. Pacific Marine Mammal Stock Assessments: 2016* (NOAA Technical Memorandum NMFS-SWFSC-561). La Jolla, CA: Southwest Fisheries Science Center.
- Carretta, J.V., M.M. Muto, J. Greenman, K. Wilkinson, D. Lawson, J. Viezbicke, and J. Jannot. (2017b). Sources Of Human-Related Injury And Mortality For U.S. Pacific West Coast Marine Mammal Stock Assessments, 2011-2015. National Marine Fisheries Service, Southwest Fisheries Science Center. NOAA-TM-NMFS-SWFSC-579. June 2017.
- Carretta, J. V., E. M. Oleson, K. A. Forney, J. Baker, J. E. Moore, D. W. Weller, A. R. Lang, M. M. Muto, B. Hanson, A. J. Orr, H. Huber, M. S. Lowry, J. Barlow, D. Lynch, L. Carswell, and R. L. Brownell, Jr. (2017c). *U.S. Pacific Draft Marine Mammal Stock Assessments: 2017* (NOAA Technical Memorandum NMFS-SWFSC-602). La Jolla, CA: Southwest Fisheries Science Center.
- Carretta, J. V., K. A. Forney, E. M. Oleson, D. W. Weller, A. R. Lang, J. Baker, M. M. Muto, B. Hanson, A. J. Orr, H. Huber, M. S. Lowry, J. Barlow, J. E. Moore, D. Lynch, L. Carswell, and R. L. Brownell, Jr. (2018). *U.S. Pacific Draft Marine Mammal Stock Assessments: 2018* (NOAA Technical Memorandum NMFS-SWFSC-XXX). La Jolla, CA: National Marine Fisheries Service, Southwest Fisheries Science Center.
- Carroll, A. G., R. Przeslawski, A. Duncan, M. Gunning, & B. Bruce. (2017). A Critical Review of the Potential Impacts of Marine Seismic Surveys on Fish & Invertebrates. *Marine Pollution Bulletin*, 114, 16.
- Cartwright, R., & Sullivan, M. (2009). Behavioral ontogeny in humpback whale (*Megaptera novaeangliae*) calves during their residence in Hawaiian waters. *Marine Mammal Science*, 25(3), 659-680.
- Casper, B. M., Halvorsen, M. B., Matthews, F., Carlson, T. J., & Popper, A. N. (2013). Recovery of barotrauma injuries resulting from exposure to pile driving sound in two sizes of hybrid striped bass. *PLoS one*, 8(9), e73844.
- Castellote, M., C. W. Clark, & M. O. Lammers. (2012). Acoustic and behavioral changes by fin whales (*Balaenoptera physalus*) in responses to shipping and airgun noise. *Biological Conservation*, 147, 115–122.
- Cerchio, S., S. Strindberg, T. Collins, C. Bennett, & H. Rosenbaum. (2014). Seismic surveys negatively affect humpback whale singing activity off northern Angola. *PLoS ONE*, 9(3), e86464.
- Cholewiak, D., A. I. DeAngelis, D. Palka, P. J. Corkeron, and S. M. Van Parijs. (2017). Beaked whales demonstrate a marked acoustic response to the use of shipboard echosounders. *Royal Society Open Science*, 4(12), 170940.
- Cholewiak, D., C. W. Clark, D. Ponirakis, A. Frankel, L. T. Hatch, D. Risch, J. E. Stanistreet, M. Thompson, E. Vu, and S. M. Van Parijs. (2018). Communicating amidst the noise: Modeling the aggregate influence of ambient and vessel noise on baleen whale communication space in a national marine sanctuary. *Endangered Species Research*, 36, 59–75.
- Chrousos, G. P. (2000). The stress response and immune function: clinical implications: the 1999 Novera H. Spector lecture. *Annals of the New York Academy of Sciences*, 917(1), 38-67.
- Claridge, D., D. Charlotte, & J. Durban. (2009, 7-10 December 2009). *Abundance and movement patterns of Blainville's beaked whales at the Atlantic undersea test and evaluation center (AUTEK)*. Paper presented at the 2009 ONR Marine Mammal Program Review, Alexandria, VA.
- Clyne, H., R. Leaper, and J. Kennedy. (1999). Computer simulation of interactions between the North Atlantic right whale (*Eubalaena glacialis*) and shipping. *European Research on Cetaceans*, 13:458.

- Cochrem, J. (2014). Review of stress and the measurement of stress in marine mammals. Final 2014 Report from ONR Marine Mammal Physiological Stress Response thrust within the Marine Mammals and Biology Program.
- Conn, P. B., & G. K. Silber. (2013). Vessel speed restrictions reduce risk of collision-related mortality for North Atlantic right whales. *Ecosphere*, 4(4).
- Connor, R. C., & Heithaus, M. R. (1996). Approach by great white shark elicits flight response in bottlenose dolphins. *Marine Mammal Science*, 12(4), 602-606.
- Constantine, R. & D. Brunton. (2001). Boats and bottlenose dolphins in the Bay of Islands, New Zealand. Fourteenth Biennial Conference on the Biology of Marine Mammals, Vancouver, Canada.
- Cooper, W.E., Jr. (1998). Direction of predator turning, a neglected cue to predation risk. *Behavior*, 135(1), 55-64.
- Cooper, W.E. Jr. (1997). Factors affecting risk and cost of escape by the broad-headed skink: Predator speed, directness of approach, and female resence. *Herpetologica*, 53(4), 464-474.
- Costa, D. P., D. E. Crocker, J. Gedamke, P. M. Webb, D. S. Houser, S. B. Blackwell, D. Waples, S. A. Hayes, & B. J. Le Boeuf. (2003). The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, *Mirounga angustirostris*. *The Journal of Acoustical Society of America*, 113(2), 1155–1165.
- Cowlshaw, G., Lawes, M. J., Lightbody, M., Martin, A., Pettifor, R., & Rowcliffe, J. M. (2004). A simple rule for the costs of vigilance: empirical evidence from a social forager. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 271(1534), 27-33.
- Cox, T. M., T. J. Ragen, A. J. Read, E. Vox, R. W. Baird, K. Balcomb, J. Barlow, J. Caldwell, T. Cranford, L. Crum, A. D'Amico, G. D'Spain, A. Fernandez, J. Finneran, R. Gentry, W. Gerth, F. Gulland, J. Hildebrand, D. Houser, T. Hullar, P. D. Jepson, D. Ketten, C. D. MacLeod, P. Miller, S. Moore, D. C. Mountain, D. Palka, P. Ponganis, S. Rommel, T. Rowles, B. Taylor, P. Tyack, D. Wartzok, R. Gisiner, J. Mead, & L. Benner. (2006). Understanding the impacts of anthropogenic sound on beaked whales. *Journal of Cetacean Research and Management*, 7(3), 177–187.
- Craig, A. S., Herman, L. M., Pack, A. A., & Waterman, J. O. (2014). Habitat segregation by female humpback whales in Hawaiian waters: avoidance of males?. *Behaviour*, 151(5), 613-631.
- Creel, S. (2005). Dominance, aggression, and glucocorticoid levels in social carnivores. *Journal of Mammalogy*, 86(2), 255-264.
- Croll, D. A., C. W. Clark, J. Calambokidis, W. T. Ellison, & B. R. Tershy. (2001). Effect of anthropogenic low-frequency noise on the foraging ecology of *Balaenoptera* whales. *Animal Conservation*, 4, 13–27.
- Crum, L. A., & Y. Mao. (1996). Acoustically enhanced bubble growth at low frequencies and its implications for human diver and marine mammal safety. *Acoustical Society of America*, 99(5), 2898–2907.
- Crum, L. A., M. R. Bailey, J. Guan, P. R. Hilmo, S. G. Kargl, & T. J. Matula. (2005). Monitoring bubble growth in supersaturated blood and tissue *ex vivo* and the relevance to marine mammal bioeffects. *Acoustics Research Letters Online*, 6(3), 214–220.
- D'Spain, G. L., D'Amico, A. N. G. E. L. A., & Fromm, D. M. (2006). Properties of the underwater sound fields during some well documented beaked whale mass stranding events. *Journal of Cetacean Research and Management*, 7(3), 223-238.
- Daan, S., Deerenberg, C., & Dijkstra, C. (1996). Increased daily work precipitates natural death in the kestrel. *Journal of Animal Ecology*, 539-544.
- Deakos, M. H., and M. F. Richlen. (2015). Vessel-Based Marine Mammal Survey on the Navy Range off Kauai in Support of Passive Acoustic Monitoring and Satellite-Tagging Efforts: 1–9 February 2014. Honolulu, HI: HDR Inc.
- Deakos, M. H., R. K. Uyeyama, M. W. Richie, M. F. Richlen, and J. M. Aschettino. (2016). Guam Marine Species Monitoring Survey, Shore Station Study: May 2013 and March 2015. Final Field Report. Honolulu, HI: HDR Inc.

- Deecke, V. B., P. J. B. Slater, & J. K. B. Ford. (2002). Selective habituation shapes acoustic predator recognition in harbour seals. *Nature*, 420(14 November), 171–173.
- Defence Science and Technology Laboratory. (2007). *Observations of marine mammal behaviour in response of active sonar*. United Kingdom: Ministry of Defence.
- de Soto, N. A. (2016). Peer-Reviewed Studies on the Effects of Anthropogenic Noise on Marine Invertebrates: From Scallop Larvae to Giant Squid. In A. N. Popper & A. Hawkins (Eds.), *The Effects of Noise on Aquatic Life II* (pp. 10). New York: Springer Science.
- DeRuiter, S. L., I. L. Boyd, D. E. Claridge, C. W. Clark, C. Gagon, B. L. Southall, & P. L. Tyack. (2013a). Delphinid whistle production and call matching during playback of simulated military sonar. *Marine Mammal Science*, 29(2), E46–59.
- DeRuiter, S. L., S. B. L., J. Calambokidis, W. M. X. Zimmer, D. Sadykova, E. A. Falcone, A. S. Friedlaender, J. E. Joseph, D. Moretti, G. S. Schorr, L. Thomas, & P. L. Tyack. (2013b). First direct measurements of behavioural responses by Cuvier’s beaked whales to mid-frequency active sonar. *Biology Letters*, 9, 201–223.
- DiMarzio, N., S. Watwood, T. Featherston, and D. Moretti. (2018). Marine Mammal Monitoring on Navy Ranges (M3R) on the Southern California Anti-Submarine Warfare Range (SOAR) and the Pacific Missile Range Facility (PMRF). Prepared for: U.S. Navy, U.S. Pacific Fleet, Pearl Harbor, HI. Prepared by: Naval Undersea Warfare Center Newport, Newport, RI. 52 pp.
- Di Iorio, L., & C. W. Clark. (2010). Exposure to seismic survey alters blue whale acoustic communication. *Biology Letters*, 6, 51–54.
- Doksaeter, L., O. R. Godo, N. O. Handegard, P. H. Kvasdheim, F. P. A. Lam, C. Donovan, & P. J. O. Miller. (2009). Behavioral responses of herring (*Clupea harengus*) to 1-2 and 6-7 kHz sonar signals and killer whale feeding sounds. *The Journal of Acoustical Society of America*, 125(1), 554–564.
- Doksaeter, L., N. O. Handegard, O. R. Godo, P. H. Kvasdheim, & N. Nordlund. (2012). Behavior of captive herring exposed to naval sonar transmissions (1.0–1.6 kHz) throughout a yearly cycle. *The Journal of Acoustical Society of America*, 131(2), 1632–1642.
- Dooling, R.J. (2004). Audition: Can Birds Hear Everything They Sing? *Nature’s Music: The Science of Birdsong*. P. Marler and H. Slabbekoorn, Eds.), pp 206-225. Elsevier-Academic Press, San Diego.
- Douglas, A. B., J. Calambokidis, S. Raverty, S. J. Jeffries, D. M. Lambourn, & S. A. Norman. (2008). Incidence of ship strikes of large whales in Washington State. *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1121–1132.
- Dukas, R. (2002). Behavioural and ecological consequences of limited attention. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, 357(1427), 1539-1547.
- Eaton, R.L. (1979). Speculations on Strandings as “Burial”, Suicide and Interspecies Communication, *Carnivore*, 3(24).
- Edds-Walton, P. L., & J. J. Finneran. (2006). *Evaluation of Evidence for Altered Behavior and Auditory Deficits in Fishes Due to Human-Generated Noise Sources*. (Technical Report 1939). San Diego, CA: SSC San Diego.
- Ellison, W. T., B. L. Southall, C. W. Clark, & A. S. Frankel. (2012). A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology*, 26(1), 21–28.
- Erbe, C. (2002). Underwater noise of whale-watching boats and potential effects on killer whales (*Orcinus Orca*), based on an acoustic impact model. *Marine Mammal Science*, 18(2), 394–418.
- Erbe, C., & Farmer, D. M. (2000). A software model to estimate zones of impact on marine mammals around anthropogenic noise. *The Journal of the Acoustical Society of America*, 108(3), 1327-1331.
- Erbe, C., Reichmuth, C., Cunningham, K., Lucke, K., & Dooling, R. (2016). Communication masking in marine mammals: a review and research strategy. *Marine pollution bulletin*, 103(1-2), 15-38.
- Eschmeyer, W. N., and J. D. Fong. (2016). *Species by Family/Subfamily in the Catalog of Fishes*. San Francisco, CA: California Academy of Sciences.

- Evans, D.L. & G. R. England, G.R. (2001). Joint Interim Report Bahamas Marine Mammal Stranding Event 15-16 March 2000. US Navy and NMFS Report, Washington, DC and Silver Spring, MD USA.
- Evans, P. G. H., & L. A. Miller. (2003). *Proceedings of the workshop on active sonar and cetaceans* (European cetacean society newsletter, No. 42—Special Issue). Las Palmas, Gran Canaria.
- Fahlman, A., P. L. Tyack, P. J. O. Miller, & P. H. Kvadsheim. (2014b). How man-made interference might cause gas bubble emboli in deep diving whales. *frontiers in Physiology*, 5(13), 1–6.
- Fair, P. A., & Becker, P. R. (2000). Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery*, 7(4), 335-354.
- Fair, P. A., A. M. Schaefer, T. A. Romano, G. D. Bossart, S. V. Lamb, and J. S. Reif. (2014). Stress response of wild bottlenose dolphins (*Tursiops truncatus*) during capture-release health assessment studies. *General and Comparative Endocrinology*, 206, 203–212.
- Falcone, E. A., & G. S. Schorr. (2012). *Distribution and demographics of marine mammals in SOCAL through photo-identification, genetics, and satellite telemetry: a summary of surveys conducted 1 July 2011 - 15 June 2012*. Monterey, CA: U.S. Navy Postgraduate School.
- Falcone, E. A., & G. S. Schorr. (2014). *Distribution and Demographics of Marine Mammals in SOCAL through Photo-Identification, Genetics, and Satellite Telemetry* (Prepared for Chief of Naval Operations Energy and Environmental Readiness Division: NPS-OC-14-005CR). Monterey, CA: U.S. Navy Post Graduate School.
- Falcone, E. A., G. S. Schorr, S. L. Watwood, S. L. DeRuiter, A. N. Zerbin, R. D. Andrews, R. P. Morrissey, and D. J. Moretti. (2017). Diving behaviour of Cuvier's beaked whales exposed to two types of military sonar. *Royal Society Open Science*, 4(170629), 1–21.
- Feare, C. J. (1976). Desertion and abnormal development in a colony of Sooty Terns *Sterna fuscata* infested by virus-infected ticks. *Ibis*, 118(1), 112-115.
- Ferguson, M. C., J. Barlow, P. Feidler, S. B. Reilly, & T. Gerrodette. (2006a). Spatial models of delphinid (family Delphinidae) encounter rate and group size in the eastern Pacific Ocean. *Ecological Modelling*, 193, 645–662.
- Fernandez, A. (2006). *Beaked whale (Ziphius cavirostris) mass stranding on Almeria's coasts in southern Spain* (Report of the University of Las Palmas de Gran Canaria, Canary Islands).
- Fernandez, A., Arbelo, M., Deaville, R., Patterson, I. A. P., Castro, P., Baker, J. R., & Rodriguez, F. (2004). Beaked whales, sonar and decompression sickness. *Nature*, 428(6984), U1-2.
- Fernández, A., J. F. Edwards, F. Rodríguez, A. Espinosa de los Monteros, P. Herráez, P. Castro, J. R. Jaber, V. Martín, & M. Arbelo. (2005). "Gas and fat embolic syndrome" involving a mass stranding of beaked whales (family *Ziphiidae*) exposed to anthropogenic sonar signals. *Journal of Veterinary Pathology*, 42, 446–457.
- Fewtrell, J. L., & R. D. McCauley. (2012). Impact of air gun noise on the behaviour of marine fish and squid. *Marine Pollution Bulletin*, 64(5), 984–993.
- Finneran, J. J. (2018). Conditioned attenuation of auditory brainstem responses in dolphins warned of an intense noise exposure: Temporal and spectral patterns. *The Journal of the Acoustical Society of America*, 143(2), 795.
- Finneran, J. J., and B. K. Branstetter. (2013). Effects of Noise on Sound Perception in Marine Mammals Animal Communication and Noise (Vol. 2, pp. 273–308). Springer Berlin Heidelberg.
- Finneran, J. J. & Schlundt, C. E. (2010). Frequency-dependent and longitudinal changes in noise-induced hearing loss in a bottlenose dolphin (*Tursiops truncatus*). *Journal of the Acoustical Society of America*, 128(2), 567-570. 10.1121/1.3458814.
- Finneran, J. J., and C. E. Schlundt. (2013). Effects of fatiguing tone frequency on temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 133(3), 1819–1826.

- Finneran, J. J., C. E. Schlundt, D. A. Carder, J. A. Clark, J. A. Young, J. B. Gaspin, and S. H. Ridgway. (2000). Auditory and behavioral responses of bottlenose dolphins (*Tursiops truncatus*) and a beluga whale (*Delphinapterus leucas*) to impulsive sounds resembling distant signatures of underwater explosions. *The Journal of the Acoustical Society of America*, 108(1), 417–431.
- Finneran, J. J., C. E. Schlundt, R. Dear, D. A. Carder, and S. H. Ridgway. (2002). Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *The Journal of the Acoustical Society of America*, 111(6), 2929–2940.
- Finneran, J. J., R. Dear, D. A. Carder, & S. H. Ridgway. (2003). Auditory and behavioral responses of California sea lions (*Zalophus californianus*) to single underwater impulses from an arc-gap transducer. *The Journal of Acoustical Society of America*, 114(3), 1667–1677.
- Finneran, J. J., C. E. Schlundt, B. Branstetter, and R. L. Dear. (2007). Assessing temporary threshold shift in a bottlenose dolphin (*Tursiops truncatus*) using multiple simultaneous auditory evoked potentials. *The Journal of the Acoustical Society of America*, 122(2), 1249–1264.
- Finneran, J. J., D. A. Carder, C. E. Schlundt, & R. L. Dear. (2010). Growth and recovery of temporary threshold shift at 3 kHz in bottlenose dolphins: Experimental data and mathematical models. *The Journal of Acoustical Society of America*, 127(5), 3256–3266.
- Finneran, J. J., D. A. Carder, C. E. Schlundt, & R. L. Dear. (2010). Temporary threshold shift in a bottlenose dolphin (*Tursiops truncatus*) exposed to intermittent tones. *The Journal of Acoustical Society of America*, 127(5), 3267–3272.
- Finneran, J. J. (2015). Noise-induced hearing loss in marine mammals: a review of temporary threshold shift studies from 1996 to 2015. *The Journal of Acoustical Society of America*, 138(3), 1702–1726.
- Foote, A. D., R. W. Osborne, & A. R. Hoelzel. (2004). Whale-call response to masking boat noise. *Nature*, 428, 910.
- Forney, K. A., M. C. Ferguson, E. A. Becker, P. C. Fiedler, J. V. Redfern, J. Barlow, I. L. Vilchis, & L. T. Ballance. (2012). Habitat-based spatial models of cetacean density in the eastern Pacific Ocean. *Endangered Species Research*, 16(2), 113–133.
- Forney, K. A., E. A. Becker, D. G. Foley, J. Barlow, & E. M. Oleson. (2015). Habitat-based Models of Cetacean Density and Distribution in the Central North Pacific. *Endangered Species Research*, 27, 1–20.
- Forney, K. A., B. L. Southall, E. Sloaten, S. Dawson, A. J. Read, R. W. Baird, and R. L. Brownell, Jr. (2017). Nowhere to go: noise impact assessments for marine mammal populations with high site fidelity. *Endangered Species Research*, 32, 391–413.
- Frankel, A. S., & C. W. Clark. (2000). Behavioral responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. *The Journal of Acoustical Society of America*, 108(4), 1930–1937.
- Frankel, A. S., & Stein, P. J. (2020). Gray whales hear and respond to signals from a 21–25 kHz active sonar. *Marine Mammal Science*.
- Freitas, L. 2004. The stranding of three Cuvier's beaked whales *Ziphius cavirostris* in Madeira archipelago – May 2000. *ECS Newsletter* 42(Special Issue):28-32.
- Frid, A., & Dill, L. (2002). Human-caused disturbance stimuli as a form of predation risk. *Conservation Ecology*, 6(1).
- Friedlaender, A. S., E. L. Hazen, J. A. Goldbogen, A. K. Stimpert, J. Calambokidis, & B. L. Southall. (2016). Prey-mediated behavioral responses of feeding blue whales in controlled sound exposure experiments. *Ecological Applications*, 26(4), 1075–1085.
- Frstrup, K. M., L. T. Hatch, & C. W. Clark. (2003). Variation in humpback whale (*Megaptera novaeangliae*) song length in relation to low-frequency sound broadcasts. *The Journal of Acoustical Society of America*, 113(6), 3411–3424.
- Fritz, H., M. Guillemain, & D. Durant. (2002). The cost of vigilance for intake rate in the mallard (*Anas platyrhynchos*): an approach through foraging experiments. *Ethology Ecology & Evolution*, 14(2), 91-97.

- Gailey, G., B. Würsig, & T. L. McDonald. (2007). Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, Northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134, 75–91.
- Gailey, G., O. Sychenko, T. McDonald, R. Racca, A. Rutenko, and K. Bröker. (2016). Behavioural responses of western gray whales to a 4-D seismic survey off northeastern Sakhalin Island, Russia. *Endangered Species Research*, 30, 53–71.
- Gaspin, J. B. (1975). Experimental Investigations of the Effects of Underwater Explosions on Swimbladder Fish, I: 1973 Chesapeake Bay Tests. Naval Surface Weapons Center, White Oak Laboratory, Silver Spring, MD.
- Gaspin, J. B., G. B. Peters, & M. L. Wisely. (1976). Experimental investigations of the effects of underwater explosions on swimbladder fish. Naval Ordnance Lab, Silver Spring, MD.
- Gende, S. M., A. N. Hendrix, K. R. Harris, B. Eichenlaub, J. Nielsen, & S. Pyare. (2011). A Bayesian approach for understanding the role of ship speed in whale-ship encounters. *Ecological Applications*, 21(6), 2232–2240.
- Geraci, J. R., S. A. Testaverde, D. J. St Aubin, & T. H. Loop. (1976). A mass stranding of the Atlantic white-sided dolphin. *Lagenorhynchus acutus*. A Study into Pathobiology and Life History. Marine Mammal Commission Report Number MMC 75/12.
- Goertner, J. F. (1982). *Prediction of Underwater Explosion Safe Ranges for Sea Mammals*. Dahlgren, VA: Naval Surface Weapons Center.
- Goertner, J. F., M. L. Wiley, G. A. Young, & W. W. McDonald. (1994). *Effects of underwater explosions on fish without swimbladders*. Silver Spring, MD: Naval Surface Warfare Center.
- Goldbogen, J. A., B. L. Southall, S. L. DeRuiter, J. Calambokidis, A. S. Friedlaender, E. L. Hazen, E. A. Falcone, G. S. Schorr, A. Douglas, D. J. Moretti, C. Kyburg, M. F. McKenna, & P. L. Tyack. (2013). Blue whales respond to simulated mid-frequency military sonar. *Proc Biol Sci*, 280(1765), 20130657.
- Gomez, C., Lawson, J.W., Wright, A.J., Buren, A.D., Tollit, D. and V. Lesaged. 2016. A systematic review on the behavioural responses of wild marine mammals to noise: the disparity between science and policy. *Canadian Journal of Zoology*, 2016, 94(12): 801-819, <https://doi.org/10.1139/cjz-2016-0098>
- Goold, J. C., & Fish, P. J. (1998). Broadband spectra of seismic survey air-gun emissions, with reference to dolphin auditory thresholds. *The Journal of the Acoustical Society of America*, 103(4), 2177-2184.
- Goold, J. C. (1996). Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom*, 76(3), 811-820.
- Gordon, J., D. Gillespie, J. Potter, A. Frantzis, M. P. Simmonds, R. Swift, & D. Thompson. (2003). A review of the effects of seismic surveys on marine mammals. *Marine Technology Society Journal*, 37(4), 16–34.
- Halvorsen, M. B., W. T. Ellison, D. R. Choicoine, & A. N. Popper. (2012). Effects of mid-frequency active sonar on hearing in fish. *Journal of Acoustical Society of America*, 131(1), 599-607.
- Halvorsen, M. B., Casper, B. M., Woodley, C. M., Carlson, T. J., & Popper, A. N. (2012). Threshold for onset of injury in Chinook salmon from exposure to impulsive pile driving sounds. *PLoS One*, 7(6), e38968.
- Halvorsen, M. B., Casper, B. M., Matthews, F., Carlson, T. J., & Popper, A. N. (2012). Effects of exposure to pile-driving sounds on the lake sturgeon, Nile tilapia and hogchoker. *Proceedings of the Royal Society of London B: Biological Sciences*, 279(1748), 4705-4714.
- Harris, C.M., L. Thomas, E.A. Falcone, J. Hildebrand, D. Houser, P.H. Kvadsheim, Frans-Peter A. Lam, P.J.O. Miller, D.J. Moretti, A.J. Read, H. Slabbekoorn, B.L. Southall, P.L. Tyack, D. Wartzok, and V.N. Janik. (2018). Marine mammals and sonar: Dose-response studies, the risk-disturbance hypothesis and the role of exposure context. *Journal of Ecology* 55:396–404. DOI: 10.1111/1365-2664.12955
- Harrington, F. H., & Veitch, A. M. (1992). Calving success of woodland caribou exposed to low-level jet fighter overflights. *Arctic*, 213-218.

- Haviland-Howell, G., Frankel, A. S., Powell, C. M., Bocconcelli, A., Herman, R. L., & Sayigh, L. S. (2007). Recreational boating traffic: a chronic source of anthropogenic noise in the Wilmington, North Carolina Intracoastal Waterway. *The Journal of the Acoustical Society of America*, 122(1), 151-160.
- Hawkins, A. D., & A. D. F. Johnstone. (1978). The hearing of the Atlantic salmon, *Salmo salar*. *Journal of Fish Biology*, 13, 655–673.
- Hawkins, A. D., Pembroke, A. E., & Popper, A. N. (2015). Information gaps in understanding the effects of noise on fishes and invertebrates. *Reviews in Fish Biology and Fisheries*, 25(1), 39-64.
- Heenehan, H. L., J. A. Tyne, L. Bejder, S. M. Van Parijs, & D. W. Johnston. (2016). Passive acoustic monitoring of coastally associated Hawaiian spinner dolphins, *Stenella longirostris*, ground-truthed through visual surveys. *The Journal of the Acoustical Society of America*, 140(1), 206.
- Henderson, E.E., Martin, S.W., Manzano-Roth, R. and Matsuyama, B.M., (2016). Occurrence and habitat use of foraging Blainville's beaked whales (*Mesoplodon densirostris*) on a US Navy range in Hawaii. *Aquatic Mammals*, 42(4), p.54.
- Hildebrand, J. (2004). Impacts of anthropogenic sound on cetaceans. Unpublished paper submitted to the International Whaling Commission Scientific Committee SC/56 E 13.
- Hildebrand, J. A. (2009). Anthropogenic and natural sources of ambient noise in the ocean. *Marine Ecology Progress Series*, 395, 5–20.
- Hildebrand, J. A. & M. A. McDonald. (2009). Beaked Whale Presence, Habitat, and Sound Production in the North Pacific. Unpublished technical report on file. (pp. 5).
- Hill, M., A. D. Ligon, M. H. Deakos, U. Adam, E. Norris, and E. M. Oleson. (2011). Cetacean Surveys of Guam and CNMI Waters: August–September, 2011 (MIRC Survey Report FY2011). Honolulu, HI: Pacific Islands Fisheries Science Center.
- Hill, M., A. Ligon, M. Deakos, A. Ü, A. Milette-Winfree, and E. Oleson. (2013). Cetacean Surveys of Guam and CNMI Waters: May–July, 2012: Including Individual Photo-Identification of Pilot Whales, Spinner Dolphins and Bottlenose Dolphins (2010–2012) (PIFSC Data Report). Pearl Harbor, HI: U.S. Pacific Fleet Environmental Readiness Office.
- Hill, M. C., A. D. Ligon, M. H. Deakos, A. C. Ü, A. Milette-Winfree, A. R. Bendlin, and E. M. Oleson. (2014). Cetacean Surveys in the Waters of the Southern Mariana Archipelago (February 2010–April 2014). Honolulu, HI: U.S. Pacific Fleet Environmental Readiness Office.
- Hill, M. C., E. M. Oleson, A. D. Ligon, K. K. Martien, F. I. Archer, S. Baumann-Pickering, A. R. Bendlin, L. Dolar, K. P. B. Merckens, A. Milette-Winfree, P. A. Morin, A. Rice, K. M. Robertson, J. S. Trickey, A. C. Ü, A. Van Cise, and S. M. Woodman. (2015). Cetacean Monitoring in the Mariana Islands Range Complex, 2014. Honolulu, HI: U.S. Pacific Fleet.
- Hill, M. C., A. L. Bradford, A. D. Ligon, A. C. U, J. Rivers, R. K. Uyeyama, R. L. Brownell, Jr., and E. M. Oleson. (2016a). Are Humpback Whales (*Megaptera novaeangliae*) Breeding and Calving in the Mariana Islands? Cambridge, United Kingdom: International Whaling Commission.
- Hill, M. C., E. M. Oleson, S. Baumann-Pickering, A. M. VanCise, A. D. Ligon, A. R. Bendlin, A. C. Ü, J. S. Trickey, and A. L. Bradford. (2016b). Cetacean Monitoring in the Mariana Islands Range Complex, 2015. Honolulu, HI: U.S. Pacific Fleet Environmental Readiness Office.
- Hill, M. C., A. R. Bendlin, A. C. Ü, K. M. Yano, A. L. Bradford, A. D. Ligon, and E. M. Oleson. (2017a). Cetacean Monitoring in the Mariana Islands Range Complex, 2016 (PIFSC Data Report DR-17-002).
- Hill, M. C., A. L. Bradford, A. D. Ligon, A. C. Ü, C. S. Baker, D. Dietrich-Steel, J. Rivers, R. K. Uyeyama, and E. M. Oleson. (2017b). Discovery of a Western North Pacific Humpback Whale (*Megaptera novaeangliae*) Wintering Area in the Mariana Archipelago (Poster). Paper presented at the Society for Marine Mammalogy Conference. Halifax, Nova Scotia.
- Hill, M. C., A. L. Bradford, A. D. Ligon, A. C. Ü, and E. M. Oleson. (2018). Cetacean Monitoring in the Mariana Islands Range Complex, 2017 (PIFSC Data Report DR-18-002). Honolulu, HI: Pacific Islands Fisheries Science Center.

- Hill, M.C. et al. 2019a. Pacific Islands Fisheries Science Center Mariana Archipelago Cetacean Surveys: A review of data and analysis through February 2018. Prepared for US Pacific Fleet Environmental Readiness Division. 84 pp.
- Hill, M.C., A.D.U. Ligon, and E.M. Oleson. 2019b. Cetacean Monitoring in the Mariana Islands Range Complex, August-September 2018. Prepared for U.S. Pacific Fleet Environmental Readiness Division. 22 pp.
- Hill, M. C., and A. L. Bradford, and D. Steel, and C. S. Baker, and A. D. Ligon, and A. C. Ü, . . . E. M. Oleson. (2020a). Found: a missing breeding ground for endangered western North Pacific humpback whales in the Mariana Archipelago. *Endangered Species Research* 41:91-103.
- Hill MC, Bradford AL, Oleson EM. (2020b). Preliminary mark-recapture abundance estimates of humpback whales on a breeding area in the Mariana Archipelago. Pacific Islands Fisheries Science Center, PIFSC Administrative Report. H-20-07, 18 p. doi:10.25923/v3fd-yf59.
- Holberton, R. L., Helmuth, B., & Wingfield, J. C. (1996). The corticosterone stress response in gentoo and king penguins during the non-fasting period. *The Condor*, 98(4), 850-854.
- Holt, M. M., D. P. Noren, V. Veirs, C. K. Emmons, and S. Veirs. (2008). Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *The Journal of the Acoustical Society of America*, 125(1), EL27–EL32.
- Holt, M. M., Noren, D. P., Veirs, V., Emmons, C. K., & Veirs, S. (2009). Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *The Journal of the Acoustical Society of America*, 125(1), EL27-EL32.
- Holt, M. M., D. P. Noren, and C. K. Emmons. (2011). Effects of noise levels and call types on the source levels of killer whale calls. *The Journal of the Acoustical Society of America*, 130(5), 3100–3106.
- Holt, M. M., D. P. Noren, R. C. Dunkin, and T. M. Williams. (2015). Vocal performance affects metabolic rate in dolphins: implications for animals communicating in noisy environments. *The Journal of Experimental Biology*, 218(Pt 11), 1647–1654.
- Hood, L. C., Boersma, P. D., & Wingfield, J. C. (1998). The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *The Auk*, 76-84.
- Hooker, S. K., & Baird, R. W. (1999). Deep-diving behaviour of the northern bottlenose whale, *Hyperoodon ampullatus* (Cetacea: Ziphiidae). *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 266(1420), 671-676.
- Hooker, S. K., R. W. Baird, & A. Fahlman. (2009). Could beaked whales get the bends? Effect of diving behaviour and physiology on modelled gas exchange for three species: *Ziphius cavirostris*, *Mesoplodon densirostris* and *Hyperoodon ampullatus*. *Respiratory Physiology & Neurobiology*.
- Hooker, S. K., A. Fahlman, M. J. Moore, N. A. de Soto, Y. B. de Quiros, A. O. Brubakk, D. P. Costa, A. M. Costidis, S. Dennison, K. J. Falke, A. Fernandez, M. Ferrigno, J. R. Fitz-Clarke, M. M. Garner, D. S. Houser, P. D. Jepson, D. R. Ketten, P. H. Kvalsheim, P. T. Madsen, N. W. Pollock, D. S. Rotstein, T. K. Rowles, S. E. Simmons, W. Van Bonn, P. K. Weathersby, M. J. Weise, T. M. Williams, and P. L. Tyack. (2012). Deadly diving? Physiological and behavioural management of decompression stress in diving mammals. *Proceedings of the Royal Society B: Biological Sciences*, 279(1731), 1041–1050.
- Houser, D. S., R. Howard, & S. Ridgway. (2001). Can diving-induced tissue nitrogen supersaturation increase the chance of acoustically driven bubble growth in marine mammals? *Journal of Theoretical Biology*, 213, 183–195.
- Houser, D. S., Helweg, D. A., & Moore, P. W. B. (2001). A bandpass filter-bank model of auditory sensitivity in the humpback whale. *Aquatic Mammals*, 27(2), 82-91.
- Houser, D. S., Martin, S., Crocker, D. E., & Finneran, J. J. (2020). Endocrine response to simulated US Navy mid-frequency sonar exposures in the bottlenose dolphin (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 147(3), 1681-1687.

- Isojunno, S., Wensveen, P. J., Lam, F. P. A., Kvadsheim, P. H., von Benda-Beckmann, A. M., López, L. M. M., ... & Miller, P. J. (2020). When the noise goes on: received sound energy predicts sperm whale responses to both intermittent and continuous navy sonar. *Journal of Experimental Biology*, 223(7).
- Jansen, G. (1998). Physiological Effects of Noise. Handbook of Acoustical Measurements and Noise Control, Chapter 25. (C. Harris, Ed.), Third Edition.
- Jefferson, T. A., D. Fertl, M. Michael, & T. D. Fagin. (2006). An unusual encounter with a mixed school of melon-headed whales (*Peponocephala electra*) and rough-toothed dolphins (*Steno bredanensis*) at Rota, Northern Mariana Islands. *Micronesica*, 38(2), 23–244.
- Jefferson, T. A., M. A. Smultea, & C. A. Bacon. (2014). Southern California Bight marine mammal density and abundance from aerial surveys, 2008–2013. *Journal of Marine Animals and Their Ecology*, 7(2), 14–30.
- Jensen, A. S., & G. K. Silber. (2003). *Large Whale Ship Strike Database*. Retrieved from: <http://www.nmfs.noaa.gov/pr/overview/publicat.html>
- Jepson, P. D., M. Arbelo, R. Deaville, I. A. R. Patterson, P. Castro, J. R. Baker, E. Degollada, H. M. Ross, P. Herráez, A. M. Pocknell, F. Rodriguez, F. E. Howie, A. Espinosa, R. J. Reid, J. R. Jaber, V. Martin, A. A. Cunningham, & A. Fernandez. (2003). Gas-bubble lesions in stranded cetaceans: Was sonar responsible for a spate of whale deaths after an Atlantic military exercise? *Nature*, 425, 575–576.
- Jepson, P. D., P. M. Bennett, R. Deaville, C. R. Allchin, J. R. Baker, & R. J. Law. (2005). Relationships between polychlorinated biphenyls and health status in harbor porpoises (*Phocoena Phocoena*) stranded in the United Kingdom. *Environmental Toxicology and Chemistry*, 24(1), 238–248.
- Jessop, T. S., Tucker, A. D., Limpus, C. J., & Whittier, J. M. (2003). Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and comparative endocrinology*, 132(1), 161-170.
- Jones, D.M., & D.E. Broadbent. (1998). Chapter 24: Human Performance and Noise. Handbook of Acoustical Measurements and Noise Control. Acoustical Society of America, Woodbury, NY USA.
- Jørgensen, R., K. K. Olsen, I. B. Falk-Petersen, & P. Kanapthippilai. (2005). *Investigations of Potential Effects of Low Frequency Sonar Signals on Survival, Development and Behaviour of Fish Larvae and Juveniles*. Tromsø, Norway: University of Tromsø.
- Joyce, T.W., Durban, J.W., Claridge, D.E., Dunn, C.A., Hickmott, L.S., Fearnbach, H., Dolan, K. and Moretti, D., (2019). Behavioral responses of satellite tracked Blainville's beaked whales (*Mesoplodon densirostris*) to mid-frequency active sonar. *Marine Mammal Science*.
- Juanes, F., K. Cox, & L. Brennan. (2017). The effect of anthropogenic and biological noise on fish behavior and physiology: A meta-analysis. *Journal of the Acoustic Society of America*, 141(3862).
- Kane, A. S., J. Song, M. B. Halvorsen, D. L. Miller, J. D. Salierno, L. E. Wysocki, D. Zeddies, & A. N. Popper. (2010). Exposure of fish to high intensity sonar does not induce acute pathology. *Journal of Fish Biology*, 76(7), 1825–1840.
- Kastak, D., B. L. Southall, R. J. Schusterman, and C. R. Kastak. (2005). Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. *The Journal of the Acoustical Society of America*, 118(5), 3154–3163.
- Kastak, D., C. Reichmuth, M. M. Holt, J. Mulsow, B. L. Southall, & R. J. Schusterman. (2007). Onset, growth, and recovery of in-air temporary threshold shift in a California sea lion (*Zalophus californianus*). *The Journal of Acoustical Society of America*, 122(5), 2916–2924.
- Kastelein, R. A., de Haan, D., Vaughan, N., Staal, C., & Schooneman, N. M. (2001). The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research*, 52, 351-371.
- Kastelein, R. A., W. C. Verboom, M. Muijsers, N. V. Jennings, & S. van der Heul. (2005). Influence of acoustic emissions for underwater data transmission on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research*, 59, 287–307.

- Kastelein, R. A., Jennings, N., Verboom, W. C., De Haan, D., & Schooneman, N. M. (2006a). Differences in the response of a striped dolphin (*Stenella coeruleoalba*) and a harbour porpoise (*Phocoena phocoena*) to an acoustic alarm. *Marine Environmental Research*, 61(3), 363-378.
- Kastelein, R. A., van der Heul, S., Verboom, W. C., Triesscheijn, R. J., & Jennings, N. V. (2006b). The influence of underwater data transmission sounds on the displacement behaviour of captive harbour seals (*Phoca vitulina*). *Marine Environmental Research*, 61(1), 19-39.
- Kastelein, R. A., Wensveen, P. J., Hoek, L., & Terhune, J. M. (2009). Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America*, 126(1), 476–483.
- Kastelein, R. A., R. Gransier, L. Hoek, A. Macleod, and J. M. Terhune. (2012a). Hearing threshold shifts and recovery in harbor seals (*Phoca vitulina*) after octave-band noise exposure at 4 kHz. *The Journal of the Acoustical Society of America*, 132(4), 2745–2761.
- Kastelein, R. A., R. Gransier, L. Hoek, and J. Olthuis. (2012b). Temporary threshold shifts and recovery in a harbor porpoise (*Phocoena phocoena*) after octave-band noise at 4 kHz. *The Journal of the Acoustical Society of America*, 132(5), 3525–3537.
- Kastelein, R. A., R. Gransier, L. Hoek, and M. Rambags. (2013a). Hearing frequency thresholds of a harbor porpoise (*Phocoena phocoena*) temporarily affected by a continuous 1.5 kHz tone. *The Journal of the Acoustical Society of America*, 134(3), 2286–2292.
- Kastelein, R. A., L. Hoek, R. Gransier, M. Rambags, and N. Claeys. (2014b). Effect of level, duration, and inter-pulse interval of 1–2 kHz sonar signal exposures on harbor porpoise hearing. *The Journal of the Acoustical Society of America*, 136(1), 412–422.
- Kastelein, R. A., R. Gransier, J. Schop, and L. Hoek. (2015b). Effects of exposure to intermittent and continuous 6–7 kHz sonar sweeps on harbor porpoise (*Phocoena phocoena*) hearing. *The Journal of the Acoustical Society of America*, 137(4), 1623–1633.
- Keevin, T. M., & G. L. Hempen. (1997). *The Environmental Effects of Underwater Explosions with Methods to Mitigate Impacts*. St. Louis, MO: U.S. Army Corps of Engineers.
- Ketten, D. R. (1995). Estimates of blast injury and acoustic trauma zones for marine mammals from underwater explosions. Pages 391-407 In R. A. Kastelein, J. A. Thomas, and P. E. Nachtigall, editors. *Sensory Systems of Aquatic Mammals*. De Spil Publishers, Woerden.
- Ketten, D. R. (2000). Cetacean Ears. In W. Au, A. N. Popper & R. R. Fay (Eds.), *Hearing by Whales and Dolphins* (1st ed., pp. 43–108). New York, NY: Springer-Verlag.
- Klinck, H., S. L. Nieukirk, S. Fregosi, K. Klinck, D. K. Mellinger, S. Lastuka, G. B. Shilling, and J. C. Luby. (2015). Cetacean studies on the Mariana Islands Range Complex in September-November 2014: Passive acoustic monitoring of marine mammals using gliders. Final Report. Commander, U.S. Pacific Fleet, 250 Makalapa Drive, Pearl Harbor, HI.
- Klinck, H., S. L. Nieukirk, S. Fregosi, K. Klinck, D. K. Mellinger, S. Lastuka, G. B. Shilling, and J. C. Luby. (2016a). Cetacean Studies on the Kona Coast in March 2010: Passive Acoustic Monitoring of Marine Mammals Using Gliders—Results from an Engineering Test. Final Report. Honolulu, HI: HDR Inc.
- Klinck, H., S. L. Nieukirk, S. Fregosi, K. Klinck, D. K. Mellinger, S. Lastuka, G. B. Shilling, and J. C. Luby. (2016b). Final Report Cetacean Studies on the Mariana Islands Range Complex in March–April 2015: Passive Acoustic Monitoring of Marine Mammals Using Gliders (Submitted to Naval Facilities Engineering Command (NAVFAC) Pacific, Pearl Harbor, Hawaii). Honolulu, HI: HDR Inc.
- Knowlton, A. R., F. T. Korsmeyer, J. E. Kerwin, H. Wu, and B. Hynes. (1995). The hydrodynamic effects of large vessels on right whales. Pages 62 in Eleventh Biennial Conference on the Biology of Marine Mammals, Orlando, Florida.
- Knowlton, A. R., & Kraus, S. D. (2001). Mortality and serious injury of northern right whales (*Eubalaena glacialis*) in the western North Atlantic Ocean. *Journal of Cetacean Research and Management (special issue)*, 2, 193-208.

- Kooyman, G. L., J. P. Schroeder, D. M. Denison, D. D. Hammond, J. J. Wright, & W. P. Bergman. (1972). Blood nitrogen tensions of seals during simulated deep dives. *American Journal of Physiology*, 223(5), 1016–1020.
- Kryter, K. D., Ward, W. D., Miller, J. D., & Eldredge, D. H. (1966). Hazardous exposure to intermittent and steady-state noise. *The Journal of the Acoustical Society of America*, 39(3), 451-464.
- Kryter, K.D. (1985). *The Effects of Noise on Man*. Academic Press.
- Kvadsheim, P. H., & E. M. Sevaldsen. (2005). *The potential impact of 1-8 kHz active sonar on stocks of juvenile fish during sonar exercises*. Forsvarets Forskningsinstitutt, Norwegian Defence Research Establishment, P.O. Box 25, NO-2027 Kjeller, Norway.
- Kvadsheim, P., Benders, F., Miller, P., Doksæter, L., Knudsen, F., Tyack, P., ... & Godø, O. R. (2007). *Herring (sild), killer whales (spekkhogger) and sonar: The 3S-2006 cruise report with preliminary results*. Kjeller: Forsvarets forskningsinstitutt/Norwegian Defence Research Establishment (FFI).
- Kvadsheim, P. H., E. M. Sevaldsen, D. Scheie, L. P. Folkow, and A. S. Blix. (2010). Effects of naval sonar on seals.
- Kvadsheim, P. H., P. J. O. Miller, P. L. Tyack, L. D. Sivle, F. P. A. Lam, & A. Fahlman. (2012). Estimated tissue and blood N₂ levels and risk of decompression sickness in deep-, intermediate-, and shallow-diving toothed whales during exposure to naval sonar. *frontiers in Physiology*, 3(Article 125).
- Kvadsheim, P. H., S. DeRuiter, L. D. Sivle, J. Goldbogen, R. Roland-Hansen, P. J. O. Miller, F. A. Lam, J. Calambokidis, A. Friedlaender, F. Visser, P. L. Tyack, L. Kleivane, and B. Southall. (2017). Avoidance responses of minke whales to 1-4 kHz naval sonar. *Marine Pollution Bulletin*, 121(1–2), 60–68.
- Ladich, F., & A. N. Popper. (2004). Parallel Evolution in Fish Hearing Organs. In G. A. Manley, A. N. Popper & R. R. Fay (Eds.), *Evolution of the Vertebrate Auditory System, Springer Handbook of Auditory Research*. New York, NY: Springer-Verlag.
- Ladich, F., & R. R. Fay. (2013). Auditory evoked potential audiometry in fish. *Reviews in Fish Biology and Fisheries*, 23(3), 317–364.
- Ladich, F., & T. Schulz-Mirbach. (2016). Diversity in Fish Auditory Systems: One of the Riddles of Sensory Biology. *Frontiers in Ecology and Evolution*, 4, 26.
- Laggner, D. (2009). *Blue whale (Baleoptera musculus) ship strike threat assessment in the Santa Barbara Channel, California*. (Master's Thesis). Evergreen State College.
- Laist, D. W., A. R. Knowlton, J. G. Mead, A. S. Collet, & M. Podesta. (2001). Collisions between ships and whales. *Marine Mammal Science*, 17(1), 35–75.
- Lambrechts, M. M. (1996). Organization of bird song and constraints on performance. - In: Kroodsma, D. E. and Miller, E. H. (eds). *Ecology and evolution of acoustic communication in birds*. Cornell Univ. Press, Ithaca and London, pp. 305-320.
- Lammers, M. O., A. A. Pack, & L. Davis. (2003). *Historical evidence of whale/vessel collisions in Hawaiian waters (1975—Present)*.
- Lankford, S. E., Adams, T. E., Miller, R. A., & Cech Jr, J. J. (2005). The cost of chronic stress: impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology*, 78(4), 599-609.
- Lohr, B., Wright, T. F., & Dooling, R. J. (2003). Detection and discrimination of natural calls in masking noise by birds: estimating the active space of a signal. *Animal Behaviour*, 65(4), 763-777.
- Lonsbury-Martin, B. L., Martin, G. K., & Bohne, B. A. (1987). Repeated TTS exposures in monkeys: Alterations in hearing, cochlear structure, and single-unit thresholds. *The Journal of the Acoustical Society of America*, 81(5), 1507-1518.
- Lovell, J. M., Findlay, M. M., Moate, R. M., & Yan, H. Y. (2005). The hearing abilities of the prawn *Palaemon serratus*. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 140(1), 89-100.

- Lozano, E. & M. Hente. (2014). The Effects of Disturbances on Harbor Seals on a Haul-Out site Off Yellow Island, Washington. Ecology and Conservation of Marine Birds and Mammals. Friday Harbor Laboratories, University of Washington.
- Luick, B. R., Kitchens, J. A., White, R. G., & Murphy, S. M. (1996). Modeling energy and reproductive costs in caribou exposed to low flying military jet aircraft. *Rangifer*, 16(4), 209-212.
- Lusseau, D. (2006). The short-term behavioral reactions of bottlenose dolphins to interactions with boats in Doubtful Sound, New Zealand. *Marine Mammal Science*, 22(4), 802–818.
- Lusseau, D. & Bejder, L. (2007). The Long-term Consequences of Short-term Responses to Disturbance Experiences from Whalewatching Impact Assessment. *International Journal of Comparative Psychology* 20, 228-236.
- Madsen, J. (1994). Impacts on disturbance on migratory waterfowl. *IBIS* 137, S67-S74.
- Madsen, P. T., M. Johnson, P. J. O. Miller, N. A. Soto, J. Lynch, & P. Tyack. (2006). Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *The Journal of Acoustical Society of America*, 120(4), 2366–2379.
- Malme, C. I., B. Würsig, J. E. Bird, & P. Tyack. (1986). *Behavioral responses of gray whales to industrial noise: Feeding observations and predictive modelling* (Outer Continental Shelf Environmental Assessment Program, Final Report of Principal Investigators MMS 88-0048). Anchorage, AK: Bolt Beranek, & Newman, Inc.
- Malme, C. I., B. Würsig, J. E. Bird, & P. Tyack. (1988). Observations of feeding gray whale responses to controlled industrial noise exposure. In W. M. Sackinger, M. O. Jeffries, J. L. Imm & S. D. Tracey (Eds.), *Port and Ocean Engineering Under Arctic Conditions* (Vol. 2, pp. 55–73). Fairbanks, AK: Geophysical Institute, University of Alaska.
- Mann, D. A., A. N. Popper, & B. Wilson. (2005). Pacific herring hearing does not include ultrasound. *Biology Letters*, 1, 158–161.
- Mann, D. A. (2016). Acoustic Communications in Fishes and Potential Effects of Noise. In A. N. Popper & A. D. Hawkins (Eds.), *The Effects of Noise on Aquatic Life II* (pp. 673–678). New York, NY: Springer.
- Manzano-Roth, R. A., E. A. Henderson, S. W. Martin, & B. Matsuyama. (2013). *Impacts of a U.S. Navy training event on beaked whale dives in Hawaiian waters*. Pearl Harbor, HI: U.S. Navy Pacific Fleet.
- Manzano-Roth, R., E. E. Henderson, S. W. Martin, C. Martin, & B. M. Matsuyama. (2016). Impacts of U.S. Navy Training Events on Blainville's Beaked Whale (*Mesoplodon densirostris*) Foraging Dives in Hawaiian Waters. *Aquatic Mammals*, 42(4), 507–518.
- Marten, K., & Marler, P. (1977). Sound transmission and its significance for animal vocalization. *Behavioral ecology and sociobiology*, 2(3), 271-290.
- Martin, S. W., C. R. Martin, B. M. Matsuyama, and E. E. Henderson. (2015). Minke whales (Balaenoptera acutorostrata) respond to navy training. *The Journal of the Acoustical Society of America*, 137(5), 2533–2541.
- Martin, S. L., K. S. Van Houtan, T. T. Jones, C. F. Aguon, J. T. Gutierrez, R. B. Tibbatts, S. B. Wusstig, and J. D. Bass. (2016). Five Decades of Marine Megafauna Surveys from Micronesia. *Frontiers in Marine Science*, 2(116), 1–13.
- Maybaum, H. L. (1993). Responses of humpback whales to sonar sounds. *The Journal of the Acoustical Society of America*, 94(3), 1848-1849.
- McCarthy, E., D. Moretti, L. Thomas, N. DiMarzio, R. Morrissey, S. Jarvis, J. Ward, A. Izzi, & A. Dilley. (2011). Changes in spatial and temporal distribution and vocal behavior of Blainville's beaked whales (*Mesoplodon densirostris*) during multiship exercises with mid-frequency sonar. *Marine Mammal Science*, 27(3), E206–E226.
- McCauley, R. D., M. N. Jenner, C. Jenner, K. A. McCabe, & J. Murdoch. (1998). The response of humpback whales (*Megaptera novaeangliae*) to offshore seismic survey noise: Preliminary results of observations about a working seismic vessel and experimental exposures. *APPEA Journal*, 692–706.

- McCauley, R. D., J. Fewtrell, A. J. Duncan, C. Jenner, M. N. Jenner, J. D. Penrose, R. I. T. Prince, A. Adhitya, J. Murdoch, & K. McCabe. (2000). Marine seismic surveys—A study of environmental implications. *Australian Petroleum Production Exploration Association Journal*, 692–708.
- McCauley, R. D., and coauthors. (2000). Marine Seismic Surveys: Analysis and Propagation of Air-gun Signals; and Effects of Air-gun Exposure on Humpback Whales, Sea Turtles, Fishes and Squid. Centre for Marine Science and Technology, R99-15, Western Australia.
- McDonald, M. A., J. A. Hildebrand, & S. C. Webb. (1995). Blue and fin whales observed on a seafloor array in the Northeast Pacific. *The Journal of Acoustical Society of America*, 98(2), 712–721.
- McDonald, M. A., J. A. Hildebrand, S. M. Wiggins, D. W. Johnston, and J. J. Polovina. (2009). An acoustic survey of beaked whales at Cross Seamount near Hawaii. *The Journal of the Acoustical Society of America*, 125(2), 624–627.
- McEwen, B. S., & Wingfield, J. C. (2003). The concept of allostasis in biology and biomedicine. *Hormones and behavior*, 43(1), 2-15.
- Melcón, M. L., A. J. Cummins, S. M. Kerosky, L. K. Roche, S. M. Wiggins, & H. J. A. (2012). Blue whales respond to anthropogenic noise. *PLoS ONE*, 7(2).
- Miksis-Olds, J.L. (2006). Manatee Response to Environmental Noise. A Dissertation Submitted in Partial Fulfillment of the Requirements for the Degree of Doctor of Philosophy in Oceanography. University of Rhode Island, 2006.
- Miksis, J. L., R. C. Connor, M. D. Grund, D. P. Nowacek, A. R. Solow, and P. L. Tyack. (2001). Cardiac responses to acoustic playback experiments in the captive bottlenose dolphin (*Tursiops truncatus*). *Journal of Comparative Psychology*, 115(3), 227–232.
- Miksis-Olds, J. L., Donaghay, P. L., Miller, J. H., & Tyack, P. L. (2005). Environmental noise levels affect the activity budget of the Florida manatee. *The Journal of the Acoustical Society of America*, 118(3), 1910-1910.
- Miksis-Olds, J. L., Donaghay, P. L., Miller, J. H., Tyack, P. L., & Nystuen, J. A. (2007). Noise level correlates with manatee use of foraging habitats. *The Journal of the Acoustical Society of America*, 121(5), 3011-3020.
- Miller, P. J. O., N. Biassoni, A. Samuels, & P. L. Tyack. (2000). Whale songs lengthen in response to sonar. *Nature*, 405(6789), 903.
- Miller, P. J. O., M. P. Johnson, P. T. Madsen, N. Biassoni, M. Quero, & P. L. Tyack. (2009). Using at-sea experiments to study the effects of airguns on the foraging behavior of sperm whales in the Gulf of Mexico. *Deep Sea Research I*, 56(7), 1168–1181.
- Miller, P., R. Antunes, A. C. Alves, P. Wensveen, P. Kvadsheim, L. Kleivane, N. Nordlund, F.-P. Lam, S. van IJsselmuide, F. Visser, & P. Tyack. (2011). *The 3S experiments: studying the behavioural effects of naval sonar on killer whales (*Orcinus orca*), sperm whales (*Physeter macrocephalus*), and long-finned pilot whales (*Globicephala melas*) in Norwegian waters* (Scottish Oceans Inst. Tech. Rept., SOI-2011-001).
- Miller, P. J. O., P. H. Kvadsheim, F.-P. A. Lam, P. J. Wensveen, R. Antunes, A. C. Alves, F. Visser, L. Kleivane, P. L. Tyack, & L. D. Sivle. (2012). The severity of behavioral changes observed during experimental exposures of killer (*Orcinus orca*), long-finned pilot (*Globicephala melas*), and sperm (*Physeter macrocephalus*) whales to naval sonar. *Aquatic Mammals*, 38(4), 362–401.
- Miller, P. J., P. H. Kvadsheim, F. P. Lam, P. L. Tyack, C. Cure, S. L. DeRuiter, L. Kleivane, L. D. Sivle, I. S. P. van, F. Visser, P. J. Wensveen, A. M. von Benda-Beckmann, L. M. Martin Lopez, T. Narazaki, & S. K. Hooker. (2015). First indications that northern bottlenose whales are sensitive to behavioural disturbance from anthropogenic noise. *Royal Society Open Science*, 2(6), 140484.
- Moberg, G. P. (1987). A model for assessing the impact of behavioral stress on domestic animals. *Journal of Animal Science*, 65(5), 1228-1235.
- Moberg, G. P., & J. A. Mench. (2000). *The Biology of Animal Stress; Basic Principles and Implications for Animal Welfare*. London, UK: CAB International.
- Mobley, J. R. (2007). Marine Mammal Monitoring Surveys in Support of "Valiant Shield" Training Exercises (Aug. 13-17, 2007)—Final Report. Pearl Harbor, HI: Commander, U.S. Pacific Fleet.

- Mooney, T. A., P. E. Nachtigall, M. Breese, S. Vlachos, & W. W. L. Au. (2009a). Predicting temporary threshold shifts in a bottlenose dolphin (*Tursiops truncatus*): The effects of noise level and duration. *Journal of Acoustical Society of America*, 125(3), 1816–1826.
- Mooney, T. A., P. E. Nachtigall, & S. Vlachos. (2009b). Sonar-induced temporary hearing loss in dolphins. *Biology Letters*, 5(4), 565–567.
- Mooney, T. A., Hanlon, R. T., Christensen-Dalsgaard, J., Madsen, P. T., Ketten, D. R., & Nachtigall, P. E. (2010). Sound detection by the longfin squid (*Loligo pealeii*) studied with auditory evoked potentials: sensitivity to low-frequency particle motion and not pressure. *Journal of Experimental Biology*, 213(21), 3748–3759.
- Moore, J. E., & J. P. Barlow. (2013). Declining abundance of beaked whales (Family Ziphiidae) in the California Current Large Marine Ecosystem. *PLoS ONE*, 8(1), e52770.
- Moore, M. J., J. van der Hoop, S. G. Barco, A. M. Costidis, F. M. Gulland, P. D. Jepson, K. T. Moore, S. Raverty, & W. A. McLellan. (2013). Criteria and case definitions for serious injury and death of pinnipeds and cetaceans caused by anthropogenic trauma. *Diseases of Aquatic Organisms*, 103(3), 229–264.
- Morato, T., Varkey, D.A., Damaso, C., Machete, M., Santos, M., Prieto, R., Santos, R.C., Pitcher, T.J. (2008). Evidence of a seamount effect on aggregating visitors. *Marine Ecology Progress Series*. 357, 23-32
- Morete, M. E., Bisi, T. L., & Rosso, S. (2007). Mother and calf humpback whale responses to vessels around the Abrolhos Archipelago, Bahia, Brazil. *Journal of Cetacean Research Management* 9(3), 241-248.
- Moretti, D., N. DiMarzio, R. Morrissey, E. McCarthy, & S. Jarvis. (2009, 7-10 December). *An opportunistic study of the effect of sonar on marine mammals, marine mammal monitoring on navy ranges (M3R)*. Paper presented at the 2009 ONR Marine Mammal Program Review, Alexandria, VA.
- Moretti, D., L. Thomas, T. Marques, J. Harwood, A. Dilley, B. Neales, J. Shaffer, E. McCarthy, L. New, S. Jarvis, & R. Morrissey. (2014). A risk function for behavioral disruption of Blainville's beaked whales (*Mesoplodon densirostris*) from mid-frequency active sonar. *PLoS ONE*, 9(1), e85064.
- Morton, A. B., & Symonds, H. K. (2002). Displacement of *Orcinus orca* (L.) by high amplitude sound in British Columbia, Canada. *ICES Journal of Marine Science*, 59(1), 71-80.
- Munger, L. M., M. O. Lammers, and W. W. L. Au. (2014). Passive Acoustic Monitoring for Cetaceans within the Marianas Islands Range Complex. Preliminary Report. Pearl Harbor, HI: Naval Facilities Engineering Command Pacific.
- Munger, L. M., M. O. Lammers, J. N. Oswald, T. M. Yack, and W. W. L. Au. (2015). Passive Acoustic Monitoring of Cetaceans within the Mariana Islands Range Complex Using Ecological Acoustic Recorders. Final Report. Pearl Harbor, HI: Naval Facilities Engineering Command Pacific.
- Muto, M. M., V. T. Helker, R. P. Angliss, B. A. Allen, P. L. Boveng, J. M. Breiwick, M. F. Cameron, P. J. Clapham, S. P. Dahle, M. E. Dahlheim, B. S. Fadely, M. C. Ferguson, L. W. Fritz, R. C. Hobbs, Y. V. Ivashchenko, A. S. Kennedy, J. M. London, S. A. Mizroch, R. R. Ream, E. L. Richmond, K. E. W. Shelden, R. G. Towell, P. R. Wade, J. M. Waite, and A. R. Zerbini. (2017a). Alaska Marine Mammal Stock Assessments, 2016 (NOAA Technical Memorandum NMFS-AFSC-323). Seattle, WA: National Marine Mammal Laboratory.
- Muto, M. M., V. T. Helker, R. P. Angliss, B. A. Allen, P. L. Boveng, J. M. Breiwick, M. F. Cameron, P. J. Clapham, S. P. Dahle, M. E. Dahlheim, B. S. Fadely, J. M. London, S. A. Mizroch, R. R. Ream, E. L. Richmond, K. E. W. Shelden, R. G. Towell, P. R. Wade, J. M. Waite, and A. N. Zerbini. (2017b). Alaska Marine Mammal Stock Assessments, 2017. Seattle, WA: Alaska Fisheries Science Center.
- Muto, M. M., V. T. Helker, R. P. Angliss, P. L. Boveng, J. M. Breiwick, M. F. Cameron, P. J. Clapham, S. P. Dahle, M. E. Dahlheim, B. S. Fadely, M. C. Ferguson, L. W. Fritz, R. C. Hobbs, Y. V. Ivashchenko, A. S. Kennedy, J. M. London, S. A. Mizroch, R. R. Ream, E. L. Richmond, K. E. W. Shelden, K. L. Sweeney, R. G. Towell, P. R. Wade, J. M. Waite, and A. N. Zerbini. (2018). Alaska Marine Mammal Stock Assessments, 2018. Draft. Seattle, WA: National Marine Fisheries Service, Alaska Fisheries Science Center.

- Nachtigall, P. E., A. Y. Supin, J. Pawloski, and W. W. L. Au. (2004). Temporary threshold shifts after noise exposure in the bottlenose dolphin (*Tursiops truncatus*) measured using evoked auditory potentials. *Marine Mammal Science*, 20(4), 673–687.
- Nachtigall, P. E., A. Y. Supin, A. F. Pacini, and R. A. Kastelein. (2018). Four odontocete species change hearing levels when warned of impending loud sound. *Integrative Zoology*, 13, 2–20.
- National Marine Fisheries Service. (2015a). Sperm Whale (*Physeter macrocephalus*) 5-Year Review: Summary and Evaluation, June 2015. Silver Spring, MD.
- NMFS. (2016). *Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing*. Office of Protected Resources, National Marine Fisheries Service, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Silver Spring, Maryland.
- NMFS. (2018). Revision to Technical Guidance for Assessing Effects of Anthropogenic Sound on Marine Mammal Hearing. Office of Protected Resources, National Marine Fisheries Service, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Silver Spring, Maryland.
- NMFS. (2019). North Pacific right whale species page. <https://www.fisheries.noaa.gov/species/north-pacific-right-whale>.
- National Research Council. (2003). *Ocean Noise and Marine Mammals*. Washington, DC: National Academies Press.
- National Research Council. (2005). *Marine Mammal Populations and Ocean Noise*. Washington, DC: National Academies Press.
- Nedelec, S. L., Simpson, S. D., Morley, E. L., Nedelec, B., & Radford, A. N. (2015). Impacts of regular and random noise on the behaviour, growth and development of larval Atlantic cod (*Gadus morhua*). *Proc. R. Soc. B*, 282(1817), 20151943.
- Nedwell, J. R., B. Edwards, A. W. H. Turnpenny, & J. Gordon. (2004). *Fish and marine mammal audiograms: A summary of available information* (Subacoustech Report ref: 534R0214). Hampshire, UK.
- New, L. F., J. Harwood, L. Thomas, C. Donovan, J. S. Clark, G. Hastie, P. M. Thompson, B. Cheney, L. Scott-Hayward, D. Lusseau, and D. Costa. (2013a). Modelling the biological significance of behavioural change in coastal bottlenose dolphins in response to disturbance. *Functional Ecology*, 27(2), 314–322.
- New, L. F., D. J. Moretti, S. K. Hooker, D. P. Costa, and S. E. Simmons. (2013b). Using energetic models to investigate the survival and reproduction of beaked whales (family Ziphiidae). *PLoS One*, 8(7), e68725.
- New, L. F., J. S. Clark, D. P. Costa, E. Fleishman, M. A. Hindell, T. Klanjšček, D. Lusseau, S. Kraus, C. R. McMahon, P. W. Robinson, R. S. Schick, L. K. Schwarz, S. E. Simmons, L. Thomas, P. Tyack, & J. Harwood. (2014). Using short-term measures of behaviour to estimate long-term fitness of southern elephant seals. *Marine Ecology Progress Series*, 496, 99–108.
- Ng, S. L., & Leung, S. (2003). Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Marine Environmental Research*, 56(5), 555–567.
- Nielsen, M. L., Bejder, L., Videsen, S. K., Christiansen, F., & Madsen, P. T. (2019). Acoustic crypsis in southern right whale mother–calf pairs: infrequent, low-output calls to avoid predation?. *Journal of Experimental Biology*, 222(13), jeb190728.
- Nieukirk, S. L., S. Fregosi, D. K. Mellinger, and H. Klinck. (2016). A complex baleen whale call recorded in the Mariana Trench Marine National Monument. *The Journal of the Acoustical Society of America*, 140(3), EL274.
- Noren, D. P., A. H. Johnson, D. Rehder, & A. Larson. (2009). Close approaches by vessels elicit surface active behaviors by southern resident killer whales. *Endangered Species Research*, 8(3), 179–192.
- Norris, T. F., J. Oswald, T. Yack, E. Ferguson, C. Hom-Weaver, K. Dunleavy, S. Coates, and T. Dominello. (2012). *An Analysis of Acoustic Data from the Mariana Islands Sea Turtle and Cetacean Survey (MISTCS)*. Encinitas, CA: Bio-Waves, Inc.

- Norris, T. F., J. Oswald, T. Yack, E. Ferguson, C. Hom-Weaver, K. Dunleavy, S. Coates, and T. Dominello. (2014). An Analysis of Acoustic Data from the Mariana Islands Sea Turtle and Cetacean Survey (MISTCS) March 2014 Revision. Bio-Waves Inc.
- Norris, T., T. Yack, E. Ferguson, and K. Dunleavy. (2015). A Comparison of Acoustic Based Line-Transect Density Estimates for Sperm Whales and Minke Whales in the Northern Marianas Islands. Paper presented at the 7th International Workshop on [Detection, Classification, Localization, and Density Estimation] of Marine Mammals using Passive Acoustics. La Jolla, CA
- Norris, T. F., K. J. Dunleavy, T. M. Yack, and E. L. Ferguson. (2017). Estimation of minke whale abundance from an acoustic line transect survey of the Mariana Islands. *Marine Mammal Science*, 33(2), 574–592.
- Nowacek, D., L. H. Thorne, D. Johnston, & P. Tyack. (2007). Responses of cetaceans to anthropogenic noise. *Mammal Review*, 37(2), 81-115.
- Nowacek, D. P., M. P. Johnson, & P. L. Tyack. (2004). North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London*, 271(B), 227–231.
- Odell, D.K., E. D. Asper, J. Baucom, & L. H. Cornell. (1980). A recurrent mass stranding of false killer whales in Florida. *Fishery Bulletin*, 78(1), 171-177.
- Office of Naval Research (ONR). (2009). Workshop: Effects of Stress on Marine Mammals. Arlington, VA, 4-5 November, 2009.
- Oleson, E. M., S. Baumann-Pickering, A. Širović, K. P. Merkens, L. M. Munger, J. S. Trickey, and P. Fisher-Pool. (2015). Analysis of long-term acoustic datasets for baleen whales and beaked whales within the Mariana Islands Range Complex (MIRC) for 2010 to 2013 (Pacific Islands Fisheries Science Center Data Report DR-15-002). Honolulu, HI: Pacific Islands Fisheries Science Center.
- Pace, R., and G. Silber. (2005). Simple analyses of ship and large whale collisions: Does speed kill? Pages 1 In National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Protected Resources.
- Packard, A., Karlsen, H. E., & Sand, O. (1990). Low frequency hearing in cephalopods. *Journal of Comparative Physiology A*, 166(4), 501-505.
- Parks, S. E., C. W. Clark, & P. L. Tyack. (2007). Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. *The Journal of Acoustical Society of America*, 122(6), 3725–3731.
- Parks, S. E., Cusano, D. A., Van Parijs, S. M., & Nowacek, D. P. (2019). Acoustic crypsis in communication by North Atlantic right whale mother–calf pairs on the calving grounds. *Biology letters*, 15(10), 20190485.
- Patricelli, G. L., & Blickley, J. L. (2006). Avian communication in urban noise: causes and consequences of vocal adjustment. *The Auk*, 123(3), 639-649.
- Phillips, G. E., & Alldredge, A. W. (2000). Reproductive success of elk following disturbance by humans during calving season. *The Journal of Wildlife Management*, 521-530.
- Piantadosi, C. A., & E. D. Thalmann. (2004). Whales, sonar and decompression sickness. *Nature*, 1.
- Pirotta, E., Milor, R., Quick, N., Moretti, D., Di Marzio, N., Tyack, P., Boyd, I., & Hastie, G. (2012). Vessel Noise Affects Beaked Whale Behavior: Results of a Dedicated Acoustic Response Study.
- Pirotta, E., N. D. Merchant, P. M. Thompson, T. R. Barton, & D. Lusseau. (2015b). Quantifying the effect of boat disturbance on bottlenose dolphin foraging activity. *Biological Conservation*, 181, 82–89.
- Pitcher, T.J., Morato, T., Hart, P.J., Clark, M.R., Haggan, N., Santos, R.S. (2007). The depths of ignorance: an ecosystem evaluation framework for seamount ecology, fisheries and conservation. *Seamounts: Ecology, Fisheries & Conservation*. 476.
- Popper, A. N., & M. C. Hastings. (2009a). The effects of anthropogenic sources of sound on fishes. *Journal of Fish Biology*, 75(3), 455–489.
- Popper, A. N., & M. C. Hastings. (2009b). The effects of human-generated sound on fish. *Integrative Zoology*, 4, 43–52.
- Popper, A. N., and A. Hawkins. (2016). The Effects of Noise on Aquatic Life II.

- Popper, A. N., & R. R. Fay. (2011). Rethinking sound detection by fishes. *Hearing Research*, 273(1–2), 25–36.
- Popper, A. N., R. R. Fay, C. Platt, & O. Sand. (2003). Sound detection mechanisms and capabilities of teleost fishes. In S. P. Collin & N. J. Marshall (Eds.), *Sensory Processing in Aquatic Environment*. New York, NY: Springer-Verlag.
- Popper, A. N., J. Ramcharitar, & S. E. Campana. (2005). Why Otoliths? Insights from Inner Ear Physiology and Fisheries Biology. *Marine and Freshwater Research*, 56, 8.
- Popper, A. N., M. B. Halvorsen, A. Kane, D. L. Miller, M. E. Smith, J. Song, P. Stein, & L. E. Wysocki. (2007). The effects of high-intensity, low-frequency active sonar on rainbow trout. *The Journal of Acoustical Society of America*, 122(1), 623–635.
- Popper, A. N., A. D. Hawkins, R. R. Fay, D. A. Mann, S. M. Bartol, T. J. Carlson, S. Coombs, W. T. Ellison, R. L. Gentry, M. B. Halvorsen, S. Løkkeborg, P. H. Rogers, B. L. Southall, D. G. Zeddies, & W. N. Tavolga. (2014). *Sound Exposure Guidelines for Fishes and Sea Turtles*.
- Popper, A. N., J. A. Gross, T. J. Carlson, J. Skalski, J. V. Young, A. D. Hawkins, & D. G. Zeddies. (2016). Effects of exposure to the sound from seismic airguns on pallid sturgeon and paddlefish. *PLoS ONE*, 11(8), e0159486.
- Posner, M. I. (1994). Attention: the mechanisms of consciousness. *Proceedings of the National Academy of Sciences*, 91(16), 7398-7403.
- Read, A. J., S. Barco, J. Bell, D. L. Borchers, M. L. Burt, E. W. Cummings, J. Dunn, E. M. Fougères, L. Hazen, & L. E. W. Hodge. (2014). Occurrence, distribution and abundance of cetaceans in Onslow Bay, North Carolina, USA. *Journal of Cetacean Research Management*, 14, 23–35.
- Redfern, J. V., Ferguson, M. C., Becker, E. A., Hyrenbach, K. D., Good, C., Barlow, J., ... & Fauchald, P. (2006). Techniques for cetacean–habitat modeling. *Marine Ecology Progress Series*, 310, 271-295.
- Reichmuth, C., M. M. Holt, J. Mulsow, J. M. Sills, and B. L. Southall. (2013). Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory Neural, and Behavioral Physiology*, 199(6), 491–507.
- Relyea, R. A. (2005a). The impact of insecticides and herbicides on the biodiversity and productivity of aquatic communities. *Ecological applications*, 15(2), 618-627.
- Relyea, R. A. (2005b). The lethal impacts of Roundup and predatory stress on six species of North American tadpoles. *Archives of Environmental Contamination and Toxicology*, 48(3), 351-357.
- Richardson, W. J., C. R. Greene, Jr., C. I. Malme, & D. H. Thomson. (1995). *Marine Mammals and Noise*. San Diego, CA: Academic Press.
- Richardson, W. J., Finley, K. J., Miller, G. W., Davis, R. A., & Koski, W. R. (1995). Feeding, social and migration behavior of bowhead whales, *Balaena mysticetus*, in Baffin Bay vs. the Beaufort Sea—regions with different amounts of human activity. *Marine mammal science*, 11(1), 1-45.
- Ridgway, S., Carder, D., Finneran, J., Keogh, M., Kamolnick, T., Todd, M., & Goldblatt, A. (2006). Dolphin continuous auditory vigilance for five days. *Journal of Experimental Biology*, 209(18), 3621-3628.
- Ridgway, S. H., & R. Howard. (1979). Dolphin lung collapse and intramuscular circulation during free diving: Evidence from nitrogen washout. *Science*, 206, 1182–1183.
- Risch, D., P. J. Corkeron, W. T. Ellison, & S. M. Van Parijs. (2012). Changes in humpback whale song occurrence in response to an acoustic source 200 km away. *PLoS ONE*, 7(1), e29741.
- Rivier, C., & Rivest, S. (1991). Effect of stress on the activity of the hypothalamic-pituitary-gonadal axis: peripheral and central mechanisms. *Biology of reproduction*, 45(4), 523-532.
- Rolland, R. M., S. E. Parks, K. E. Hunt, M. Castellote, P. J. Corkeron, D. P. Nowacek, S. K. Wasser, & S. D. Kraus. (2012). Evidence that ship noise increases stress in right whales. *Proc Biol Sci*, 279(1737), 2363–2368.
- Romano, T. A., Olschowka, J. A., Felten, S. Y., Quaranta, V., Ridgway, S. H., & Felten, D. L. (2002). Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 In *Molecular and Cell Biology of Marine Mammals*. Krieger Publishing Co., Malabar, Florida.

- Romano, T. A., M. J. Keogh, C. Kelly, P. Feng, L. Berk, C. E. Schlundt, D. A. Carder, & J. J. Finneran. (2004). Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposures. *Canadian Journal of Fisheries and Aquatic Sciences*, 61, 1124–1134.
- Romero, L. M. (2004). Physiological stress in ecology: lessons from biomedical research. *Trends in Ecology & Evolution*, 19(5), 249-255.
- Rommel, S. A., Costidis, A. M., Fernandez, A., Jepson, P. D., Pabst, D. A., Houser, D. S., ... & Barros, N. B. (2006). Elements of beaked whale anatomy and diving physiology and some hypothetical causes of sonar-related stranding. *Journal of Cetacean Research and Management*.
- Rosen, G., & G. R. Lotufo. (2010). Fate and effects of composition B in multispecies marine exposures. *Environmental Toxicology and Chemistry*, 9999(12), 1–8.
- Saino, N. (1994). Time budget variation in relation to flock size in carrion crows, *Corvus corone corone*. *Animal Behaviour*, 47(5), 1189-1196.
- Sapolsky, R. M. (2005). The influence of social hierarchy on primate health. *Science*, 308(5722), 648-652.
- Saunders, K. J., P. R. White, & T. G. Leighton. (2008). Models for predicting Nitrogen tensions and decompression sickness risk in diving beaked whales. *Proceedings of the Institute of Acoustics*, 30(5).
- Scheidat, M., Castro, C., Gonzalez, J., & Williams, R. (2004). Behavioural responses of humpback whales (*Megaptera novaeangliae*) to whalewatching boats near Isla de la Plata, Machalilla National Park, Ecuador. *Journal of Cetacean Research and Management*, 6(1), 63-68.
- Scheifele, P. M., Andrew, S., Cooper, R. A., Darre, M., Musiek, F. E., & Max, L. (2005). Indication of a Lombard vocal response in the St. Lawrence River beluga. *The Journal of the Acoustical Society of America*, 117(3), 1486-1492.
- Schorr, G. S., E. A. Falcone, D. J. Moretti, and R. D. Andrews. (2014). First long-term behavioral records from Cuvier's beaked whales (*Ziphius cavirostris*) reveal record-breaking dives. *PLoS ONE*, 9(3), e92633.
- Schorr, G.S., E.A. Falcone, B.K. Rone, and E.L. Keene. (2019). Distribution and demographics of Cuvier's beaked whales and fin whales in the Southern California Bight. Annual Report for 2018. Prepared by: Marine Ecology and Telemetry Research, Cascadia WA. Contract N66604-18-Q-2187. Prepared for: US Pacific Fleet, Pearl Harbor, HI. 30 pp.
- Seyle, H. (1950). *The Physiology and Pathology of Exposure to Stress*. Oxford, England: Acta, Inc. 203 pp.
- Silber, G. K., J. Slutsky, & S. Bettridge. (2010). Hydrodynamics of a ship/whale collision. *Journal of Experimental Marine Biology and Ecology*, 391, 10–19.
- Sih, A., Bell, A. M., & Kerby, J. L. (2004). Two stressors are far deadlier than one. *Trends in ecology & evolution*, 19(6), 274-276.
- Simeone, C and Moore K. (2017). Stranding response, and Appendix 5., In *CRC Handbook of Marine Mammal Medicine*. Third edition, eds Gulland, FMD, Dierauf and Whitman KL, CRC Pres, Boca Raton, FL. USA.
- Sivle, L. D., P. H. Kvalsheim, M. A. Ainslie, A. Solow, N. O. Handegard, N. Nordlund, and F. P. A. Lam. (2012a). Impact of naval sonar signals on Atlantic herring (*Clupea harengus*) during summer feeding. *ICES Journal of Marine Science*, 69(6), 1078–1085.
- Sivle, L. D., P. H. Kvalsheim, & M. A. Ainslie. (2014). Potential for population-level disturbance by active sonar in herring. *ICES Journal of Marine Science*, 72(2), 558–567.
- Sivle, L. D., P. H. Kvalsheim, C. Curé, S. Isojunno, P. J. Wensveen, F. A. Lam, F. Visser, L. Kleivane, P. L. Tyack, C. M. Harris, and P. J. O. Miller. (2015). Severity of expert-identified behavioural responses of humpback whale, minke whale, and northern bottlenose whale to naval sonar. *Aquatic Mammals*, 41(4), 469–502.
- Sivle, L. D., P. J. Wensveen, P. H. Kvalsheim, F. P. A. Lam, F. Visser, C. Curé, C. M. Harris, P. L. Tyack, and P. J. O. Miller. (2016). Naval sonar disrupts foraging in humpback whales. *Marine Ecology Progress Series*, 562, 211–220.
- Smith, M. E., Kane, A. S., & Popper, A. N. (2004). Acoustical stress and hearing sensitivity in fishes: does the linear threshold shift hypothesis hold water?. *Journal of Experimental Biology*, 207(20), 3591-3602.

- Smith, M. E., Kane, A. S., & Popper, A. N. (2004). Noise-induced stress response and hearing loss in goldfish (*Carassius auratus*). *Journal of Experimental Biology*, 207(3), 427-435.
- Smith, M. E., Coffin, A. B., Miller, D. L., & Popper, A. N. (2006). Anatomical and functional recovery of the goldfish (*Carassius auratus*) ear following noise exposure. *Journal of Experimental Biology*, 209(21), 4193-4202.
- Smith, M. E. (2016). Relationship Between Hair Cell Loss and Hearing Loss in Fishes. In A. N. Popper & A. Hawkins (Eds.), *The Effects of Noise on Aquatic Life II* (pp. 8). New York: Springer.
- Sole et al., 2013
- Sole, M., P. Sigray, M. Lenoir, M. Van der Schaar, E. Lalander, & M. Andre. (2017b). Offshore exposure experiments on cuttlefish indicate received sound pressure and particle motion levels associated with acoustic trauma. *Scientific Reports*, 7(45899), 1–13.
- Soto, N.A., M. Johnson, P.T. Madsen, P.L. Tyack, A. Bocconcelli, and J.F. Borsani. (2006). Does intense ship noise disrupt foraging in deep-diving Cuvier's beaked whales (*Ziphius cavirostris*)? *Marine Mammal Science* 22(3):690-699.
- Southall, B. L., A. E. Bowles, W. T. Ellison, J. J. Finneran, R. L. Gentry, C. R. Greene, Jr., D. Kastak, D. R. Ketten, J. H. Miller, P. E. Nachtigall, W. J. Richardson, J. A. Thomas, & P. L. Tyack. (2007). Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals*, 33(4), 411–521.
- Southall, B. L., P. L. Tyack, D. Moretti, C. Clark, D. Claridge, & I. Boyd. (2009). *Behavioral responses of beaked whales and other cetaceans to controlled exposures of simulated sonar and other sounds*. Paper presented at the 18th Biennial Conference on the Biology of Marine Mammals, Quebec City, Canada.
- Southall, B., J. Calambokidis, P. Tyack, D. Moretti, J. Hildebrand, C. Kyburg, R. Carson, A. Friedlaender, E. Falcone, G. Schorr, A. Douglas, S. DeRuiter, J. Goldbogen, & J. Barlow. (2011). *Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2010 ("SOCAL-10")*. Pearl Harbor, HI: U.S. Navy Pacific Fleet.
- Southall, B., Calambokidis, J., Tyack, P., Moretti, D., Friedlaender, A., De Ruiter, S., Goldbogen, J., Falcone, E., Schorr, G., Douglas, A., Stimpert, A., Hildebrand, J., Kyburg, C., Carlson, R., Yack, T., & Barlow, J. (2012a). *Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2011 ("SOCAL-11")*, Final Project Report, 8 March 2012.
- Southall, B. L., Moretti, D., Abraham, B., Calambokidis, J., DeRuiter, S. L., Tyack, P.L. (2012b). *Marine Mammal Behavioral Response Studies in Southern California: Advances in Technology and Experimental Methods. Marine Technology Society Journal* 46(4), 46-59.
- Southall, B., J. Calambokidis, J. Barlow, D. Moretti, A. Friedlaender, A. Stimpert, A. Douglas, K. Southall, S. Arranz, S. DeRuiter, E. Hazen, J. Goldbogen, E. Falcone, & G. Schorr. (2013). *Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2012 ("SOCAL-12")*.
- Southall, B., J. Calambokidis, J. Barlow, D. Moretti, A. Friedlaender, A. Stimpert, A. Douglas, K. Southall, P. Arranz, S. DeRuiter, J. Goldbogen, E. Falcone, & G. Schorr. (2014). *Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2013 ("SOCAL-13")*. Pearl Harbor, HI: U.S. Navy Pacific Fleet.
- Southall, B. L., D. P. Nowacek, P. J. O. Miller, & P. L. Tyack. (2016). Experimental field studies to measure behavioral responses of cetaceans to sonar. *Endangered Species Research*, 31, 293–315.
- Southall, B.L., J.J. Finneran, C. Reichmuth, P.E. Nachtigall, D.R. Ketten, A.E. Bowles, W.T. Ellison, D.P. Nowacek, and P.L. Tyack. 2019a. Marine Mammal Noise Exposure Criteria: Updated Scientific Recommendations for Residual Hearing Effects. *Aquatic Mammals* 45(2):125-232.
- Southall, B.L., S. L. DeRuiter, A. Friedlaender, A.K. Stimpert, J.A. Goldbogen, E. Hazen, C. Casey, S. Fregosi, D.E. Cade, A.N. Allen, and C.M. Harris. 2019b. Behavioral responses of individual blue whales (*Balaenoptera musculus*.)
- Steidl, R. J., & Anthony, R. G. (1996). Responses of bald eagles to human activity during the summer in interior Alaska. *Ecological Applications*, 6(2), 482-491.

- Stimpert, A.K., S.L. DeRuiter, B.L. Southall, D.J. Moretti, E.A. Falcone, J.A. Godbogen, A. Friedlaender, G.S. Schorr, and J. Calambokidis. 2014. Acoustic and foraging behavior of a Baird's beaked whale, *Berardius bairdii*, exposed to simulated sonar. *Sci Rep* 4:7031. DOI: 10.1038/srep07031
- Swingle, W. M., Barco, S. G., Pitchford, T. D., McLellan, W. A., & Pabst, D. A. (1993). Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. *Marine Mammal Science*, 9(3), 309-315.
- Swisdak, M. M., Jr., & P. E. Montaro. (1992). *Airblast and fragmentation hazards produced by underwater explosions*. Silver Springs, MD: Naval Surface Warfare Center.
- Tal, D., Shachar-Bener, H., Hershkovitz, D., Arieli, Y., & Shupak, A. (2015). Evidence for the initiation of decompression sickness by exposure to intense underwater sound. *Journal of Neurophysiology*, 114(3), 1521-1529.
- Taylor, B., Barlow, J., Pitman, R., Ballance, L., Klinger, T., DeMaster, D., ... & Mead, J. (2004, July). A call for research to assess risk of acoustic impact on beaked whale populations. In *Scientific Committee at the 56th Meeting of the International Whaling Commission* (Vol. 29).
- Techer, D., S. Milla, & D. Banas. (2017). Sublethal Effect Assessment of a Low-power and Dual-frequency Anti-cyanobacterial Ultrasound Device on the Common Carp (*Cyprinus carpio*): a Field Study. *Environmental Science and Pollution Research*, 24, 10.
- Teilmann, J., J. Tougaard, L. A. Miller, T. Kirketerp, K. Hansen, & S. Brandø. (2006). Reactions of captive harbor porpoises (*Phocoena phocoena*) to pinger-like sounds. *Marine Mammal Science*, 22(2), 240–260.
- Thompson, D. R., & Hamer, K. C. (2000). Stress in seabirds: causes, consequences and diagnostic value. *Journal of aquatic ecosystem stress and recovery*, 7(1), 91-109.
- Thompson, D., M. Sjöberg, M. E. Bryant, P. Lovell, and A. Bjørge. (1998). Behavioral and physiological responses of harbour (*Phoca vitulina*) and grey (*Halichoerus grypus*) seals to seismic surveys (Report to European Commission of BROMMAD Project. MAS2 C7940098). Brussels, Belgium: European Commission.
- Todd, S., P. Stevick, J. Lien, F. Marques, & D. Ketten. (1996). Behavioural effects of exposure to underwater explosions in humpback whales (*Megaptera novaeangliae*). *Canadian Journal of Zoology*, 74, 1661–1672.
- Treves, A. (2000). Theory and method in studies of vigilance and aggregation. *Animal Behaviour*, 60(6), 711-722.
- Trimper, P. G., Standen, N. M., Lye, L. M., Lemon, D., Chubbs, T. E., & Humphries, G. W. (1998). Effects of low-level jet aircraft noise on the behaviour of nesting osprey. *Journal of Applied Ecology*, 35(1), 122-130.
- Tyack, P. L. (2000). Functional aspects of cetacean communication. In J. Mann, R. C. Connor, P. L. Tyack, and H. Whitehead (Eds.), *Cetacean societies: Field studies of dolphins and whales*. Chicago, IL: University of Chicago Press.
- Tyack, P. L., M. Johnson, N. A. Soto, A. Sturlese, & P. T. Madsen. (2006). Extreme diving of beaked whales. *Journal of Experimental Biology*, 209(21), 4238–4253.
- Tyack, P. L., W. M. X. Zimmer, D. Moretti, B. L. Southall, D. E. Claridge, J. W. Durban, C. W. Clark, A. D'Amico, N. DiMarzio, S. Jarvis, E. McCarthy, R. Morrissey, J. Ward, & I. L. Boyd. (2011). Beaked whales respond to simulated and actual Navy sonar. *PLoS ONE*, 6(3), 15.
- U.S. Department of the Navy. (2005). *Marine Resources Assessment for the Marianas Operating Area* (Final Report).
- U.S. Department of the Navy. (2007). *Marine Mammal and Sea Turtle Survey and Density Estimates for Guam and the Commonwealth of the Northern Mariana Islands - Final Report*.
- U.S. Department of the Navy. (2010b). *Mariana Islands Range Complex EIS/OEIS*.
- U.S. Department of the Navy. (2011c). *Scientific Advisory Group for Navy Marine Species Monitoring - Workshop Report and Recommendations*.
- U.S. Department of the Navy. (2017c). *Criteria and Thresholds for U.S. Navy Acoustic and Explosive Impacts to Marine Mammals and Sea Turtles*. Space and Naval Warfare System Command, Pacific.
- U.S. Department of the Navy. (2018a). *Quantifying Acoustic Impacts on Marine Mammals and Sea Turtles: Methods and Analytical Approach for Phase III Training and Testing* (Technical Report prepared by

- NUWC Division Newport, Space and Naval Warfare Systems Center Pacific, G2 Software Systems, and the National Marine Mammal Foundation). Newport, RI: Naval Undersea Warfare Center.
- U.S. Department of the Navy. (2018b). U.S. Navy Marine Species Density Database Phase III for the Mariana Islands Training and Testing Study Area (Naval Facilities Engineering Command Pacific Technical Report). Pearl Harbor, HI: Naval Facilities Engineering Command Pacific
- U.S. Department of the Navy. (2019). Draft Mariana Islands Training and Testing Environmental Impact Statement/Overseas Environmental Impact Statement. Pearl Harbor, HI.
- Uyeyama, R. (2014). Compilation of incidental marine mammal and sea turtle sightings in the Mariana Islands Range Complex. Prepared by Naval Facilities Engineering Command, Pacific (Pearl Harbor, HI) for Commander, U.S. Pacific Fleet (Pearl Harbor, HI).
- Uyeyama, R. K., M. A. Fagan, and L. H. Shannon. (2012). Cruise Report Marine Mammal and Sea Turtle Observer UNDET Monitoring Hawaii Range Complex: 19 & 26 October and 2 November 2011. Naval Facilities Engineering Command, Pacific.
- Van der Hoop, J. M., A. S. M. Vanderlaan, & C. T. Taggart. (2012). Absolute probability estimates of lethal vessel strikes to North Atlantic right whales in Roseway Basin, Scotian Shelf. *Ecological Applications*, 22(7), 2021–2033.
- Van der Hoop, J. M., M. J. Moore, S. G. Barco, T. V. Cole, P. Y. Daoust, A. G. Henry, D. F. McAlpine, W. A. McLellan, T. Wimmer, & A. R. Solow. (2013). Assessment of management to mitigate anthropogenic effects on large whales. *Conservation biology : the journal of the Society for Conservation Biology*, 27(1), 121–133.
- Vanderlaan, M. S. A., & T. C. Taggart. (2007). Vessel collisions with whales: the probability of lethal injury based on vessel speed. *Marine Mammal Science*, 23(1), 144–156.
- van Rij, 2007.
- Visser, F., C. Cure, P. H. Kvasdheim, F. P. Lam, P. L. Tyack, & P. J. Miller. (2016). Disturbance-specific social responses in long-finned pilot whales, *Globicephala melas*. *Scientific Reports*, 6, 28641.
- Wade, P. R., T. J. Quinn, II, J. Barlow, C. S. Baker, A. M. Burdin, J. Calambokidis, P. J. Clapham, E. A. Falcone, J. K. B. Ford, C. M. Gabriele, D. K. Mattila, L. Rojas-Bracho, J. M. Straley, and B. Taylor. (2016). Estimates of abundance and migratory destination for North Pacific humpback whales in both summer feeding areas and winter mating and calving areas (SC/66b/IA/21). International Whaling Commission.
- Ward, W. D. (1997). Effects of high-intensity sound, In: M. J. Crocker (Ed.), *Encyclopedia of Acoustics* (pp. 1497-1507). New York, NY: Wiley.
- Ward, D. H., Stehn, R. A., Erickson, W. P., & Derksen, D. V. (1999). Response of fall-staging brant and Canada geese to aircraft overflights in southwestern Alaska. *The Journal of wildlife management*, 373-381.
- Wartzok, D., & D. R. Ketten. (1999). Marine Mammal Sensory Systems. In J. E. Reynolds, III & S. A. Rommel (Eds.), *Biology of Marine Mammals* (pp. 117–175). Washington, DC: Smithsonian Institution Press.
- Watkins, W. A., K. E. Moore, & P. Tyack. (1985). Sperm whale acoustic behavior in the southeast Caribbean. *Cetology*, 49, 1–15.
- Watkins, W. A. (1986). Whale reactions to human activities in Cape Cod waters. *Marine Mammal Science*, 2(4), 251–262.
- Watwood, S. L., J. D. Iafate, E. A. Reyier, & W. E. Redfoot. (2016). Behavioral Response of Reef Fish and Green Sea Turtles to Mid-Frequency Sonar. In A. N. Popper & A. Hawkins (Eds.), *The Effects of Noise on Aquatic Life II* (pp. 1213–1221). New York, NY: Springer New York.
- Welch, B.L. & A.S. Welch. (1970). *Physiological Effects of Noise*. Plenum Press.
- Wensveen, P.J., Isojunno, S., Hansen, R.R., von Benda-Beckmann, A.M., Kleivane, L., van IJsselmuide, S., Lam, F.P.A., Kvasdheim, P.H., DeRuiter, S.L., Curé, C. and Narazaki, T. (2019). Northern bottlenose whales in a pristine environment respond strongly to close and distant navy sonar signals. *Proceedings of the Royal Society B*, 286(1899), p.20182592.

- White Jr, D., Kendall, K. C., & Picton, H. D. (1999). Potential energetic effects of mountain climbers on foraging grizzly bears. *Wildlife Society Bulletin*, 146-151.
- Wiley, M. L., J. B. Gaspin, & J. F. Goertner. (1981). Effects of underwater explosions on fish with a dynamical model to predict fishkill. *Ocean Science and Engineering*, 6(2), 223–284.
- Wiley, D. N., & Asmutis, R. A. (1995). Stranding and mortality of humpback whales, *Megaptera novaeangliae*. *Fishery Bulletin*, 93, 196-205.
- Wiley, D. N., C. A. Mayo, E. M. Maloney, & M. J. Moore. (2016). Vessel strike mitigation lessons from direct observations involving two collisions between noncommercial vessels and North Atlantic right whales (*Eubalaena glacialis*). *Marine Mammal Science*, 32(4), 1501–1509.
- Williams, R., D. Lusseau, & P. S. Hammond. (2006). Estimating relative energetic costs of human disturbance to killer whales (*Orcinus orca*). *Biological Conservation*, 133, 301–311.
- Williams, R., D. E. Bain, J. C. Smith, & D. Lusseau. (2009). Effects of vessels on behaviour patterns of individual southern resident killer whales, *Orcinus orca*. *Endangered Species Research*, 6, 199–209.
- Williams, R., C. W. Clark, D. Ponirakis, & E. Ashe. (2014a). Acoustic quality of critical habitats for three threatened whale populations. *Animal Conservation*, 17(2), 174–185.
- Williams, R., C. Erbe, E. Ashe, A. Beerman, & J. Smith. (2014b). Severity of killer whale behavioral responses to ship noise: a dose-response study. *Marine Pollution Bulletin*, 79(1-2), 254–260.
- Williams, T. M., T. L. Kendall, B. P. Richter, C. R. Ribeiro-French, J. S. John, K. L. Odell, B. A. Losch, D. A. Feuerbach, and M. A. Stamper. (2017). Swimming and diving energetics in dolphins: A stroke-by-stroke analysis for predicting the cost of flight responses in wild odontocetes. *The Journal of Experimental Biology*, 220(6), 1135–1145.
- Wood, W. E., & Yezerinac, S. M. (2006). Song sparrow (*Melospiza melodia*) song varies with urban noise. *The Auk*, 123(3), 650-659.
- Woods Hole Oceanographic Institution, 2005 – Portugal stranding
- Wright, D. G. (1982). *A discussion paper on the effects of explosives on fish and marine mammals in the waters of the Northwest Territories* (Canadian Technical Report of Fisheries and Aquatic Sciences). Winnipeg, Manitoba: Western Region Department of Fisheries and Oceans.
- Wursig, B., S. K. Lynn, T. A. Jefferson, & K. D. Mullin. (1998). Behaviour of cetaceans in the northern Gulf of Mexico relative to survey ships and aircraft. *Aquatic Mammals* 24.1:41-50.
- Yack, T. M., T. F. Norris, and N. Novak. (2016). Acoustic Based Habitat Models for Sperm Whales in the Mariana Islands Region. Arlington, VA: Bio-Waves, Inc.
- Yarmoloy, C., Bayer, M., & Geist, V. (1988). Behavior responses and reproduction of mule deer, *Odocoileus hemionus*, does following experimental harassment with an all-terrain vehicle. *Canadian field-naturalist*. Ottawa ON, 102(3), 425-429.
- Yazvenko, S. B., T. L. McDonald, S. A. Blokhin, S. R. Johnson, H. R. Melton, M. W. Newcomer, R. Nielson, & P. W. Wainwright. (2007). Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134(1–3), 93–106.
- Yelverton, J. T., D. R. Richmond, E. R. Fletcher, & R. K. Jones. (1973). *Safe distances from underwater explosions for mammals and birds*. Albuquerque, NM: Lovelace Foundation for Medical Education and Research.
- Yelverton, J. T., D. R. Richmond, W. Hicks, K. Saunders, & E. R. Fletcher. (1975). *The relationship between fish size and their response to underwater blast*. Washington, DC: Lovelace Foundation for Medical Education and Research.
- Zaitseva, K. A., Morozov, V. P., & Akopian, A. I. (1980). Comparative characteristics of spatial hearing in the dolphin *Tursiops truncatus* and man. *Neuroscience and behavioral physiology*, 10(2), 180-182.
- Zimmer, W. M. X., & P. L. Tyack. (2007). Repetitive shallow dives pose decompression risk in deep-diving beaked whales. *Marine Mammal Science*, 23(4), 888–925.