

## Literature Cited

- ANSI (American National Standards Institute). 2013. Acoustic Terminology (ANSI S1.1-2013). New York: Acoustical Society of America.
- Au, W.W.L. and M.C. Hastings. 2008. Principles of Marine Bioacoustics. Springer, New York.
- Balmer, B.C., R.S. Wells, S.M. Nowacek, D.P. Nowacek, L.H. Schwacke, W.A. McLellan, et al. 2008. Seasonal abundance and distribution patterns of common bottlenose dolphins (*Tursiops truncatus*) near St. Joseph Bay, Florida, USA. Journal of Cetacean Research and Management **10** (2):157-167.
- Caldwell, M. 2001. Social and genetic structure of bottlenose dolphin (*Tursiops truncatus*) in Jacksonville, Florida. Ph.D. dissertation. University of Miami: 143.
- Caltrans (California Department of Transportation). 2012. Compendium of pile driving sound data. California Department of Transportation: 215.
- Caltrans. 2015. Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish. Authored by David Buehler, P.E., Rick Oestman, James Reyff, Keith Pommerenck, Bill Mitchell: 532.
- Cortese, N.A. 2000. Delineation of bottlenose dolphin populations in the western Atlantic Ocean using stable isotopes. M.S. thesis. University of Virginia: 128.
- Cravey, B.R. 2016. Young Right Whale that Blocked Jacksonville Shipping Traffic in 2011 Now a Mother. The Florida-Times Union. Webpage.
- DoN (Department of the Navy). 2008. Marine Resources Assessment update for the Charleston/Jacksonville Operating Area. Prepared by Geo-Marine, Inc. for Department of the Navy: 663.
- DoN. 2015. Final Hydroacoustic and Airborne monitoring at the Naval Station Mayport, 9- 11 June 2015. Prepared by Illingworth and Rodkin, Inc. August 2015.
- DoN 2015b. Wharf Charlie Two at Naval Station Mayport: Marine Mammal Observer Report Covering the Period of May 26 to August 17, 2015: 34.
- DoN. 2016. Wharf Charlie Two at Naval Station Mayport: Marine Mammal Observer Report Covering the Period of 8 September 2015 to 7 September 2016: 34
- DoN. 2017a. Pile-Driving Noise Measurements at Atlantic Fleet Naval Installations: 28 May2013-28 April 2016. Prepared by Illingsworth&Rodkin, Inc. January 2017: 152.

- DoN. 2017b. U.S. Navy Marine Species Density Database Phase III for the Atlantic Fleet Training and Testing Study Area. NAVFAC Atlantic Final Technical Report. Naval Facilities Engineering Command Atlantic, Norfolk, VA: 281.
- Duffield, D.A., S.H. Ridgway, and L.H. Cornell. 1983. Hematology distinguishes coastal and offshore forms of dolphins (*Tursiops*). *Canadian Journal of Zoology* **61** (4):930-933.
- Duffield, D. 1987. Investigation of genetic variability in stocks of the bottlenose dolphin (*Tursiops truncatus*) and the loggerhead sea turtle (*Caretta caretta*). Contract Report No. NA83-GA-C-00036, National Marine Fisheries Service: 51.
- Ellison, W.T., Southall, B.L., Clark, C.W. and A.S. Frankel. 2011. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology* **26**(1): 21-28.
- Garrison, L.P., P.E. Rosel, A.A. Hohn, R. Baird, and W. Hoggard. 2003. Abundance of the coastal morphotype of bottlenose dolphin, *Tursiops truncatus*, in U.S. continental shelf waters between New Jersey and Florida during winter and summer 2002. National Marine Fisheries Service: 135.
- Gibbons, T.J. 2011. Right whale shuts down traffic on the St. Johns. The Florida-Times Union. Webpage.
- Gubbins, C. 2002. Association patterns of resident bottlenose dolphins (*Tursiops truncatus*) in a South Carolina estuary. *Aquatic Mammals* **28** (1):24-31.
- Gubbins, C.M., M. Caldwell, S.G. Barco, K. Rittmaster, N. Bowles, and V. Thayer. 2003. Abundance and sighting patterns of bottlenose dolphins (*Tursiops truncatus*) at four northwest Atlantic coastal sites. *Journal of Cetacean Research and Management* **5** (2):141-147.
- Hansen, L.J., L.H. Schwacke, G.B. Mitchum, A.A. Hohn, R.S. Wells, E.S. Zolman, and P.A. Fair. 2004. Geographic variation in polychlorinated biphenyl and organochlorine pesticide concentrations in the blubber of bottlenose dolphins from the US Atlantic coast. *Science of the Total Environment* **319**:147-172.
- Hastings, M.C. and A.N. Popper. 2005. Effects of sound on fish. Prepared by Jones & Stokes for the California Department of Transportation: 82.
- Hayes, S.A., Josephon, E., Mase-Foley, K., and P.E. Rosel (eds.). 2016. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments: 2016. NOAA Technical Memorandum NMFS- NE-214, National Marine Fisheries Service: 276.
- HDR, Inc. 2012. Naval Base Kitsap at Bangor Test Pile Program Final Marine Mammal Monitoring Report. Prepared by HDR, Inc. for Naval Facilities Engineering Command Northwest: 231.

- Hemilä, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints (L). *Journal of the Acoustical Society of America* **120** (6):3463-3466.
- Hersh, S.L. and D.A. Duffield. 1990. Distinction between northwest Atlantic offshore and coastal bottlenose dolphins based on hemoglobin profile and morphometry. Pages 129-139 in S. Leatherwood and R.R. Reeves, eds. *The bottlenose dolphin*. Academic Press, San Diego.
- Hildebrand, J.A. 2009. Anthropogenic and natural sources of ambient noise in the ocean. *Marine Ecology Progress Series* **395**:5-20.
- Hoelzel, A.R., C.W. Potter, and P.B. Best. 1998. Genetic differentiation between parapatric 'nearshore' and 'offshore' populations of the bottlenose dolphin. *Proceedings of the Royal Society B: Biological Sciences* **265** (1402):1177-1183.
- Illingworth and Rodkin. 2010. Underwater sound levels associated with driving steel piles for the State Route 520 Bridge Replacement and HOV Project Pile Installation Test Program. Prepared by Illingworth and Rodkin, Inc. for Washington State Department of Transportation: 143.
- Illingworth and Rodkin. 2012. Naval Base Kitsap at Bangor Test Pile Program: Acoustic monitoring report. Prepared by Illingworth and Rodkin, Inc. for U.S. Navy: 128.
- Illingworth and Rodkin. 2013. Joint Expeditionary Force Base Little Creek and Craney Island hydroacoustic and airborne final interim monitoring report. Prepared by Illingworth and Rodkin, Inc. for HDR, Inc.: 40.
- Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America* **126** (1):476-483.
- Kerr, K.A., R.H. Defran, and G.S. Campbell. 2005. Bottlenose dolphins (*Tursiops truncatus*) in the Drowned Cayes, Belize: Group size, site fidelity and abundance. *Caribbean Journal of Science* **41** (1):172-177.
- Knoff, A.J. 2004. Bottlenose dolphin (*Tursiops truncatus*) population structure along the Atlantic coast of the United States: A stable isotope approach. Ph.D. dissertation, University of Virginia: 156.
- Kuehl, D.W., R. Haebler, and C. Potter. 1991. Chemical residues in dolphins from the U.S. Atlantic coast including Atlantic bottlenose obtained during the 1987/88 mass mortality. *Chemosphere* **22** (11):1071-1084.
- Laerm, J., F. Wenzel, J.E. Craddock, D. Weinand, J. McGurk, M.J. Harris, et al. 1997. New prey species for northwestern Atlantic humpback whales. *Marine Mammal Science* **13** (4):705-711.

- Laughlin, J. 2005a. Underwater sound levels associated with pile driving at the Bainbridge Island Ferry Terminal Preservation Project. Washington State Department of Transportation: 48.
- Laughlin, J. 2005b. Underwater sound levels associated with restoration of the Friday Harbor Ferry Terminal. Washington State Department of Transportation: 130.
- Lusseau, D. and L. Bejder. 2007. The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. *International Journal of Comparative Psychology* **201** (2-3):228-236.
- Mazzoil, M., J.S. Reif, M. Youngbluth, M.E. Murdoch, S.E. Bechdel, E. Howells, et al. 2008. Home ranges of bottlenose dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida: Environmental correlates and implications for management strategies. *EcoHealth* **5** (3):278-288.
- McLellan, W.A., A.S. Friedlaender, J.G. Mead, C.W. Potter, and D.A. Pabst. 2002. Analysing 25 years of bottlenose dolphin (*Tursiops truncatus*) strandings along the Atlantic coast of the USA: Do historic records support the coastal migratory stock hypothesis? *Journal of Cetacean Research and Management* **4** (3):297-304.
- Mead, J.G. and C.W. Potter. 1995. Recognizing two populations of the bottlenose dolphin (*Tursiops truncatus*) off the Atlantic coast of North America: Morphologic and ecologic considerations. *IBI Reports* **5**:31-44.
- NMFS (National Marine Fisheries Service). 2001. Preliminary stock structure of coastal bottlenose dolphins along the Atlantic coast of the U.S. Unpublished report prepared for the Take Reduction Team on Coastal Bottlenose Dolphins in the Western Atlantic: 41.
- NMFS. 2016. Technical guidance for assessing the effects of anthropogenic sound on marine mammal hearing: Underwater acoustic thresholds for onset of permanent and temporary threshold shifts. NOAA Technical Memorandum NMFS-OPR-55, National Marine Fisheries Service: 178.
- Norris, T.F., Oswald, J., Yack, T.M., Ferguson, E., Kumar, A., Nissen, J. and J. Bell., 2013. Monitoring of marine mammal occurrence and acoustic behaviors in relation to mid-frequency active sonar using autonomous recorders deployed off the undersea warfare training range, Florida. *The Journal of the Acoustical Society of America* **134**(5): 4045
- Pearson, W.H., J.R. Skalski, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on behavior of captive rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences* **49**:1343-1356.
- Reichmuth, C. and M.M. Holt. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology* **199** (6):491-507.

- Reif, J.S., P.A. Fair, J. Adams, B. Joseph, D.S. Kilpatrick, R. Sanchez, et al. 2008. Evaluation and comparison of the health status of Atlantic bottlenose dolphins from the Indian River Lagoon, Florida, and Charleston, South Carolina. *Journal of the American Veterinary Medical Association* **233** (2):299-307.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. *Marine mammals and noise*. Academic Press, Inc., San Diego, California.
- Rosel, P.E., L. Hansen, and A.A. Hohn. 2009. Restricted dispersal in a continuously distributed marine species: Common bottlenose dolphins *Tursiops truncatus* in coastal waters of the western North Atlantic. *Molecular Ecology* **18** (24):5030-5045.
- Schwacke, L.H., A. Hall, R.S. Wells, G.D. Bossart, P.A. Fair, P.R. Becker, et al. 2004. Health and risk assessment for bottlenose dolphin (*Tursiops truncatus*) populations along the southeast United States coast: Current status and future plans. Scientific Committee Report SC/56/E20, International Whaling Commission: 15.
- Scott, G.P., D.M. Burn, and L.J. Hansen. 1988. The dolphin dieoff: Long-term effects and recovery of the population. Pages 819-823 in *OCEANS '88. A Partnership of Marine Interests*. Proceedings.
- Scott, M.D., R.S. Wells, and A.B. Irvine. 1990. A long-term study of bottlenose dolphins on the west coast of Florida. Pages 235-244 in S. Leatherwood and R.R. Reeves, eds. *The bottlenose dolphin*. Academic Press, San Diego.
- Shane, S.H., R.S. Wells, and B. Wursig. 1986. Ecology, behavior and social organization of the bottlenose dolphin: A review. *Marine Mammal Science* **2** (1):34-63.
- Skalski, J.R., W.H. Pearson, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences* **49**:1357-1365.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: initial scientific recommendations. *Aquatic Mammals* **33** (4):411-521.
- Speakman, T., E. Zolman, J. Adams, R.H. Defran, D. Laska, L. Schwacke, et al. 2006. Temporal and spatial aspects of bottlenose dolphin occurrence in coastal and estuarine waters near Charleston, South Carolina. NOAA Technical Memorandum NOS NCCOS 37, National Ocean Service: 55.
- Stevick, P., N. Øien, and D.K. Mattila 1998. Migration of a humpback whale between Norway and the West Indies. *Marine Mammal Science* **14**: 162–166
- Stevick P.T., S.D. Berrow, M. Bérubé, L. Bouveret, F. Broms, B. Jann et al.. 2016 There and back again: multiple and return exchange of humpback whales 43 between breeding habitats separated by an ocean basin. *Journal of the Marine Biological Association of the United Kingdom* **96** (4): 885-890.

- Stolen, M.K., W.N. Durden, and D.K. Odell. 2007. Historical synthesis of bottlenose dolphin (*Tursiops truncatus*) stranding data in the Indian River Lagoon System, Florida, from 1977-2005. *Florida Scientist* **70** (1):45-54.
- Thorson, P. and J.A. Reyff. 2006. San Francisco-Oakland Bay Bridge East Span Seismic Safety Project: marine mammal and acoustic monitoring for the marine foundations at piers E2 and T1, January-September 2006. Prepared by SRS Technologies and Illingworth & Rodkin, Inc. for the California Department of Transportation: 51.
- Torres, L.G., P.E. Rosel, C. D'Agrosa, and A.J. Read. 2003. Improving management of overlapping bottlenose dolphin ecotypes through spatial analysis and genetics. *Marine Mammal Science* **19** (3):502-514.
- Walker, W.A. 1981. Geographical variation in morphology and biology of bottlenose dolphins (*Tursiops*) in the eastern North Pacific. Administrative Report LJ-81-03C, National Marine Fisheries Service: 54.
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2014. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments – 2013. NOAA Technical Memorandum NMFS-NE-228, National Marine Fisheries Service: 475.
- Wartzok, D. and D.R. Ketten. 1999. Marine mammal sensory systems. Pages 117-175 in J.E. Reynolds and S.A. Rommel, eds. *Biology of Marine Mammals*. Smithsonian Institution Press, Washington.
- Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal* **37** (4):6-15.
- Weilgart, L.S. 2007. A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology* **201** (2-3):159-168.
- Wells, R.S., M.D. Scott, and A.B. Irvine. 1987. The social structure of free-ranging bottlenose dolphins. Pages 247-305 in H.H. Genoways, ed. *Current Mammalogy*, Vol. 1. Plenum Press, New York.
- Wells, R.S., K.W. Urian, A.J. Read, M.K. Bassos, W.J. Carr, and M.D. Scott. 1996. Low-level monitoring of bottlenose dolphins, *Tursiops truncatus*, in Tampa Bay, Florida 1988-1993. NOAA Technical Memorandum NMFS-SEFSC-385, National Marine Fisheries Service: 115.
- Wenzel, F.W., Allen, J., Berrow, S., Hazevoet, C.J., Jann, B., Seton, R.E., et al. 2009. Current knowledge on the distribution and relative abundance of humpback whales (*Megaptera novaeangliae*) off the Cape Verde Islands, Eastern North Atlantic. *Aquatic Mammals* **35** (4): 502-510.
- Wiley, D.N., R.A. Asmutis, T.D. Pitchford, and D.P. Gannon. 1995. Stranding and mortality of humpback whales, *Megaptera novaeangliae*, in the mid-Atlantic and southeast United States, 1985-1992. *Fishery Bulletin* **93** (1):196-205.

Zolman, E.S. 2002. Residence patterns of bottlenose dolphins (*Tursiops truncatus*) in the Stono River estuary, Charleston County, South Carolina, USA. *Marine Mammal Science* **18** (4):879-892.