

Table 4.4.2b SOUTHEAST REGION FISH BYCATCH BY STOCKS AND SPECIES (2015) All estimates are in live weights. Species bycatch ratio = total regional bycatch of a species / (total regional landings of the species + total regional bycatch of the species).

| COMMON NAME | SCIENTIFIC NAME | YEAR | BYCATCH POUNDS | BYCATCH INDIVIDUALS | BYCATCH RATIO | LANDINGS TOTAL | FOOTNOTES |
|--|--------------------------|-----------|----------------|---------------------|---------------|----------------|-----------|
| AFRICAN POMPANO | | | | | | | |
| African pompano | Alectis ciliaris | 2015 | | 39.34 | | | |
| African pompano - landings | Alectis ciliaris | | | | ** | 3,186.00 | |
| AFRICAN POMPANO (Subtotal) | | | 0.00 | 39.34 | | 3,186.00 | |
| ALBACORE | | | | | | | |
| Albacore - North Atlantic | Thunnus alalunga | 2013-2015 | 27,641.00 | | | | |
| Albacore - landings | Thunnus alalunga | | | | 0.05 | 504,638.00 | |
| ALBACORE (Subtotal) | | | 27,641.00 | 0.00 | | 504,638.00 | |
| ALMACO JACK | | | | | | | |
| Almaco jack | Seriola rivoliana | 2015 | | 5,516.59 | | | |
| Almaco jack - landings | Seriola rivoliana | | | | ** | 31,333.00 | |
| ALMACO JACK (Subtotal) | | | 0.00 | 5,516.59 | | 31,333.00 | |
| AMBERFISHES, BANDED RUDDERFISH, AMBERJACKS, AND YELLOWTAILS (GROUP) | | | | | | | |
| Amberfishes, banded rudderfish, amberjacks, and yellowtails (group) | Seriola | 2015 | | 36,829.33 | | | |
| Amberfishes, banded rudderfish, amberjacks, and yellowtails (group) - landings | Seriola | | | | | | |
| AMBERFISHES, BANDED RUDDERFISH, AMBERJACKS, AND YELLOWTAILS (GROUP) (Subtotal) | | | 0.00 | 36,829.33 | | 0.00 | |
| ATLANTIC ANGEL SHARK | | | | | | | |
| Atlantic angel shark | Squatina dumeril | 2015 | | 92.20 | | | |
| Atlantic angel shark - landings | | | | | | | |
| ATLANTIC ANGEL SHARK (Subtotal) | | | 0.00 | 92.20 | | 0.00 | |
| ATLANTIC BONITO | | | | | | | |
| Atlantic bonito | Sarda sarda | 2015 | | 1,214.04 | | | |
| Atlantic bonito - landings | Sarda sarda | | | | ** | 20,841.00 | |
| ATLANTIC BONITO (Subtotal) | | | 0.00 | 1,214.04 | | 20,841.00 | |
| ATLANTIC BUMPER | | | | | | | |
| Atlantic bumper | Chloroscombrus chrysurus | 2015 | | 898.60 | | | |
| Atlantic bumper - landings | | | | | | | |
| ATLANTIC BUMPER (Subtotal) | | | 0.00 | 898.60 | | 0.00 | |

| | | | | | | |
|-------------------------------------|----------------------------|------|---------------|-----------|----|--------------|
| ATLANTIC CROAKER | | | | | | |
| Atlantic croaker | Micropogonias undulatus | 2015 | 76,758,831.30 | | | |
| Atlantic croaker | Micropogonias undulatus | 2015 | | 576.00 | | |
| Atlantic croaker - landings | Micropogonias undulatus | | | | ** | 1,664,558.00 |
| ATLANTIC CROAKER (Subtotal) | | | 76,758,831.30 | 576.00 | | 1,664,558.00 |
| ATLANTIC CUTLASSFISH | | | | | | |
| Atlantic cutlassfish | Trichiurus lepturus | 2015 | | 145.90 | | |
| Atlantic cutlassfish - landings | Trichiurus lepturus | | | | ** | 201,151.00 |
| ATLANTIC CUTLASSFISH (Subtotal) | | | 0.00 | 145.90 | | 201,151.00 |
| ATLANTIC DEVIL RAY | | | | | | |
| Atlantic devil ray | Mobula hypostoma | 2015 | 2,153.73 | | | |
| Atlantic devil ray - landings | | | | | | |
| ATLANTIC DEVIL RAY (Subtotal) | | | 2,153.73 | 0.00 | | 0.00 |
| ATLANTIC MENHADEN | | | | | | |
| Atlantic menhaden | Brevoortia tyrannus | 2015 | 867,628.01 | | | |
| Atlantic menhaden | Brevoortia tyrannus | 2015 | | 22,045.40 | | |
| Atlantic menhaden - landings | | | | | | |
| ATLANTIC MENHADEN (Subtotal) | | | 867,628.01 | 22,045.40 | | 0.00 |
| ATLANTIC MOONFISH | | | | | | |
| Atlantic moonfish | Selene setapinnis | 2015 | | 80.60 | | |
| Atlantic moonfish - landings | Selene setapinnis | | | | ** | 1,736.00 |
| ATLANTIC MOONFISH (Subtotal) | | | 0.00 | 80.60 | | 1,736.00 |
| ATLANTIC NEEDLEFISH | | | | | | |
| Atlantic needlefish | Strongylura marina | 2015 | | 520.68 | | |
| Atlantic needlefish - landings | | | | | | |
| ATLANTIC NEEDLEFISH (Subtotal) | | | 0.00 | 520.68 | | 0.00 |
| ATLANTIC SHARPNOSE SHARK | | | | | | |
| Atlantic sharpnose shark | Rhizoprionodon terraenovae | 2015 | 1,745,573.77 | | | |
| Atlantic sharpnose shark | Rhizoprionodon terraenovae | 2015 | | 26,493.34 | | |
| Atlantic sharpnose shark - landings | Rhizoprionodon terraenovae | | | | ** | 648,086.00 |
| ATLANTIC SHARPNOSE SHARK (Subtotal) | | | 1,745,573.77 | 26,493.34 | | 648,086.00 |
| BALLYHOO | | | | | | |
| Ballyhoo | Hemiramphus brasiliensis | 2015 | | 76,500.69 | | |
| Ballyhoo - landings | Hemiramphus brasiliensis | | | | ** | 3.00 |

| | | | | | | |
|-------------------------------|-----------------------|-----------|-----------|-----------|------|--------------|
| BALLYHOO (Subtotal) | | | 0.00 | 76,500.69 | | 3.00 |
| BANDED DRUM | | | | | | |
| Banded drum | Larimus fasciatus | 2015 | | 1,397.80 | | |
| Banded drum - landings | | | | | | |
| BANDED DRUM (Subtotal) | | | 0.00 | 1,397.80 | | 0.00 |
| BANDED RUDDERFISH | | | | | | |
| Banded rudderfish | Seriola zonata | 2015 | | 1,735.07 | | |
| Banded rudderfish - landings | Seriola zonata | | | | ** | 5,263.00 |
| BANDED RUDDERFISH (Subtotal) | | | 0.00 | 1,735.07 | | 5,263.00 |
| BANK SEA BASS | | | | | | |
| Bank sea bass | Centropristis ocyurus | 2015 | 0.00 | | | c |
| Bank sea bass | Centropristis ocyurus | 2015 | | 134.41 | | c |
| Bank sea bass - landings | | | | | | |
| BANK SEA BASS (Subtotal) | | | 0.00 | 134.41 | | 0.00 |
| BAR JACK | | | | | | |
| Bar jack | Carangoides ruber | 2015 | | 262.01 | | |
| Bar jack - landings | Carangoides ruber | | | | ** | 22,111.00 |
| BAR JACK (Subtotal) | | | 0.00 | 262.01 | | 22,111.00 |
| BARRACUDAS (GROUP) | | | | | | |
| Barracudas (group) | Sphyraenidae | 2015 | | 637.17 | | |
| Barracudas (group) - landings | Sphyraenidae | | | | | |
| BARRACUDAS (GROUP) (Subtotal) | | | 0.00 | 637.17 | | 0.00 |
| BIGEYE | | | | | | |
| Bigeye | Priacanthus arenatus | 2015 | | 3.83 | | |
| Bigeye - landings | Priacanthus arenatus | | | | ** | 824.00 |
| BIGEYE (Subtotal) | | | 0.00 | 3.83 | | 824.00 |
| BIGEYE TUNA | | | | | | |
| Bigeye tuna - Atlantic | Thunnus obesus | 2013-2015 | 29,063.00 | | | |
| Bigeye tuna - landings | Thunnus obesus | | | | 0.02 | 1,266,335.00 |
| BIGEYE TUNA (Subtotal) | | | 29,063.00 | 0.00 | | 1,266,335.00 |
| BILLFISHES (GROUP) | | | | | | |
| Billfishes (group) | Istiophoridae | 2015 | | 6.65 | | |
| Billfishes (group) - landings | Istiophoridae | | | | | |
| BILLFISHES (GROUP) (Subtotal) | | | 0.00 | 6.65 | | 0.00 |

| | | | | | | |
|--------------------------------|---------------------------|-----------|------------|-----------|------|--------------|
| BLACK DRUM | | | | | | |
| Black drum | Pogonias cromis | 2015 | 382,863.00 | | | |
| Black drum - landings | Pogonias cromis | | | | 0.35 | 722,026.00 |
| BLACK DRUM (Subtotal) | | | 382,863.00 | 0.00 | | 722,026.00 |
| BLACK GROUPE | | | | | | |
| Black grouper | Mycteroperca bonaci | 2015 | | 3,916.79 | | |
| Black grouper - landings | Mycteroperca bonaci | | | | ** | 43,388.00 |
| BLACK GROUPE (Subtotal) | | | 0.00 | 3,916.79 | | 43,388.00 |
| BLACK SEA BASS | | | | | | |
| Black sea bass | Centropristis striata | 2015 | 103.08 | | | |
| Black sea bass | Centropristis striata | 2015 | | 84,823.79 | | |
| Black sea bass - landings | Centropristis striata | | | | ** | 104,623.00 |
| BLACK SEA BASS (Subtotal) | | | 103.08 | 84,823.79 | | 104,623.00 |
| BLACKBELLY ROSEFISH | | | | | | |
| Blackbelly rosefish | Helicolenus dactylopterus | 2015 | | 1,234.44 | | |
| Blackbelly rosefish - landings | Helicolenus dactylopterus | | | | ** | 22,236.00 |
| BLACKBELLY ROSEFISH (Subtotal) | | | 0.00 | 1,234.44 | | 22,236.00 |
| BLACKFIN TUNA | | | | | | |
| Blackfin tuna - South Atlantic | Thunnus atlanticus | 2013-2015 | 83,014.00 | | | |
| Blackfin tuna | Thunnus atlanticus | 2015 | | 208.74 | | |
| Blackfin tuna - landings | Thunnus atlanticus | | | | ** | 21,499.00 |
| BLACKFIN TUNA (Subtotal) | | | 83,014.00 | 208.74 | | 21,499.00 |
| BLACKNOSE SHARK | | | | | | |
| Blacknose shark | Carcharhinus acronotus | 2015 | 54,466.01 | | | |
| Blacknose shark | Carcharhinus acronotus | 2015 | | 5,104.36 | | |
| Blacknose shark - landings | Carcharhinus acronotus | | | | ** | 64,741.00 |
| BLACKNOSE SHARK (Subtotal) | | | 54,466.01 | 5,104.36 | | 64,741.00 |
| BLACKTIP SHARK | | | | | | |
| Blacktip shark | Carcharhinus limbatus | 2015 | 547,381.19 | | | |
| Blacktip shark | Carcharhinus limbatus | 2015 | | 15,257.06 | | |
| Blacktip shark - landings | Carcharhinus limbatus | | | | ** | 1,096,370.00 |
| BLACKTIP SHARK (Subtotal) | | | 547,381.19 | 15,257.06 | | 1,096,370.00 |
| BLUE CRAB | | | | | | |
| Blue crab | Callinectes sapidus | 2015 | 82,741.24 | | | |

| | | | | | | |
|------------------------------------|----------------------|-----------|------------|-----------|-----------|------------|
| Blue crab - landings | Callinectes sapidus | | | 0.77 | 24,763.00 | |
| BLUE CRAB (Subtotal) | | | 82,741.24 | 0.00 | 24,763.00 | |
| BLUE MARLIN | | | | | | |
| Blue marlin - Atlantic | Makaira nigricans | 2013-2015 | 175,421.00 | | | |
| Blue marlin | Makaira nigricans | 2015 | | 34.63 | | |
| Blue marlin - landings | | | | | | |
| BLUE MARLIN (Subtotal) | | | 175,421.00 | 34.63 | 0.00 | |
| BLUE RUNNER | | | | | | |
| Blue runner | Caranx crysos | 2015 | | 19,561.89 | | |
| Blue runner - landings | Caranx crysos | | | | ** | 112,253.00 |
| BLUE RUNNER (Subtotal) | | | 0.00 | 19,561.89 | | 112,253.00 |
| BLUE SHARK | | | | | | |
| Blue shark - North Atlantic | Prionace glauca | 2013-2015 | 182,538.00 | | | |
| Blue shark - landings | | | | | | |
| BLUE SHARK (Subtotal) | | | 182,538.00 | 0.00 | 0.00 | |
| BLUEFIN TUNA | | | | | | |
| Bluefin tuna - Western Atlantic | Thunnus thynnus | 2013-2015 | 32,189.00 | | | |
| Bluefin tuna | Thunnus thynnus | 2015 | | 13.31 | | |
| Bluefin tuna - landings | Thunnus thynnus | | | | ** | 107,003.00 |
| BLUEFIN TUNA (Subtotal) | | | 32,189.00 | 13.31 | | 107,003.00 |
| BLUEFISH | | | | | | |
| Bluefish | Pomatomus saltatrix | 2015 | 122,962.55 | | | |
| Bluefish | Pomatomus saltatrix | 2015 | | 1,204.30 | | |
| Bluefish - landings | Pomatomus saltatrix | | | | ** | 997,010.00 |
| BLUEFISH (Subtotal) | | | 122,962.55 | 1,204.30 | | 997,010.00 |
| BLUELINE TILEFISH | | | | | | |
| Blueline tilefish | Caulolatilus microps | 2015 | | 24,125.33 | | b |
| Blueline tilefish - landings | Caulolatilus microps | | | | ** | 113,089.00 |
| BLUELINE TILEFISH (Subtotal) | | | 0.00 | 24,125.33 | | 113,089.00 |
| BLUNTNOSE SIXGILL SHARK | | | | | | |
| Bluntnose sixgill shark | Hexanchus griseus | 2015 | | 14.91 | | |
| Bluntnose sixgill shark - landings | | | | | | |
| BLUNTNOSE SIXGILL SHARK (Subtotal) | | | 0.00 | 14.91 | | 0.00 |

| | | | | | | |
|---------------------------------------|-----------------------|------|--------------|----------|----|------------|
| BONNETHEAD SHARK | | | | | | |
| Bonnethead shark | Sphyrna tiburo | 2015 | 596,796.01 | | | |
| Bonnethead shark | Sphyrna tiburo | 2015 | | 37.73 | | |
| Bonnethead shark - landings | Sphyrna tiburo | | | | ** | 8,942.00 |
| BONNETHEAD SHARK (Subtotal) | | | 596,796.01 | 37.73 | | 8,942.00 |
| BONY FISHES (GROUP) | | | | | | |
| Bony fishes (group) | Osteichthyes | 2015 | | 1,422.58 | | |
| Bony fishes (group) - landings | Osteichthyes | | | | | |
| BONY FISHES (GROUP) (Subtotal) | | | 0.00 | 1,422.58 | | 0.00 |
| BOX JELLYFISH (GROUP) | | | | | | |
| Box jellyfish (group) | Carybdeidae | 2015 | 7,697,531.90 | | | |
| Box jellyfish (group) - landings | Carybdeidae | | | | | |
| BOX JELLYFISH (GROUP) (Subtotal) | | | 7,697,531.90 | 0.00 | | 0.00 |
| BREAMS AND PORGIES (GROUP) | | | | | | |
| Breams and porgies (group) | Sparidae | 2015 | | 685.27 | | |
| Breams and porgies (group) - landings | Sparidae | | | | | |
| BREAMS AND PORGIES (GROUP) (Subtotal) | | | 0.00 | 685.27 | | 0.00 |
| BULL SHARK | | | | | | |
| Bull shark | Carcharhinus leucas | 2015 | 16,657.36 | | | |
| Bull shark | Carcharhinus leucas | 2015 | | 3,084.82 | | |
| Bull shark - landings | Carcharhinus leucas | | | | ** | 388,284.00 |
| BULL SHARK (Subtotal) | | | 16,657.36 | 3,084.82 | | 388,284.00 |
| BUTTERFISH | | | | | | |
| Butterfish | Peprilus triacanthus | 2015 | | 441.60 | | |
| Butterfish - landings | | | | | | |
| BUTTERFISH (Subtotal) | | | 0.00 | 441.60 | | 0.00 |
| BUTTERFLYFISHES (GROUP) | | | | | | |
| Butterflyfishes (group) | Chaetodontidae | 2015 | | 37.73 | | |
| Butterflyfishes (group) - landings | Chaetodontidae | | | | | |
| BUTTERFLYFISHES (GROUP) (Subtotal) | | | 0.00 | 37.73 | | 0.00 |
| CANNONBALL JELLYFISH | | | | | | |
| Cannonball jellyfish | Stomolophus meleagris | 2015 | 3,813,159.34 | | | |
| Cannonball jellyfish - landings | | | | | | |
| CANNONBALL JELLYFISH (Subtotal) | | | 3,813,159.34 | 0.00 | | 0.00 |

| | | | | | | |
|---|----------------------|------|-----------|-----------|----|-----------|
| CARTILAGINOUS FISHES (GROUP) | | | | | | |
| Cartilaginous fishes (group) | Chondrichthyes | 2015 | | 65,499.51 | | |
| Cartilaginous fishes (group) - landings | Chondrichthyes | | | | | |
| CARTILAGINOUS FISHES (GROUP) (Subtotal) | | | 0.00 | 65,499.51 | | 0.00 |
| CLEARNOSE SKATE | | | | | | |
| Clearnose skate | Raja eglanteria | 2015 | | 2,603.50 | | |
| Clearnose skate - landings | | | | | | |
| CLEARNOSE SKATE (Subtotal) | | | 0.00 | 2,603.50 | | 0.00 |
| COBIA | | | | | | |
| Cobia | Rachycentron canadum | 2015 | 15,359.52 | | | |
| Cobia | Rachycentron canadum | 2015 | | 3,262.88 | | |
| Cobia - landings | Rachycentron canadum | | | | ** | 71,752.00 |
| COBIA (Subtotal) | | | 15,359.52 | 3,262.88 | | 71,752.00 |
| CREOLE-FISH | | | | | | |
| Creole-fish | Paranthias furcifer | 2015 | | 18.43 | | |
| Creole-fish - landings | | | | | | |
| CREOLE-FISH (Subtotal) | | | 0.00 | 18.43 | | 0.00 |
| CREVALLE JACK | | | | | | |
| Crevalle jack | Caranx hippos | 2015 | 56.90 | | | |
| Crevalle jack | Caranx hippos | 2015 | | 25,856.01 | | |
| Crevalle jack - landings | Caranx hippos | | | | ** | 20,090.00 |
| CREVALLE JACK (Subtotal) | | | 56.90 | 25,856.01 | | 20,090.00 |
| CUBERA SNAPPER | | | | | | |
| Cubera snapper | Lutjanus cyanopterus | 2015 | | 56.60 | | |
| Cubera snapper - landings | | | | | | |
| CUBERA SNAPPER (Subtotal) | | | 0.00 | 56.60 | | 0.00 |
| DASYATIDAE (GROUP) | | | | | | |
| Dasyatidae (group) | Dasyatidae | 2015 | | 20.37 | | |
| Dasyatidae (group) - landings | Dasyatidae | | | | | |
| DASYATIDAE (GROUP) (Subtotal) | | | 0.00 | 20.37 | | 0.00 |
| DOGFISH SHARKS (GROUP) | | | | | | |
| Dogfish sharks (group) | Squalidae | 2015 | | 435.36 | | |
| Dogfish sharks (group) - landings | Squalidae | | | | | |
| DOGFISH SHARKS (GROUP) (Subtotal) | | | 0.00 | 435.36 | | 0.00 |

| | | | | | | |
|--|-----------------------|------|---------------|----------|------|-----------|
| DOLPHINFISH (GROUP) | | | | | | |
| Dolphinfish (group) | Coryphaena | 2015 | | 9,828.81 | | |
| Dolphinfish (group) - landings | Coryphaena | | | | | |
| DOLPHINFISH (GROUP) (Subtotal) | | | 0.00 | 9,828.81 | | 0.00 |
| DUSKY SHARK | | | | | | |
| Dusky shark | Carcharhinus obscurus | 2015 | 11,088.20 | | | |
| Dusky shark | Carcharhinus obscurus | 2015 | | 205.82 | | |
| Dusky shark - landings | | | | | | |
| DUSKY SHARK (Subtotal) | | | 11,088.20 | 205.82 | | 0.00 |
| FINETOOTH SHARK | | | | | | |
| Finetooth shark | Carcharhinus isodon | 2015 | 54,178.63 | | | |
| Finetooth shark | Carcharhinus isodon | 2015 | | 10.78 | | |
| Finetooth shark - landings | Carcharhinus isodon | | | | ** | 92,483.00 |
| FINETOOTH SHARK (Subtotal) | | | 54,178.63 | 10.78 | | 92,483.00 |
| FINFISHES (UNCLASSIFIED, GENERAL) (GROUP) | | | | | | |
| Finfishes (unclassified, general) (group) | | 2015 | 10,661,851.77 | | | |
| Finfishes (unclassified, general) (group) - landings | | | | | | |
| FINFISHES (UNCLASSIFIED, GENERAL) (GROUP) (Subtotal) | | | 10,661,851.77 | 0.00 | | 0.00 |
| FLATFISHES (GROUP) | | | | | | |
| Flatfishes (group) | Pleuronectiformes | 2015 | | 588.24 | | |
| Flatfishes (group) - landings | Pleuronectiformes | | | | | |
| FLATFISHES (GROUP) (Subtotal) | | | 0.00 | 588.24 | | 0.00 |
| FLORIDA POMPARO | | | | | | |
| Florida pompano | Trachinotus carolinus | 2015 | 23,814.61 | | | |
| Florida pompano - landings | Trachinotus carolinus | | | | 0.33 | 47,570.00 |
| FLORIDA POMPARO (Subtotal) | | | 23,814.61 | 0.00 | | 47,570.00 |
| FLORIDA SMOOTHHOUND | | | | | | |
| Florida smoothhound | Mustelus norrisi | 2015 | 0.00 | | | |
| Florida smoothhound - landings | | | | | | |
| FLORIDA SMOOTHHOUND (Subtotal) | | | 0.00 | 0.00 | | 0.00 |
| GAFFTOPSAIL CATFISH | | | | | | |
| Gafftopsail catfish | Bagre marinus | 2015 | | 952.30 | | |
| Gafftopsail catfish - landings | | | | | | |
| GAFFTOPSAIL CATFISH (Subtotal) | | | 0.00 | 952.30 | | 0.00 |

| | | | | | | |
|------------------------------|-------------------------|------|-----------|------------|----|------------|
| GAG | | | | | | |
| Gag | Mycteroperca microlepis | 2015 | 0.00 | | | j |
| Gag | Mycteroperca microlepis | 2015 | | 26,418.65 | | j |
| Gag - landings | Mycteroperca microlepis | | | | ** | 434,793.00 |
| GAG (Subtotal) | | | 0.00 | 26,418.65 | | 434,793.00 |
| GOLIATH GROUPER | | | | | | |
| Goliath grouper | Epinephelus itajara | 2015 | 10,877.15 | | | |
| Goliath grouper | Epinephelus itajara | 2015 | | 15,802.38 | | |
| Goliath grouper - landings | | | | | | |
| GOLIATH GROUPER (Subtotal) | | | 10,877.15 | 15,802.38 | | 0.00 |
| GRASS PORGY | | | | | | |
| Grass porgy | Calamus arctifrons | 2015 | | 645.10 | | |
| Grass porgy - landings | | | | | | |
| GRASS PORGY (Subtotal) | | | 0.00 | 645.10 | | 0.00 |
| GRAY SNAPPER | | | | | | |
| Gray snapper | Lutjanus griseus | 2015 | | 33,677.57 | | i |
| Gray snapper - landings | Lutjanus griseus | | | | ** | 51,768.00 |
| GRAY SNAPPER (Subtotal) | | | 0.00 | 33,677.57 | | 51,768.00 |
| GRAY TRIGGERFISH | | | | | | |
| Gray triggerfish | Balistes capriscus | 2015 | | 139,305.19 | | a |
| Gray triggerfish - landings | Balistes capriscus | | | | ** | 86,042.00 |
| GRAY TRIGGERFISH (Subtotal) | | | 0.00 | 139,305.19 | | 86,042.00 |
| GRAYSBY | | | | | | |
| Graysby | Cephalopholis cruentata | 2015 | | 113.19 | | |
| Graysby - landings | | | | | | |
| GRAYSBY (Subtotal) | | | 0.00 | 113.19 | | 0.00 |
| GREAT HAMMERHEAD | | | | | | |
| Great hammerhead | Sphyrna mokarran | 2015 | 2,595.50 | | | |
| Great hammerhead | Sphyrna mokarran | 2015 | | 354.66 | | |
| Great hammerhead - landings | Sphyrna mokarran | | | | ** | 68,195.00 |
| GREAT HAMMERHEAD (Subtotal) | | | 2,595.50 | 354.66 | | 68,195.00 |
| GREATER AMBERJACK | | | | | | |
| Greater amberjack | Seriola dumerili | 2015 | | 30,100.21 | | m |
| Greater amberjack - landings | Seriola dumerili | | | | ** | 181,743.00 |

| | | | | |
|---|--|-------------------------|----------------|------------|
| GREATER AMBERJACK (Subtotal) | | 0.00 | 30,100.21 | 181,743.00 |
| GROUPED FINFISH OTHER THAN LISTED - GULF OF MEXICO (GROUP) | | | | |
| Grouped finfish other than listed - Gulf of Mexico (group) | | 2015 | 115,282,850.60 | |
| Grouped finfish other than listed - Gulf of Mexico (group) - landings | | | | |
| GROUPED FINFISH OTHER THAN LISTED - GULF OF MEXICO (GROUP) (Subtotal) | | | 115,282,850.60 | 0.00 |
| GROUPED SHARKS - GULF OF MEXICO (GROUP) | | | | |
| Grouped sharks - Gulf of Mexico (group) | | 2015 | 85,180.99 | |
| Grouped sharks - Gulf of Mexico (group) - landings | | | | |
| GROUPED SHARKS - GULF OF MEXICO (GROUP) (Subtotal) | | | 85,180.99 | 0.00 |
| GROUPERS AND SEA BASSES (GROUP) | | | | |
| Groupers and sea basses (group) | | Serranidae | 2015 | 97.53 |
| Groupers and sea basses (group) - landings | | Serranidae | | |
| GROUPERS AND SEA BASSES (GROUP) (Subtotal) | | | 0.00 | 97.53 |
| GRUNTS (GROUP) | | | | |
| Grunts (group) | | Haemulidae | 2015 | 6,145.88 |
| Grunts (group) - landings | | Haemulidae | | |
| GRUNTS (GROUP) (Subtotal) | | | 0.00 | 6,145.88 |
| GULF KINGFISH | | | | |
| Gulf kingfish | | Menticirrhus littoralis | 2015 | 11.50 |
| Gulf kingfish - landings | | | | |
| GULF KINGFISH (Subtotal) | | | 0.00 | 11.50 |
| GULF MENHADEN | | | | |
| Gulf menhaden | | Brevoortia patronus | 2015 | 2,791.70 |
| Gulf menhaden - landings | | | | |
| GULF MENHADEN (Subtotal) | | | 0.00 | 2,791.70 |
| HAMMERHEAD SHARKS (GROUP) | | | | |
| Hammerhead sharks (group) | | Sphyrnidae | 2015 | 3,805.06 |
| Hammerhead sharks (group) - landings | | Sphyrnidae | | |
| HAMMERHEAD SHARKS (GROUP) (Subtotal) | | | 0.00 | 3,805.06 |
| HARVESTFISH | | | | |
| Harvestfish | | Peprilus paru | 2015 | 172.80 |
| Harvestfish - landings | | | | |
| HARVESTFISH (Subtotal) | | | 0.00 | 172.80 |
| HOGFISH | | | | |

| | | | | | | |
|---|-----------------------|---------------|--------------|-----------|------|--------------|
| Hogfish | Lachnolaimus maximus | 2015 | | 2,284.35 | | |
| Hogfish - landings | Lachnolaimus maximus | | | | ** | 3,521.00 |
| HOGFISH (Subtotal) | | | 0.00 | 2,284.35 | | 3,521.00 |
| INSHORE LIZARDFISH | | | | | | |
| Inshore lizardfish | Synodus foetens | 2015 | | 80.60 | | |
| Inshore lizardfish - landings | | | | | | |
| INSHORE LIZARDFISH (Subtotal) | | | 0.00 | 80.60 | | 0.00 |
| INVERTEBRATES (UNIDENTIFIED) (GROUP) | | | | | | |
| Invertebrates (unidentified) (group) | | 2015 | 2,369,058.11 | | | |
| Invertebrates (unidentified) (group) - landings | | | | | | |
| INVERTEBRATES (UNIDENTIFIED) (GROUP) (Subtotal) | | | 2,369,058.11 | 0.00 | | 0.00 |
| JOLTHEAD PORGY | | | | | | |
| Jolthead porgy | Calamus bajonado | 2015 | | 2,125.47 | | |
| Jolthead porgy - landings | Calamus bajonado | | | | ** | 9,470.00 |
| JOLTHEAD PORGY (Subtotal) | | | 0.00 | 2,125.47 | | 9,470.00 |
| KING MACKEREL | | | | | | |
| King mackerel | Scomberomorus cavalla | 2015 | 130,986.60 | | | |
| King mackerel - landings | Scomberomorus cavalla | | | | 0.07 | 1,789,598.00 |
| KING MACKEREL (Subtotal) | | | 130,986.60 | 0.00 | | 1,789,598.00 |
| KNOBBED PORGY | | | | | | |
| Knobbed porgy | Calamus nodosus | 2015 | | 3,575.39 | | |
| Knobbed porgy - landings | Calamus nodosus | | | | ** | 5,084.00 |
| KNOBBED PORGY (Subtotal) | | | 0.00 | 3,575.39 | | 5,084.00 |
| LADYFISH | | | | | | |
| Ladyfish | Elops saurus | 2015 | | 107.50 | | |
| Ladyfish - landings | Elops saurus | | | | ** | 667,048.00 |
| LADYFISH (Subtotal) | | | 0.00 | 107.50 | | 667,048.00 |
| LANE SNAPPER | | | | | | |
| Lane snapper | Lutjanus synagris | 2015 | 680,172.50 | | | |
| Lane snapper | Lutjanus synagris | 2015 | | 69,526.51 | | |
| Lane snapper - landings | Lutjanus synagris | | | | ** | 8,958.00 |
| LANE SNAPPER (Subtotal) | | | 680,172.50 | 69,526.51 | | 8,958.00 |
| LARGE COASTAL SHARKS (GROUP) | | | | | | |
| Large coastal sharks (group) | | 2013- 2015 | 183,867.00 | | | |

| | | | | | |
|---|------------------------|------|--------------|-----------|---------------|
| Large coastal sharks (group) - landings | | | | | |
| LARGE COASTAL SHARKS (GROUP) (Subtotal) | | | 183,867.00 | 0.00 | 0.00 |
| LEMON SHARK | | | | | |
| Lemon shark | Negaprion brevirostris | 2015 | 0.00 | | |
| Lemon shark | Negaprion brevirostris | 2015 | | 1,741.28 | |
| Lemon shark - landings | Negaprion brevirostris | | | | ** 35,596.00 |
| LEMON SHARK (Subtotal) | | | 0.00 | 1,741.28 | 35,596.00 |
| LESSER AMBERJACK | | | | | |
| Lesser amberjack | Seriola fasciata | 2015 | | 244.11 | |
| Lesser amberjack - landings | Seriola fasciata | | | | ** 3,408.00 |
| LESSER AMBERJACK (Subtotal) | | | 0.00 | 244.11 | 3,408.00 |
| LIONFISHES (GROUP) | | | | | |
| Lionfishes (group) | Pterois | 2015 | | 1,280.01 | |
| Lionfishes (group) - landings | Pterois | | | | |
| LIONFISHES (GROUP) (Subtotal) | | | 0.00 | 1,280.01 | 0.00 |
| LITTLE TUNNY | | | | | |
| Little tunny | Euthynnus alletteratus | 2015 | | 19,187.42 | |
| Little tunny - landings | Euthynnus alletteratus | | | | ** 204,232.00 |
| LITTLE TUNNY (Subtotal) | | | 0.00 | 19,187.42 | 204,232.00 |
| LONGSPINE PORGY | | | | | |
| Longspine porgy | Stenotomus caprinus | 2015 | 9,386,860.85 | | |
| Longspine porgy - landings | Stenotomus caprinus | | | | 1.00 5,995.00 |
| LONGSPINE PORGY (Subtotal) | | | 9,386,860.85 | 0.00 | 5,995.00 |
| MACKEREL SCAD | | | | | |
| Mackerel scad | Decapterus macarellus | 2015 | | 282.98 | |
| Mackerel scad - landings | | | | | |
| MACKEREL SCAD (Subtotal) | | | 0.00 | 282.98 | 0.00 |
| MACKERELS (GROUP) | | | | | |
| Mackerels (group) | Scomberomorus | 2015 | | 27,016.30 | |
| Mackerels (group) - landings | Scomberomorus | | | | |
| MACKERELS (GROUP) (Subtotal) | | | 0.00 | 27,016.30 | 0.00 |
| MAKO SHARKS (GROUP) | | | | | |
| Mako sharks (group) | Isurus | 2015 | | 10.95 | |
| Mako sharks (group) - landings | Isurus | | | | |

| | | | | | | |
|--|------------------------|------|---------------|----------|----|------------|
| MAKO SHARKS (GROUP) (Subtotal) | | | 0.00 | 10.95 | | 0.00 |
| MARGATE | | | | | | |
| Margate | Haemulon album | 2015 | | 231.96 | | |
| Margate - landings | Haemulon album | | | | ** | 18.00 |
| MARGATE (Subtotal) | | | 0.00 | 231.96 | | 18.00 |
| MISCELLANEOUS CRUSTACEANS (UNIDENTIFIED) (GROUP) | | | | | | |
| Miscellaneous crustaceans (unidentified) (group) | Crustacea | 2015 | 19,079,866.41 | | | |
| Miscellaneous crustaceans (unidentified) (group) - landings | Crustacea | | | | | |
| MISCELLANEOUS CRUSTACEANS (UNIDENTIFIED) (GROUP) (Subtotal) | | | 19,079,866.41 | 0.00 | | 0.00 |
| MORAY EELS (GROUP) | | | | | | |
| Moray eels (group) | Muraenidae | 2015 | | 144.25 | | |
| Moray eels (group) - landings | Muraenidae | | | | | |
| MORAY EELS (GROUP) (Subtotal) | | | 0.00 | 144.25 | | 0.00 |
| MUTTON SNAPPER | | | | | | |
| Mutton snapper | Lutjanus analis | 2015 | | 5,175.61 | | g |
| Mutton snapper - landings | Lutjanus analis | | | | ** | 114,487.00 |
| MUTTON SNAPPER (Subtotal) | | | 0.00 | 5,175.61 | | 114,487.00 |
| NASSAU GROUPER | | | | | | |
| Nassau grouper | Epinephelus striatus | 2015 | | 28.30 | | |
| Nassau grouper - landings | | | | | | |
| NASSAU GROUPER (Subtotal) | | | 0.00 | 28.30 | | 0.00 |
| NIGHT SHARK | | | | | | |
| Night shark | Carcharhinus signatus | 2015 | | 309.71 | | |
| Night shark - landings | | | | | | |
| NIGHT SHARK (Subtotal) | | | 0.00 | 309.71 | | 0.00 |
| NON-CRUSTACEAN INVERTEBRATES - GULF OF MEXICO (GROUP) | | | | | | |
| Non-crustacean invertebrates - Gulf of Mexico (group) | | 2015 | 20,285,216.84 | | | |
| Non-crustacean invertebrates - Gulf of Mexico (group) - landings | | | | | | |
| NON-CRUSTACEAN INVERTEBRATES - GULF OF MEXICO (GROUP) (Subtotal) | | | 20,285,216.84 | 0.00 | | 0.00 |
| NORTHERN KINGFISH | | | | | | |
| Northern kingfish | Menticirrhus saxatilis | 2015 | 0.00 | | | |
| Northern kingfish - landings | | | | | | |
| NORTHERN KINGFISH (Subtotal) | | | 0.00 | 0.00 | | 0.00 |
| NURSE SHARK | | | | | | |

| | | | | | |
|------------------------------------|------------------------|---------------|--------------|-----------|-------|
| Nurse shark | Ginglymostoma cirratum | 2015 | 12,098.90 | | |
| Nurse shark | Ginglymostoma cirratum | 2015 | | 11,554.89 | |
| Nurse shark - landings | | | | | |
| NURSE SHARK (Subtotal) | | | 12,098.90 | 11,554.89 | 0.00 |
| OCEAN TRIGGERFISH | | | | | |
| Ocean triggerfish | Canthidermis sufflamen | 2015 | | 90.55 | |
| Ocean triggerfish - landings | Canthidermis sufflamen | | | ** | 29.00 |
| OCEAN TRIGGERFISH (Subtotal) | | | 0.00 | 90.55 | 29.00 |
| OCTOPUS (GROUP) | | | | | |
| Octopus (group) | Octopodidae | 2015 | | 214.20 | |
| Octopus (group) - landings | Octopodidae | | | | |
| OCTOPUS (GROUP) (Subtotal) | | | 0.00 | 214.20 | 0.00 |
| PAINTED MACKEREL | | | | | |
| Painted mackerel | Scomberomorus regalis | 2015 | | 22.64 | |
| Painted mackerel - landings | | | | | |
| PAINTED MACKEREL (Subtotal) | | | 0.00 | 22.64 | 0.00 |
| PARROTFISHES (GROUP) | | | | | |
| Parrotfishes (group) | Scaridae | 2015 | | 1,501.39 | |
| Parrotfishes (group) - landings | Scaridae | | | | |
| PARROTFISHES (GROUP) (Subtotal) | | | 0.00 | 1,501.39 | 0.00 |
| PELAGIC SHARKS (GROUP) | | | | | |
| Pelagic sharks (group) | | 2013- 2015 | 72,231.00 | | |
| Pelagic sharks (group) - landings | | | | | |
| PELAGIC SHARKS (GROUP) (Subtotal) | | | 72,231.00 | 0.00 | 0.00 |
| PENAEID SHRIMPS (GROUP) | | | | | |
| Penaeid shrimps (group) | Penaeidae | 2015 | 2,733,978.75 | | |
| Penaeid shrimps (group) - landings | Penaeidae | | | | |
| PENAEID SHRIMPS (GROUP) (Subtotal) | | | 2,733,978.75 | 0.00 | 0.00 |
| PILOTFISH | | | | | |
| Pilotfish | Naucrates ductor | 2015 | | 409.79 | |
| Pilotfish - landings | | | | | |
| PILOTFISH (Subtotal) | | | 0.00 | 409.79 | 0.00 |
| PINFISH | | | | | |
| Pinfish | Lagodon rhomboides | 2015 | | 1,854.70 | |

| | | | | | | |
|--|------------------------|------|--------------|--------------|--------------|--------------|
| Pinfish - landings | Lagodon rhomboides | | | ** | 16,884.00 | |
| PINFISH (Subtotal) | | | 0.00 | 1,854.70 | | 16,884.00 |
| PORKFISH | | | | | | |
| Porkfish | Anisotremus virginicus | 2015 | | | 37.73 | |
| Porkfish - landings | | | | | | |
| PORKFISH (Subtotal) | | | 0.00 | 37.73 | | 0.00 |
| RAINBOW RUNNER | | | | | | |
| Rainbow runner | Elagatis bipinnulata | 2015 | | | 2,254.15 | |
| Rainbow runner - landings | Elagatis bipinnulata | | | ** | | 19.00 |
| RAINBOW RUNNER (Subtotal) | | | 0.00 | 2,254.15 | | 19.00 |
| RAYS, SAWFISH, AND SKATES (GROUP) | | | | | | |
| Rays, sawfish, and skates (group) | Rajiformes | 2015 | | | 699.82 | |
| Rays, sawfish, and skates (group) - landings | Rajiformes | | | | | |
| RAYS, SAWFISH, AND SKATES (GROUP) (Subtotal) | | | 0.00 | 699.82 | | 0.00 |
| RED DRUM | | | | | | |
| Red drum | Sciaenops ocellatus | 2015 | 1,173,431.44 | | | |
| Red drum | Sciaenops ocellatus | 2015 | | | 1,557.38 | |
| Red drum - landings | Sciaenops ocellatus | | | ** | | 121,321.00 |
| RED DRUM (Subtotal) | | | 1,173,431.44 | 1,557.38 | | 121,321.00 |
| RED GROUPE | | | | | | |
| Red grouper | Epinephelus morio | 2015 | 672.20 | | | e |
| Red grouper | Epinephelus morio | 2015 | | | 1,752,170.00 | e |
| Red grouper - landings | Epinephelus morio | | | ** | | 3,569,203.00 |
| RED GROUPE (Subtotal) | | | 672.20 | 1,752,170.00 | | 3,569,203.00 |
| RED HIND | | | | | | |
| Red hind | Epinephelus guttatus | 2015 | | | 24.85 | |
| Red hind - landings | Epinephelus guttatus | | | ** | | 3,822.00 |
| RED HIND (Subtotal) | | | 0.00 | 24.85 | | 3,822.00 |
| RED PORGY | | | | | | |
| Red porgy | Pagrus pagrus | 2015 | | | 29,897.22 | k |
| Red porgy - landings | Pagrus pagrus | | | ** | | 60,913.00 |
| RED PORGY (Subtotal) | | | 0.00 | 29,897.22 | | 60,913.00 |
| RED SNAPPER | | | | | | |
| Red snapper | Lutjanus campechanus | 2015 | 967,024.85 | | | h |

| | | | | | | | |
|-----------------------------------|-----------------------------|---------------|------------|--------------|------|--------------|---|
| Red snapper | Lutjanus campechanus | 2015 | | 1,195,333.73 | | | h |
| Red snapper - landings | Lutjanus campechanus | | | | ** | 1,184,993.00 | |
| RED SNAPPER (Subtotal) | | | 967,024.85 | 1,195,333.73 | | 1,184,993.00 | |
| REEF SHARK | | | | | | | |
| Reef shark | Carcharhinus perezii | 2015 | | 826.18 | | | |
| Reef shark - landings | | | | | | | |
| REEF SHARK (Subtotal) | | | 0.00 | 826.18 | | 0.00 | |
| REMORA (GROUP) | | | | | | | |
| Remora (group) | Remora | 2015 | | 34,680.01 | | | |
| Remora (group) - landings | Remora | | | | | | |
| REMORA (GROUP) (Subtotal) | | | 0.00 | 34,680.01 | | 0.00 | |
| RIVER HERRINGS (GROUP) | | | | | | | |
| River herrings (group) | Alosa | 2015 | | 0.00 | | | |
| River herrings (group) - landings | Alosa | | | | | | |
| RIVER HERRINGS (GROUP) (Subtotal) | | | 0.00 | 0.00 | | 0.00 | |
| ROCK HIND | | | | | | | |
| Rock hind | Epinephelus adscensionis | 2015 | | 109.79 | | | |
| Rock hind - landings | Epinephelus adscensionis | | | | ** | 307.00 | |
| ROCK HIND (Subtotal) | | | 0.00 | 109.79 | | 307.00 | |
| ROCK SEA BASS | | | | | | | |
| Rock sea bass | Centropristis philadelphica | 2015 | 263,243.72 | | | | |
| Rock sea bass - landings | Centropristis philadelphica | | | | 0.72 | 104,798.00 | |
| ROCK SEA BASS (Subtotal) | | | 263,243.72 | 0.00 | | 104,798.00 | |
| SAILFISH | | | | | | | |
| Atlantic sailfish | Istiophorus platypterus | 2013- 2015 | 14,096.00 | | | | |
| Sailfish | Istiophorus platypterus | 2015 | | 641.44 | | | |
| Sailfish - landings | | | | | | | |
| SAILFISH (Subtotal) | | | 14,096.00 | 641.44 | | 0.00 | |
| SAND SEATROUT | | | | | | | |
| Sand seatrout | Cynoscion arenarius | 2015 | | 5,376.52 | | | |
| Sand seatrout - landings | Cynoscion arenarius | | | | ** | 6,622.00 | |
| SAND SEATROUT (Subtotal) | | | 0.00 | 5,376.52 | | 6,622.00 | |
| SAND TIGER SHARK | | | | | | | |
| Sand tiger shark | Carcharias taurus | 2015 | 143,041.05 | | | | |

| | | | | | | |
|---|-----------------------|------|------------|-----------|------|------------|
| Sand tiger shark | Carcharias taurus | 2015 | | 585.58 | | |
| Sand tiger shark - landings | | | | | | |
| SAND TIGER SHARK (Subtotal) | | | 143,041.05 | 585.58 | | 0.00 |
| SAND TILEFISH | | | | | | |
| Sand tilefish | Malacanthus plumieri | 2015 | | 314.42 | | |
| Sand tilefish - landings | Malacanthus plumieri | | | | ** | 629.00 |
| SAND TILEFISH (Subtotal) | | | 0.00 | 314.42 | | 629.00 |
| SANDBAR SHARK | | | | | | |
| Sandbar shark | Carcharhinus plumbeus | 2015 | 87,441.79 | | | |
| Sandbar shark | Carcharhinus plumbeus | 2015 | | 26,403.21 | | |
| Sandbar shark - landings | Carcharhinus plumbeus | | | | ** | 245,149.00 |
| SANDBAR SHARK (Subtotal) | | | 87,441.79 | 26,403.21 | | 245,149.00 |
| SCALLOPED HAMMERHEAD SHARK | | | | | | |
| Scalloped hammerhead shark | Sphyrna lewini | 2015 | 110,936.50 | | | |
| Scalloped hammerhead shark | Sphyrna lewini | 2015 | | 764.72 | | |
| Scalloped hammerhead shark - landings | Sphyrna lewini | | | | ** | 26,370.00 |
| SCALLOPED HAMMERHEAD SHARK (Subtotal) | | | 110,936.50 | 764.72 | | 26,370.00 |
| SCAMP | | | | | | |
| Scamp | Mycteroperca phenax | 2015 | | 4,442.02 | | |
| Scamp - landings | Mycteroperca phenax | | | | ** | 136,135.00 |
| SCAMP (Subtotal) | | | 0.00 | 4,442.02 | | 136,135.00 |
| SCORPIONFISHES (GROUP) | | | | | | |
| Scorpionfishes (group) | Scorpaenidae | 2015 | | 13.62 | | |
| Scorpionfishes (group) - landings | Scorpaenidae | | | | | |
| SCORPIONFISHES (GROUP) (Subtotal) | | | 0.00 | 13.62 | | 0.00 |
| SCUP | | | | | | |
| Scup | Stenotomus chrysops | 2015 | 0.00 | | | |
| Scup - landings | Stenotomus chrysops | | | | 0.00 | 32.00 |
| SCUP (Subtotal) | | | 0.00 | 0.00 | | 32.00 |
| SEA CHUBS (GROUP) | | | | | | |
| Sea chubs (group) | Kyphosidae | 2015 | | 511.75 | | |
| Sea chubs (group) - landings | Kyphosidae | | | | | |
| SEA CHUBS (GROUP) (Subtotal) | | | 0.00 | 511.75 | | 0.00 |
| SEATROUT AND WEAKFISH - GULF OF MEXICO (GROUP) | | | | | | |

| | | | | | |
|--|-----------------------------|-----------|----------------------|---------------|-------------------|
| Seatrout and weakfish - Gulf of Mexico (group) | Cynoscion | 2015 | 24,214,028.38 | | |
| Seatrout and weakfish - Gulf of Mexico (group) - landings | Cynoscion | | | | |
| SEATROUT AND WEAKFISH - GULF OF MEXICO (GROUP) (Subtotal) | | | 24,214,028.38 | 0.00 | 0.00 |
| SHEEPSHEAD | | | | | |
| Sheepshead | Archosargus probatocephalus | 2015 | | 567.53 | |
| Sheepshead - landings | Archosargus probatocephalus | | | | ** 190,657.00 |
| SHEEPSHEAD (Subtotal) | | | 0.00 | 567.53 | 190,657.00 |
| SILKY SHARK | | | | | |
| Silky shark | Carcharhinus falciformis | 2015 | 285.00 | | |
| Silky shark | Carcharhinus falciformis | 2015 | | 882.24 | |
| Silky shark - landings | Carcharhinus falciformis | | | | ** 2,414.00 |
| SILKY SHARK (Subtotal) | | | 285.00 | 882.24 | 2,414.00 |
| SILVER SEATROUT | | | | | |
| Silver seatrout | Cynoscion nothus | 2015 | 58,588.23 | | |
| Silver seatrout | Cynoscion nothus | 2015 | | 483.80 | |
| Silver seatrout - landings | | | | | |
| SILVER SEATROUT (Subtotal) | | | 58,588.23 | 483.80 | 0.00 |
| SKIPJACK TUNA | | | | | |
| Skipjack tuna - Central Western Pacific | Katsuwonus pelamis | 2013-2015 | 28,772.00 | | |
| Skipjack tuna - landings | | | | | |
| SKIPJACK TUNA (Subtotal) | | | 28,772.00 | 0.00 | 0.00 |
| SMOOTH DOGFISH | | | | | |
| Smooth dogfish | Mustelus canis | 2015 | 190,796.53 | | |
| Smooth dogfish - landings | Mustelus canis | | | | 0.40 285,415.00 |
| SMOOTH DOGFISH (Subtotal) | | | 190,796.53 | 0.00 | 285,415.00 |
| SNAPPERS (GROUP) | | | | | |
| Snappers (group) | Lutjanidae | 2015 | 1,538.56 | | |
| Snappers (group) | Lutjanidae | 2015 | | 309.03 | |
| Snappers (group) - landings | Lutjanidae | | | | |
| SNAPPERS (GROUP) (Subtotal) | | | 1,538.56 | 309.03 | 0.00 |
| SNOWY GROUPER | | | | | |
| Snowy grouper | Epinephelus niveatus | 2015 | | 1,987.66 | f |

| | | | | | | |
|---|--------------------------|------|--------------|----------|----|--------------|
| Snowy grouper - landings | Epinephelus niveatus | | | | ** | 149,181.00 |
| SNOWY GROUPER (Subtotal) | | | 0.00 | 1,987.66 | | 149,181.00 |
| SOLIDERFISHES AND SQUIRRELFISHES (GROUP) | | | | | | |
| Soliderfishes and squirrelfishes (group) | Holocentridae | 2015 | | 238.88 | | |
| Soliderfishes and squirrelfishes (group) - landings | Holocentridae | | | | | |
| SOLIDERFISHES AND SQUIRRELFISHES (GROUP) (Subtotal) | | | 0.00 | 238.88 | | 0.00 |
| SOUTHERN FLOUNDER | | | | | | |
| Southern flounder | Paralichthys lethostigma | 2015 | 424,733.95 | | | |
| Southern flounder - landings | | | | | | |
| SOUTHERN FLOUNDER (Subtotal) | | | 424,733.95 | 0.00 | | 0.00 |
| SOUTHERN KINGFISH | | | | | | |
| Southern kingfish | Menticirrhus americanus | 2015 | 1,546,682.40 | | | |
| Southern kingfish | Menticirrhus americanus | 2015 | | 1,167.40 | | |
| Southern kingfish - landings | | | | | | |
| SOUTHERN KINGFISH (Subtotal) | | | 1,546,682.40 | 1,167.40 | | 0.00 |
| SOUTHERN STINGRAY | | | | | | |
| Southern stingray | Dasyatis americana | 2015 | | 215.00 | | |
| Southern stingray - landings | | | | | | |
| SOUTHERN STINGRAY (Subtotal) | | | 0.00 | 215.00 | | 0.00 |
| SPADEFISHES (GROUP) | | | | | | |
| Spadefishes (group) | Ephippidae | 2015 | | 4,229.32 | | |
| Spadefishes (group) - landings | Ephippidae | | | | | |
| SPADEFISHES (GROUP) (Subtotal) | | | 0.00 | 4,229.32 | | 0.00 |
| SPANISH MACKEREL | | | | | | |
| Spanish mackerel | Scomberomorus maculatus | 2015 | 1,472,658.23 | | | |
| Spanish mackerel | Scomberomorus maculatus | 2015 | | 4,447.24 | | |
| Spanish mackerel - landings | Scomberomorus maculatus | | | | ** | 1,875,665.00 |
| SPANISH MACKEREL (Subtotal) | | | 1,472,658.23 | 4,447.24 | | 1,875,665.00 |
| SPECKLED HIND | | | | | | |
| Speckled hind | Epinephelus drummondhayi | 2015 | | 2,919.72 | | d |
| Speckled hind - landings | Epinephelus drummondhayi | | | | ** | 50,868.00 |
| SPECKLED HIND (Subtotal) | | | 0.00 | 2,919.72 | | 50,868.00 |
| SPINNER SHARK | | | | | | |
| Spinner shark | Carcharhinus brevipinna | 2015 | 173,069.79 | | | |

| | | | | | | |
|------------------------------|-------------------------|------|--------------|-----------|------|--------------|
| Spinner shark | Carcharhinus brevipinna | 2015 | | 1,442.09 | | |
| Spinner shark - landings | Carcharhinus brevipinna | | | | ** | 113,833.00 |
| SPINNER SHARK (Subtotal) | | | 173,069.79 | 1,442.09 | | 113,833.00 |
| SPINY DOGFISH | | | | | | |
| Spiny dogfish | Squalus acanthias | 2015 | 951.30 | | | |
| Spiny dogfish | Squalus acanthias | 2015 | | 62.74 | | |
| Spiny dogfish - landings | Squalus acanthias | | | | ** | 4,233,118.00 |
| SPINY DOGFISH (Subtotal) | | | 951.30 | 62.74 | | 4,233,118.00 |
| SPOT | | | | | | |
| Spot | Leiostomus xanthurus | 2015 | 8,328,979.11 | | | |
| Spot | Leiostomus xanthurus | 2015 | | 26.90 | | |
| Spot - landings | Leiostomus xanthurus | | | | ** | 350,112.00 |
| SPOT (Subtotal) | | | 8,328,979.11 | 26.90 | | 350,112.00 |
| SPOTTAIL PINFISH | | | | | | |
| Spottail pinfish | Diplodus holbrookii | 2015 | | 19,627.60 | | |
| Spottail pinfish - landings | Diplodus holbrookii | | | | ** | 950.00 |
| SPOTTAIL PINFISH (Subtotal) | | | 0.00 | 19,627.60 | | 950.00 |
| SPOTTED SEATROUT | | | | | | |
| Spotted seatrout | Cynoscion nebulosus | 2015 | 58,849.68 | | | |
| Spotted seatrout - landings | Cynoscion nebulosus | | | | 0.28 | 153,083.00 |
| SPOTTED SEATROUT (Subtotal) | | | 58,849.68 | 0.00 | | 153,083.00 |
| STAR DRUM | | | | | | |
| Star drum | Stellifer lanceolatus | 2015 | 5,577,923.22 | | | |
| Star drum - landings | | | | | | |
| STAR DRUM (Subtotal) | | | 5,577,923.22 | 0.00 | | 0.00 |
| STURGEONS (GROUP) | | | | | | |
| Sturgeons (group) | Acipenser | 2015 | 0.00 | | | |
| Sturgeons (group) - landings | Acipenser | | | | | |
| STURGEONS (GROUP) (Subtotal) | | | 0.00 | 0.00 | | 0.00 |
| SUMMER FLOUNDER | | | | | | |
| Summer flounder | Paralichthys dentatus | 2015 | 344,069.12 | | | |
| Summer flounder - landings | Paralichthys dentatus | | | | 0.98 | 8,966.00 |
| SUMMER FLOUNDER (Subtotal) | | | 344,069.12 | 0.00 | | 8,966.00 |
| SURGEONFISHES (GROUP) | | | | | | |

| | | | | | | |
|---|-------------------------------|-----------|------------|-----------|------|--------------|
| Surgeonfishes (group) | Acanthuridae | 2015 | | 28.30 | | |
| Surgeonfishes (group) - landings | Acanthuridae | | | | | |
| SURGEONFISHES (GROUP) (Subtotal) | | | 0.00 | 28.30 | | 0.00 |
| SWORDFISH | | | | | | |
| Swordfish - North Atlantic | Xiphias gladius | 2013-2015 | 305,688.00 | | | |
| Swordfish - landings | Xiphias gladius | | | | 0.08 | 3,511,302.00 |
| SWORDFISH (Subtotal) | | | 305,688.00 | 0.00 | | 3,511,302.00 |
| TARPON | | | | | | |
| Tarpon | Megalops atlanticus | 2015 | | 7.81 | | |
| Tarpon - landings | | | | | | |
| TARPON (Subtotal) | | | 0.00 | 7.81 | | 0.00 |
| TIGER SHARK | | | | | | |
| Tiger shark | Galeocerdo cuvier | 2015 | 23,161.96 | | | |
| Tiger shark | Galeocerdo cuvier | 2015 | | 3,142.28 | | |
| Tiger shark - landings | Galeocerdo cuvier | | | | ** | 48,412.00 |
| TIGER SHARK (Subtotal) | | | 23,161.96 | 3,142.28 | | 48,412.00 |
| TILEFISH | | | | | | |
| Tilefish | Lopholatilus chamaeleonticeps | 2015 | | 625.80 | | |
| Tilefish - landings | Lopholatilus chamaeleonticeps | | | | ** | 913,209.00 |
| TILEFISH (Subtotal) | | | 0.00 | 625.80 | | 913,209.00 |
| TOAD FISHES (GROUP) | | | | | | |
| Toad fishes (group) | Batrachoididae | 2015 | | 101.00 | | |
| Toad fishes (group) - landings | Batrachoididae | | | | | |
| TOAD FISHES (GROUP) (Subtotal) | | | 0.00 | 101.00 | | 0.00 |
| TOMTATE | | | | | | |
| Tomtate | Haemulon aurolineatum | 2015 | | 784.49 | | |
| Tomtate - landings | | | | | | |
| TOMTATE (Subtotal) | | | 0.00 | 784.49 | | 0.00 |
| TRIGGERFISHES (GROUP) | | | | | | |
| Triggerfishes (group) | Balistidae | 2015 | | 55,522.72 | | |
| Triggerfishes (group) - landings | Balistidae | | | | | |
| TRIGGERFISHES (GROUP) (Subtotal) | | | 0.00 | 55,522.72 | | 0.00 |
| TRUE EELS (GROUP) | | | | | | |

| | | | | | | |
|------------------------------|--------------------------|---------------|-----------|------------|----|------------|
| True eels (group) | Anguilliformes | 2015 | | 169.04 | | |
| True eels (group) - landings | Anguilliformes | | | | | |
| TRUE EELS (GROUP) (Subtotal) | | | 0.00 | 169.04 | | 0.00 |
| VERMILION SNAPPER | | | | | | |
| Vermilion snapper | Rhomboplites aurorubens | 2015 | 19,368.48 | | | I |
| Vermilion snapper | Rhomboplites aurorubens | 2015 | | 657,157.26 | | I |
| Vermilion snapper - landings | Rhomboplites aurorubens | | | | ** | 409,119.00 |
| VERMILION SNAPPER (Subtotal) | | | 19,368.48 | 657,157.26 | | 409,119.00 |
| WAHOO | | | | | | |
| Wahoo | Acanthocybium solandri | 2015 | | 1.08 | | |
| Wahoo - landings | Acanthocybium solandri | | | | ** | 27,965.00 |
| WAHOO (Subtotal) | | | 0.00 | 1.08 | | 27,965.00 |
| WARSAW GROUPER | | | | | | |
| Warsaw grouper | Epinephelus nigritus | 2015 | 1,783.22 | | | |
| Warsaw grouper | Epinephelus nigritus | 2015 | | 80.80 | | |
| Warsaw grouper - landings | Epinephelus nigritus | | | | ** | 37,040.00 |
| WARSAW GROUPER (Subtotal) | | | 1,783.22 | 80.80 | | 37,040.00 |
| WEAKFISH | | | | | | |
| Weakfish | Cynoscion regalis | 2015 | 48,474.02 | | | |
| Weakfish | Cynoscion regalis | 2015 | | 307.20 | | |
| Weakfish - landings | Cynoscion regalis | | | | ** | 75,840.00 |
| WEAKFISH (Subtotal) | | | 48,474.02 | 307.20 | | 75,840.00 |
| WHITE GRUNT | | | | | | |
| White grunt | Haemulon plumierii | 2015 | | 13,263.87 | | |
| White grunt - landings | Haemulon plumierii | | | | ** | 79.00 |
| WHITE GRUNT (Subtotal) | | | 0.00 | 13,263.87 | | 79.00 |
| WHITE MARLIN | | | | | | |
| White marlin - Atlantic | Kajikia albida | 2013- 2015 | 16,823.00 | | | |
| White marlin - landings | | | | | | |
| WHITE MARLIN (Subtotal) | | | 16,823.00 | 0.00 | | 0.00 |
| YELLOW JACK | | | | | | |
| Yellow jack | Carangoides bartholomaei | 2015 | | 25.15 | | |
| Yellow jack - landings | | | | | | |
| YELLOW JACK (Subtotal) | | | 0.00 | 25.15 | | 0.00 |

| YELLOWEDGE GROUPER | | | | | | |
|-------------------------------|---------------------------|-----------|-----------------------|---------------------|----|----------------------|
| Yellowedge grouper | Epinephelus flavolimbatus | 2015 | | 881.32 | | |
| Yellowedge grouper - landings | Epinephelus flavolimbatus | | | | ** | 789,000.00 |
| YELLOWEDGE GROUPER (Subtotal) | | | 0.00 | 881.32 | | 789,000.00 |
| YELLOWFIN MENHADEN | | | | | | |
| Yellowfin menhaden | Brevoortia smithi | 2015 | | 4,093.40 | | |
| Yellowfin menhaden - landings | | | | | | |
| YELLOWFIN MENHADEN (Subtotal) | | | 0.00 | 4,093.40 | | 0.00 |
| YELLOWFIN TUNA | | | | | | |
| Yellowfin tuna - Atlantic | Thunnus albacares | 2013-2015 | 74,130.00 | | | |
| Yellowfin tuna | Thunnus albacares | 2015 | | 296.88 | | |
| Yellowfin tuna - landings | Thunnus albacares | | | | ** | 250,116.00 |
| YELLOWFIN TUNA (Subtotal) | | | 74,130.00 | 296.88 | | 250,116.00 |
| YELLOWTAIL SNAPPER | | | | | | |
| Yellowtail snapper | Ocyurus chrysurus | 2015 | | 163,676.65 | | |
| Yellowtail snapper - landings | Ocyurus chrysurus | | | | ** | 127,530.00 |
| YELLOWTAIL SNAPPER (Subtotal) | | | 0.00 | 163,676.65 | | 127,530.00 |
| GRAND TOTAL | | | 319,972,147.05 | 4,849,536.16 | | 31,179,243.00 |

FOOTNOTES

- a For the GOM Reef Fish Vertical Line Fishery, the estimate is a weighted mean of discards for years 2011-13 (see SEDAR 43); the CV is the midpoint of the 1.58-3.85 range among strata. For the SATL Snapper-Grouper Vertical Line Fishery, the estimate is a weighted mean of discards for years 2012-14 (see SEDAR 41); the CV is the midpoint of the 7.71-11.97 range among strata. For the GOM Reef Fish Bottom Longline Fishery, the estimate is a weighted mean of discards for years 2011-13 (see SEDAR 43); the CV is the midpoint of the 2.94-16.34 range among strata.
- b See SEDAR 50 data workshop report for more information.
- c For the SATL Snapper-Grouper Vertical Line Fishery, see SEDAR 56 assessment report for more information.
- d For the GOM Reef Fish Vertical Line Fishery, the estimate is a weighted mean of discards for years 2012-14 (see SEDAR 49); the CV is the midpoint of the 5.32-9.54 range among strata. For GOM Reef Fish Bottom Longline Fishery, the estimate is a weighted mean of discards for years 2012-14 (see SEDAR 49); the CV is the midpoint of the 1.37-6.67 range among strata.
- e For the GOM Reef Fish Vertical Line Fishery, the estimate is a weighted mean of discards for years 2011-13 (see SEDAR 42); the CV is the midpoint of the 0.64-5.45 range among strata. For the SATL Snapper-Grouper Vertical Line Fishery, see SEDAR 53 data workshop report for more information; the CV is the midpoint of the 1.73-24.58 range among strata. For the GOM Reef Fish Bottom Longline Fishery, the estimate is a weighted mean of discards for years 2011-13 (see SEDAR 42); the CV is the midpoint of the 0.57-1.79 range among strata.
- f For the GOM Reef Fish Vertical Line Fishery, the estimate is a weighted mean of discards for years 2012-14 (see SEDAR 49); the CV is the midpoint of the 7.81-8.77 range among strata. For the GOM Reef Fish Bottom Longline Fishery, the estimate is a weighted mean of discards for years 2012-14 (see SEDAR 49); the CV is the midpoint of the 1.41-13.59 range among strata.
- g For the GOM Reef Fish Vertical Line Fishery and the SATL Snapper-Grouper Vertical Line Fishery, the estimate is a weighted mean of discards for years 2010-12 (see SEDAR 15 update 2015); the total includes the Gulf of Mexico and South Atlantic; the CV is the midpoint of the 0.62-0.74 range among years.
- h For the GOM Reef Fish Vertical Line Fishery, the estimate is a weighted mean of discards for years 2011-13 (see SEDAR 31 2014 update); the CV is the midpoint of the 1.98-8.95 range among strata. For the GOM Reef Fish Bottom Longline Fishery, the estimate is a weighted mean of discards for years 2011-13 (see SEDAR 31 2014 update); the CV is the midpoint of the 1.21-10.54 range among strata.
- i For the GOM Reef Fish Vertical Line Fishery and GOM Reef Fish Bottom Longline Fishery, see SEDAR 51 data workshop report for more information.

j For the GOM Reef Fish Vertical Line Fishery, see SEDAR GOM 2016 assessment update for more information; the CV is the midpoint of the 3.29-7.01 range among strata. For the GOM Reef Fish Bottom Longline Fishery, see SEDAR GOM 2016 assessment update for more information.

k For the SATL Snapper-Grouper Vertical Line Fishery, the estimate is a weighted mean of discards for years 2009-11 (see SEDAR update 2012); the CV is the midpoint of the 1.72-4.59 range among strata.

l For the GOM Reef Fish Vertical Line Fishery, the estimate is a weighted mean of discards for years 2012-14 (see SEDAR 45); the CV is the midpoint of the 1.41-7.81 range among strata. For the GOM Reef Fish Bottom Longline Fishery, the estimate is a weighted mean of discards for years 2012-14 (see SEDAR 45); the CV is the midpoint of the 2.34-8.58 range among strata.

m For the GOM Reef Fish Vertical Line Fishery, see SEDAR GOM 2016 assessment update for more information; the CV is the midpoint of the 3.83-4.83 range among strata. For the GOM Reef Fish Bottom Longline Fishery, see SEDAR GOM 2016 assessment update for more information; the CV is the midpoint of the 0.69-1.70 range among strata.