

**TAKING AND IMPORTING MARINE MAMMALS; TAKING MARINE MAMMALS INCIDENTAL TO THE
U.S. NAVY TRAINING AND TESTING ACTIVITIES IN THE NORTHWEST TRAINING AND TESTING STUDY
AREA**

References: Proposed Rule published June 2, 2020

- Abramson, L., S. Polefka, S. Hastings, and K. Bor. (2011). Reducing the Threat of Ship Strikes on Large Cetaceans in the Santa Barbara Channel Region and Channel Islands National Marine Sanctuary: Recommendations and Case Studies (Marine Sanctuaries Conservation Series). Silver Spring, MD: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Office of Ocean and Coastal Resource Management, Office of National Marine Sanctuaries.
- Aicken, W., E. Clements, E. Harland, S. Healy, G. Smith, P. Ward, . . . C. Pierpont. (2005). STUFT2 Trial: Environmental protection data analysis report Unpublished report prepared by QuinetiQ Limited for the United Kingdom Ministry of Defense. Hampshire, United Kingdom.
- Allen, A. N., J. J. Schanze, A. R. Solow, and P. L. Tyack. (2014). Analysis of a Blainville's beaked whale's movement response to playback of killer whale vocalizations. *Marine Mammal Science*, 30(1), 154–168.
- Amaral, K., and C. Carlson. 2005. Summary of non-lethal research techniques for the study of cetaceans. United Nations Environment Programme UNEP (DEC)/CAR WG.27/REF.5. 3p. Regional Workshop of Experts on the Development of the Marine Mammal Action Plan for the Wider Caribbean Region. Bridgetown, Barbados, 18-21 July.
- André, M., M. Solé, M. Lenoir, M. Durfort, C. Quero, A. Mas, ... and S. Zaugg. (2011). Low-frequency sounds induce acoustic trauma in cephalopods. *Frontiers in Ecology and the Environment*, 9(9), 489-493.
- Andriquetto-Filho, J. M., A. Ostrensky, M. R. Pie, U. A. Silva, and W. A. Boeger. (2005). Evaluating the impact of seismic prospecting on artisanal shrimp fisheries. *Continental Shelf Research*, 25(14), 1720-1727.
- Astrup, J., and B. Mohl. (1993). Detection of Intense Ultrasound by the Cod *Gadus Morhua*. *Journal of Experimental Biology*, 182, 71–80.
- Astrup, J. (1999). Ultrasound detection in fish - a parallel to the sonar-mediated detection of bats by ultrasound-sensitive insects? *Comparative Biochemistry and Physiology, Part A*, 124, 19–27.
- Atkinson, S., D. Crocker, D. Houser, and K. Mashburn. (2015). Stress physiology in marine mammals: How well do they fit the terrestrial model? *Journal of Comparative Physiology B*, 185, 463–486.
- Au, W. W. L., and M. Green. (2000). Acoustic interaction of humpback whales and whale-watching boats. *Marine Environmental Research*, 49(5), 469–481.
- Au, W. W., and M. C. Hastings. (2008). *Principles of Marine Bioacoustics* (pp. 121-174). New York: Springer.
- Au, W. W. L. (1993). *The Sonar of Dolphins*. New York: Springer-Verlag.
- Au, W. W. L., R. W. Floyd, R. H. Penner, and A. E. Murchison. (1974). Measurement of echolocation signals of the Atlantic bottlenose dolphin, *Tursiops truncatus* Montagu, in open waters. *Journal of the Acoustical Society of America*, 56(4), 1280–1290.
- Au, D., and W. Perryman. (1982). Movement and speed of dolphin schools responding to an approaching ship. *Fishery Bulletin*, 80(2), 371–372.
- Au, D. W. K., and W. L. Perryman. (1985). Dolphin habitats in the eastern tropical Pacific. *Fishery Bulletin*, 83, 623–643.
- Ayres, K. L., R. K. Booth, J. A. Hempelmann, K. L. Koski, C. K. Emmons, R. W. Baird, K. Balcomb-Bartok, M. B. Hanson, M. J. Ford, and S. K. Wasser. (2012). Distinguishing the impacts of inadequate prey and vessel traffic on an endangered killer whale (*Orcinus orca*) population. *PLoS ONE*, 7(6), e36842.

- Bain, D. E. (2002). *A Model Linking Energetic Effects of Whale Watching to Killer Whale (Orcinus orca) Population Dynamics*. Friday Harbor, WA: Friday Harbor Laboratories University of Washington.
- Bain, D. E., D. Lusseau, R. Williams, and J. C. Smith. (2006). Vessel traffic disrupts the foraging behavior of southern resident killer whales (*Orcinus* spp.). International Whaling Commission.
- Baird, R. W., and A. M. Gorgone. (2005). False Killer Whale Dorsal Fin Disfigurements as a Possible Indicator of Long-Line Fishery Interactions in Hawaiian Waters. *Pacific Science*, 59(4), 593–601.
- Baird, R. W., D. L. Webster, D. J. McSweeney, A. D. Ligon, G. S. Schorr, and J. Barlow. (2006). Diving behaviour of Cuvier's (*Ziphius cavirostris*) and Blainville's (*Mesoplodon densirostris*) beaked whales in Hawai'i. *Canadian Journal of Zoology*, 84, 1120-1128.
- Baird, R. W., D. L. Webster, G. S. Schorr, D. J. McSweeney, and J. Barlow. (2008). Diel variation in beaked whale diving behavior. *Marine Mammal Science*, 24, 630-642.
- Bakhchina, A. V., L. M. Mukhametov, V. V. Rozhnov, and O. I. Lyamin. (2017). Spectral analysis of heart rate variability in the beluga (*Delphinapterus leucas*) during exposure to acoustic noise. *Journal of Evolutionary Biochemistry and Physiology*, 53(1), 60–65.
- Barlow, J. (1988). Harbor porpoise, *Phocoena phocoena*, abundance estimation for California, Oregon, and Washington: I. Ship surveys. *Fisheries Bulletin*, U.S. 86: 417–432.
- Barlow, J. (2010). *Cetacean Abundance in the California Current Estimated from a 2008 Ship-Based Line-Transect Survey* (NOAA Technical Memorandum NMFS-SWFSC-456). La Jolla, CA: Southwest Fisheries Science Center.
- Barlow, J. (2016). *Cetacean Abundance in the California Current Estimated from Ship-based Linetranssect Surveys in 1991–2014*. (NOAA Administrative Report NMFS-SWFSC-LJ1601). La Jolla, CA: Southwest Fisheries Science Center.
- Barlow, J., S. L. Swartz, T. C. Eagle, and P. R. Wade. (1995). US marine mammal stock assessments: Guidelines for preparation, background, and a summary of the 1995 assessments. NOAA Tech. Memo. NMFS-OPR, 6, 73.
- Barlow, J., and K. A. Forney. (2007). Abundance and population density of cetaceans in the California Current ecosystem. *Fishery Bulletin*, 105, 509–526.
- Barlow, J., M. C. Ferguson, E. A. Becker, J. V. Redfern, K. A. Forney, I. L. Vilchis, P. C. Fiedler, T. Gerrodette, and L. T. Ballance. (2009). *Predictive Modeling of Cetacean Densities in the Eastern Pacific Ocean* (NOAA Technical Memorandum NMFS-SWFSC-444). La Jolla, CA: Southwest Fisheries Science Center.
- Bauer, G. B. (1986). The behavior of humpback whales in Hawaii and modifications of behavior induced by human interventions. (*Megaptera novaeangliae*). University of Hawaii. 314 pp.
- Beauchamp, G., and B. Livoreil. (1997). The effect of group size on vigilance and feeding rate in spice finches (*Lonchura punctulata*). *Canadian Journal of Zoology*, 75(9), 1526-1531.
- Becker, E. A., K. A. Forney, M. C. Ferguson, D. G. Foley, R. C. Smith, J. Barlow, & J. V. Redfern. (2010). Comparing California Current cetacean–habitat models developed using in situ and remotely sensed sea surface temperature data. *Marine Ecology Progress Series*, 413, 163–183.
- Becker, E. A., K. A. Forney, M. C. Ferguson, J. Barlow, & J. V. Redfern. (2012a). *Predictive Modeling of Cetacean Densities in the California Current Ecosystem based on Summer/Fall Ship Surveys in 1991–2008* (NOAA Technical Memorandum NMFS-SWFSC-499). La Jolla, CA: Southwest Fisheries Science Center.
- Becker, E. A., K. A. Forney, D. G. Foley, and J. Barlow. (2012b). Density and Spatial Distribution Patterns of Cetaceans in the Central North Pacific based on Habitat Models (NOAA Technical Memorandum NMFS-SWFSC-490). La Jolla, CA: Southwest Fisheries Science Center.
- Becker, E. A., K. A. Forney, D. G. Foley, R. C. Smith, T. J. Moore, and J. Barlow. (2014). Predicting seasonal density patterns of California cetaceans based on habitat models. *Endangered Species Research*, 23(1), 1–22.
- Becker, E. A., K. A. Forney, P. C. Fiedler, J. Barlow, S. J. Chivers, C. A. Edwards, A. M. Moore, and J. V. Redfern. (2016). Moving Towards Dynamic Ocean Management: How Well Do Modeled Ocean Products Predict Species Distributions? *Remote Sensing*, 8(2), 149.

- Bednekoff, P. A., and S. L. Lima. (1998). Randomness, chaos and confusion in the study of antipredator vigilance. *Trends in Ecology & Evolution*, 13(7), 284-287.
- Bejder, L., S.M. Dawson, and J.A. Harraway. (1999). Responses by Hector's dolphins to boats and swimmers in Porpoise Bay, New Zealand. *Marine Mammal Science*, 15(3):738-750.
- Bejder, L., A. Samuels, H. Whitehead, and N. Gales. (2006). Interpreting short-term behavioural responses to disturbance within a longitudinal perspective. *Animal Behaviour*, 72, 1149–1158.
- Berman-Kowalewski, M., F. M. D. Gulland, S. Wilkin, J. Calambokidis, B. Mate, J. Cordaro, D. Rotstein, J. St. Leger, P. Collins, K. Fahy, and S. Dover. (2010). Association between blue whale (*Balaenoptera musculus*) mortality and ship strikes along the California Coast. *Aquatic Mammals*, 36(1), 59–66.
- Bernaldo de Quiros, Y., O. Gonzalez-Diaz, M. Arbelo, E. Sierra, S. Sacchini, and A. Fernandez. (2012). Decompression vs. decomposition: distribution, amount, and gas composition of bubbles in stranded marine mammals. *Frontiers in Physiology*, 3 Article 177, 19.
- Bernaldo de Quiros, Y., A. Fernandez, R. W. Baird, R. L. Brownell Jr, N. Aguilar de Soto, D. Allen, M. Arbelo, M. Arregui, A. Costidis, A. Fahlman, and A. Frantzis. (2019). Advances in research on the impacts of anti-submarine sonar on beaked whales. *Proceedings of the Royal Society B*, 286(1895), p.20182533.
- Best, P. B. (1982). Whales: Why do they Strand? *African Wildlife*, 36(3), 96-97, 99.
- Bickel, S. L., J. D. Malloy Hammond, and K. W. Tang. (2011). Boat-generated turbulence as a potential source of mortality among copepods. *Journal of Experimental Marine Biology and Ecology*, 401(1–2), 105–109.
- Bishop, M. J. (2008). Displacement of epifauna from seagrass blades by boat wake. *Journal of Experimental Marine Biology and Ecology*, 354(1), 111–118.
- Blackwell, S. B., J. W. Lawson, and M. T. Williams. (2004). Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. *The Journal of Acoustical Society of America*, 115(5 (Pt. 1)), 2346–2357.
- Blackwell, S. B., C. S. Nations, T. L. McDonald, C. R. Greene, A. M. Thode, M. Guerra, and A. M. Macrander. (2013). Effects of airgun sounds on bowhead whale calling rates in the Alaskan Beaufort Sea. *Marine Mammal Science*, 29(4), E342–E365.
- Blackwell, S. B., C. S. Nations, T. L. McDonald, A. M. Thode, D. Mathias, K. H. Kim, C. R. Greene, Jr., and A. M. Macrander. (2015). Effects of airgun sounds on bowhead whale calling rates: evidence for two behavioral thresholds. *PLoS ONE*, 10(6), e0125720.
- Blane, J. M., and R. Jaakson. 1994. The impact of ecotourism boats on the St. Lawrence beluga whales (*Delphinapterus leucas*). *Environmental Conservation*, 21(3), 267-269.
- Blecha, F. (2000). Immune system response to stress. In G. P. Moberg & J. A. Mench (Eds.), *The Biology of Animal Stress* (pp. 111-122): CABI Publishing.
- Born, E. W., F. F. Riget, R. Dietz, and D. Andriashek. (1999). Escape responses of hauled out ringed seals (*Phoca hispida*) to aircraft disturbance. *Polar Biology*, 21(3), 171-178.
- Boudreau M., S. C. Courtenay, and K. Lee. (2009). Proceedings of a workshop held 23 January at the Gulf Fisheries Center potential impacts of seismic energy on snow crab: an update to the September review. In: Boudreau M, Courtenay SC, Lee K (eds) Canadian Technical Report of Fisheries and Aquatic Sciences 2836, pp vii–31
- Bowles, A. E., M. Smultea, B. Würsig, D. P. DeMaster, and D. Palka. (1994). Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island Feasibility Test. *The Journal of Acoustical Society of America*, 96, 2469–2484.
- Boyd, I., D. Claridge, C. Clark, and B. Southall. (2008). *BRS 2008 Preliminary Report*. U.S. Navy NAVSEA PEO IWS 5, ONR, U.S. Navy Environmental Readiness Division, NOAA, SERDP.
- Bradford, A. L., K. A. Forney, E. M. Oleson, and J. Barlow. (2017). Abundance estimates of cetaceans from a line-transect survey within the U.S. Hawaiian Islands Exclusive Economic Zone. *Fishery Bulletin*, 115(2), 129–142.

- Bradshaw, C. J., S. Boutin, and D. M. Hebert. (1998). Energetic implications of disturbance caused by petroleum exploration to woodland caribou. *Canadian Journal of Zoology*, 76(7), 1319-1324.
- Branstetter, B. K., and J. J. Finneran. (2008). Comodulation masking release in bottlenose dolphins (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 1, 625–633.
- Branstetter, B. K., J. S. Trickey, K. Bakhtiari, A. Black, H. Aihara, and J. J. Finneran. (2013). Auditory masking patterns in bottlenose dolphins (*Tursiops truncatus*) with natural, anthropogenic, and synthesized noise. *Journal of the Acoustical Society of America*, 133(3), 1811–1818.
- Branstetter, B. K., K. Bakhtiari, A. Black, J. S. Trickey, J. J. Finneran, and H. Aihara. (2016). Energetic and informational masking of complex sounds by a bottlenose dolphin (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 140(3), 1904–1917.
- Braun, C. B., and T. Grande. (2008). Evolution of Peripheral Mechanisms for the Enhancement of Sound Reception. *ResearchGate*, 46.
- Brenowitz, E. A. (1982) The active space of red-winged blackbird song. *Journal of Comparative Physiology*, 147:511–522.
- Brenowitz, E.A. (2004). Plasticity of the adult avian song control system. *Annals of the New York Academy of Science*, 1016, 560–585.
- Brownell, R. L., Jr., K. Ralls, S. Baumann-Pickering, and M. M. Poole. (2009). Behavior of melon-headed whales, *Peponocephala electra*, near oceanic islands. *Marine Mammal Science*, 25(3), 639–658.
- Brownlow, A., J. Baily, M. Dagleish, R. Deaville, G. Foster, S-K. Jensen, E. Krupp, R. Law, R. Penrose, M. Perkins, F. Read, and P. Jepson (2015). Investigation into the long-finned pilot whale mass stranding event, Kyle of Durness, 22 July 2011. Report to Defra and Marine Scotland.
- Brumm, H. (2004). Causes and consequences of song amplitude adjustment in a territorial bird: a case study in nightingales. *Anais da Academia Brasileira de Ciências*, 76(2), 289-295.
- Brumm, H., and H. Slabbekoorn. (2005). Acoustic communication in noise. *Advances in the Study of Behavior*, 35, 151–209.
- Bruintjes, R., J. Purser, K. A. Everley, S. Mangan, S. D. Simpson, and A. N. Radford. (2016). Rapid recovery following short-term acoustic disturbance in two fish species. *Royal Society - Open Science*, 3(1), 150686.
- Bryant, P.J., C.M. Lafferty, and S.K. Lafferty. (1984). Reoccupation of Laguna Guerrero Negro, Baja California, Mexico, by gray whales. (*Eschrichtius robustus*). In: M. L. Jones, S. L. Swartz, and S. Leatherwood (Eds). *The Gray Whale, Eschrichtius robustus*. Academic Press, New York.
- Budelmann, B. U. (1992). Hearing in nonarthropod invertebrates. In D. B. Webster, R. R. Fay, and A. N. Popper (Eds.), *Evolutionary Biology of Hearing* (pp. 141–155). New York, NY: Springer-Verlag.
- Budelmann, B. U., and R. O. D. D. Y. Williamson. (1994). Directional sensitivity of hair cell afferents in the Octopus statocyst. *Journal of Experimental Biology*, 187(1), 245-259.
- Burger, J., and M. Gochfeld. (1990). Risk discrimination of direct versus tangential approach by basking black iguanas (*Ctenosaura similis*): Variation as a function of human exposure. *Journal of Comparative Psychology*, 104(4), 388.
- Burger, J., and M. Gochfeld. (1981). Discrimination of the threat of direct versus tangential approach to the nest by incubating herring and great black-backed gulls. *Journal of Comparative and Physiological Psychology*, 95(5), 676.
- Calambokidis, J., E. A. Falcone, T. J. Quinn, A. M. Burdin, P. J. Clapham, J. K. B. Ford, C. M. Gabriele, R. LeDuc, D. Mattila, L. Rojas-Bracho, J. M. Straley, B. L. Taylor, J. Urbán R., D. Weller, B. H. Witteveen, M. Yamaguchi, A. Bendlin, D. Camacho, K. Flynn, A. Havron, J. Huggins, and N. Maloney. (2008). SPLASH: Structure of Populations, Levels of Abundance and Status of Humpback Whales in the North Pacific. Olympia, WA: Cascadia Research.
- Calambokidis, J. (2012). Summary of Ship-Strike Related Research on Blue Whales in 2011. Committee on Taxonomy. 2016. List of Marine Mammal Species & Subspecies - Society for Marine Mammalogy. Retrieved from <https://www.marinemammalscience.org/species-information/list-of-marine-mammal-species-subspecies/>.

- Calambokidis, J., Steiger, G. H., Curtice, C., Harrison, J., Ferguson, M., Becker, E., . . . Van Parijs, S. M. (2015). 4. Biologically Important Areas for selected cetaceans within U.S. waters – West coast region. In S. M. Van Parijs, C. Curtice, & M. C. Ferguson (Eds.), *Biologically Important Areas for cetaceans within U.S. waters* (pp. 39-53). *Aquatic Mammals (Special Issue)*, 41(1). 128 pp.
- Campbell, G. S., L. Thomas, K. Whitaker, A. B. Douglas, J. Calambokidis, and J. A. Hildebrand. (2014). Inter-annual and Seasonal Trends in Cetacean Distribution Density and Abundance off Southern California. *Deep-Sea Research II*, 112, 143–157.
- Carretta, J., J. Barlow, and L. Enriquez. (2008). Acoustic pingers eliminate beaked whale bycatch in a gill net fishery. *Marine Mammal Science*, 24(4), 956–961.
- Carretta, J. V., E. Oleson, D. W. Weller, A. R. Lang, K. A. Forney, J. Baker, M. M. Muto, B. Hanson, A. J. Orr, H. Huber, M. S. Lowry, J. Barlow, J. Moore, D. Lynch, L. Carswell, & R. L. Brownell. (2015). *U.S. Pacific Marine Mammal Stock Assessments: 2014* (NOAA Technical Memorandum NMFS-SWFSC-549). La Jolla, CA: Southwest Fisheries Science Center.
- Carretta, J. V., K. Danil, S. J. Chivers, D. W. Weller, D. S. Janiger, M. Berman-Kowalewski, K. M. Hernandez, J. T. Harvey, R. C. Dunkin, D. R. Casper, S. Stoudt, M. Flannery, K. Wilkinson, J. Huggins, and D. M. Lambourn. (2016a). Recovery rates of bottlenose dolphin (*Tursiops truncatus*) carcasses estimated from stranding and survival rate data. *Marine Mammal Science*, 32(1), 349–362.
- Carretta, J. V., M. M. Muto, S. Wilkin, J. Greenman, K. Wilkinson, M. DeAngelis, J. Viezbicke, D. Lawson, & J. Jannot. (2016b). *Sources of Human-Related Injury and Mortality for U.S. Pacific West Coast Marine Mammal Stock Assessments, 2010–2014* (NOAA Technical Memorandum NMFS-SWFSC-554). La Jolla, CA: Southwest Fisheries Science Center.
- Carretta, J. V., M. M. Muto, J. Greenman, K. Wilkinson, D. Lawson, J. Viezbicke, and J. Jannot. (2017b). Sources Of Human-Related Injury And Mortality For U.S. Pacific West Coast Marine Mammal Stock Assessments, 2011-2015. National Marine Fisheries Service, Southwest Fisheries Science Center. NOAA-TM-NMFS-SWFSC-579. June 2017.
- Carretta, J. V., K. A. Forney, E. M. Oleson, D. W. Weller, A. R. Lang, J. Baker, M. M. Muto, B. Hanson, A. J. Orr, H. Huber, M. S. Lowry, J. Barlow, J. E. Moore, D. Lynch, L. Carswell, and R. L. Brownell Jr. (2019). U.S. Pacific Marine Mammal Stock Assessments: 2018. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SWFSC-617.
- Carroll, A. G., R. Przeslawski, A. Duncan, M. Gunning, and B. Bruce. (2017). A Critical Review of the Potential Impacts of Marine Seismic Surveys on Fish & Invertebrates. *Marine Pollution Bulletin*, 114, 16.
- Casper, B. M., M. B. Halvorsen, F. Matthews, T. J. Carlson, and A. N. Popper. (2013). Recovery of barotrauma injuries resulting from exposure to pile driving sound in two sizes of hybrid striped bass. *PLoS ONE*, 8(9), e73844.
- Castellote, M., C. W. Clark, and M. O. Lammers. (2012). Acoustic and behavioral changes by fin whales (*Balaenoptera physalus*) in responses to shipping and airgun noise. *Biological Conservation*, 147, 115–122.
- Cerchio, S., S. Strindberg, T. Collins, C. Bennett, and H. Rosenbaum. (2014). Seismic surveys negatively affect humpback whale singing activity off northern Angola. *PLoS ONE*, 9(3), e86464.
- Charif, R. A., C. S. Oedekoven, A. Rahaman, B. J. Estabrook, L. Thomas, and A. N. Rice. (2015). Development of Statistical Methods for Assessing Changes in Whale Vocal Behavior in Response to Mid-Frequency Active Sonar. Final Report. Virginia Beach, VA: U.S. Fleet Forces Command.
- Cholewiak, D., A. I. DeAngelis, D. Palka, P. J. Corkeron, and S. M. Van Parijs. (2017). Beaked whales demonstrate a marked acoustic response to the use of shipboard echosounders. *Royal Society Open Science*, 4(12), 170940.
- Cholewiak, D., C. W. Clark, D. Ponirakis, A. Frankel, L. T. Hatch, D. Risch, J. E. Stanistreet, M. Thompson, E. Vu, and S. M. Van Parijs. (2018). Communicating amidst the noise: Modeling the aggregate influence of ambient and vessel noise on baleen whale communication space in a national marine sanctuary. *Endangered Species Research*, 36, 59–75.

- Chrousos, G. P. (2000). The stress response and immune function: clinical implications: the 1999 Novera H. Spector lecture. *Annals of the New York Academy of Sciences*, 917(1), 38-67.
- Claridge, D., D. Charlotte, and J. Durban. (2009, 7-10 December 2009). *Abundance and movement patterns of Blainville's beaked whales at the Atlantic undersea test and evaluation center (AUTECE)*. Paper presented at the 2009 ONR Marine Mammal Program Review, Alexandria, VA.
- Clark, C. W., P. Tyack, and W. T. Ellison. (1999). Technical Report 1: Low frequency sound scientific research program technical report (responses of four species of whales to sounds of SURTASS LFA sonar transmissions). Report for the U.S. DoN. Included in Overseas environmental impact statement and environmental impact statement for Surveillance Towed Array Sensor System Low Frequency Active (SURTASS LFA) sonar.
- Clark, C. W., W. T. Ellison, B. L. Southall, L. Hatch, S. M. Van Parijs, A. Frankel, and D. Ponirakis. (2009). Acoustic masking in marine ecosystems: Intuitions, analysis, and implication. *Marine Ecology Progress Series*, 395, 201–222.
- Cochrem, J. (2014). Review of stress and the measurement of stress in marine mammals. Final 2014 Report from ONR Marine Mammal Physiological Stress Response thrust within the Marine Mammals and Biology Program.
- Conn, P. B., and G. K. Silber. (2013). Vessel speed restrictions reduce risk of collision-related mortality for North Atlantic right whales. *Ecosphere*, 4(4).
- Connor, R. C., and M. R. Heithaus. (1996). Approach by great white shark elicits flight response in bottlenose dolphins. *Marine Mammal Science*, 12(4), 602-606.
- Constantine, R., and D. Brunton. (2001). Boats and bottlenose dolphins in the Bay of Islands, New Zealand. Fourteenth Biennial Conference on the Biology of Marine Mammals, Vancouver, Canada.
- Cooper, W. E. Jr. (1997). Factors affecting risk and cost of escape by the broad-headed skink: Predator speed, directness of approach, and female resence. *Herpetologica*, 53(4), 464-474.
- Cooper, W. E., Jr. (1998). Direction of predator turning, a neglected cue to predation risk. *Behavior*, 135(1), 55-64.
- Corkeron, P. J. (1995). Humpback whales (*Megaptera novaeangliae*) in Hervey Bay, Queensland: Behaviour and responses to whale-watching vessels. *Canadian Journal of Zoology*, 73(7):1290-1299.
- Costa, D. P., D. E. Crocker, J. Gedamke, P. M. Webb, D. S. Houser, S. B. Blackwell, D. Waples, S. A. Hayes, and B. J. Le Boeuf. (2003). The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, *Mirounga angustirostris*. *The Journal of Acoustical Society of America*, 113(2), 1155–1165.
- Cowlshaw, G., M. J. Lawes, M. Lightbody, A. Martin, R. Pettifor, and J. M. Rowcliffe. (2004). A simple rule for the costs of vigilance: empirical evidence from a social forager. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 271(1534), 27-33.
- Cox, T. M., T. J. Ragen, A. J. Read, E. Vox, R. W. Baird, K. Balcomb, J. Barlow, J. Caldwell, T. Cranford, L. Crum, A. D'Amico, G. D'Spain, A. Fernandez, J. Finneran, R. Gentry, W. Gerth, F. Gulland, J. Hildebrand, D. Houser, T. Hullar, P. D. Jepson, D. Ketten, C. D. MacLeod, P. Miller, S. Moore, D. C. Mountain, D. Palka, P. Ponganis, S. Rommel, T. Rowles, B. Taylor, P. Tyack, D. Wartzok, R. Gisiner, J. Mead, and L. Benner. (2006). Understanding the impacts of anthropogenic sound on beaked whales. *Journal of Cetacean Research and Management*, 7(3), 177–187.
- Creel, S. (2005). Dominance, aggression, and glucocorticoid levels in social carnivores. *Journal of Mammalogy*, 86(2), 255-264.
- Croll, D. A., C. W. Clark, J. Calambokidis, W. T. Ellison, and B. R. Tershy. (2001). Effect of anthropogenic low-frequency noise on the foraging ecology of *Balaenoptera* whales. *Animal Conservation*, 4, 13–27.
- Crum, L. A., and Y. Mao. (1996). Acoustically enhanced bubble growth at low frequencies and its implications for human diver and marine mammal safety. *Acoustical Society of America*, 99(5), 2898–2907.

- Crum, L. A., M. R. Bailey, J. Guan, P. R. Hilmo, S. G. Kargl, and T. J. Matula. (2005). Monitoring bubble growth in supersaturated blood and tissue *ex vivo* and the relevance to marine mammal bioeffects. *Acoustics Research Letters Online*, 6(3), 214–220.
- Culik, B. M., S. Koschinski, N. Tregenza, and G. M. Ellis. (2001). Reactions of harbor porpoises *Phocoena phocoena* and herring *Clupea harengus* to acoustic alarms. *Marine Ecological Progress Series*, 211, 255–260.
- Cummings, W. C., and P. O. Thompson. (1971). Gray whales, *Eschrichtius robustus*, avoid the underwater sounds of killer whales, *Orcinus orca*. *Fishery Bulletin*, 69(3), 525–530.
- Cunningham, K. A., B. L. Southall, and C. Reichmuth. (2014). Auditory sensitivity of seals and sea lions in complex listening scenarios. *The Journal of the Acoustical Society of America*, 136(6), 3410–3421.
- Curé, C., L. D. Sivle, F. Visser, P. J. Wensveen, S. Isojunno, C. M. Harris, P. H. Kvasdheim, F. P. A. Lam, and P. J. O. Miller. (2015). Predator sound playbacks reveal strong avoidance responses in a fight strategist baleen whale. *Marine Ecology Progress Series*, 526, 267–282.
- Curé, C., S. Isojunno, F. Visser, P. J. Wensveen, L. D. Sivle, P. H. Kvasdheim, F. P. A. Lam, and P. J. O. Miller. (2016). Biological significance of sperm whale responses to sonar: Comparison with antipredator responses. *Endangered Species Research*, 31, 89–102.
- D'Amico, A., R. C. Gisiner, D. R. Ketten, J. A. Hammock, C. Johnson, P. L. Tyack, and J. Mead. (2009). Beaked whale strandings and naval exercises. *Aquatic Mammals*, 35(4), 452–472.
- D'Spain, G. L., A. D'Amico, and D. M. Fromm. (2006). Properties of the underwater sound fields during some well documented beaked whale mass stranding events. *Journal of Cetacean Research and Management*, 7(3), 223–238.
- Daan, S., C. Deerenberg, and C. Dijkstra. (1996). Increased daily work precipitates natural death in the kestrel. *Journal of Animal Ecology*, 539–544.
- Day, R. D., R. D. McCauley, Q. P. Fitzgibbon, K. Hartmann, and J. M. Semmens. (2017). Exposure to seismic air gun signals causes physiological harm and alters behavior in the scallop *Pecten fumatus*. *Proceedings of the National Academy of Sciences*, 114(40), E8537–E8546.
- Deecke, V. B., P. J. B. Slater, and J. K. B. Ford. (2002). Selective habituation shapes acoustic predator recognition in harbour seals. *Nature*, 420(14 November), 171–173.
- Defence Science and Technology Laboratory (DSTL). (2007). *Observations of marine mammal behaviour in response of active sonar*. United Kingdom: Ministry of Defence.
- DeLong, R. L., S. R. Melin, J. L. Laake, P. Morris, A. J. Orr and J. D. Harris. 2017. Age- and sex-specific survival of California sea lions (*Zalophus californianus*) at San Miguel Island, California. *Marine Mammal Science*, 33(4), 1097–1125.
- de Soto, N. A. (2016). Peer-Reviewed Studies on the Effects of Anthropogenic Noise on Marine Invertebrates: From Scallop Larvae to Giant Squid. In A. N. Popper & A. Hawkins (Eds.), *The Effects of Noise on Aquatic Life II* (pp. 10). New York: Springer Science.
- DeRuiter, S. L., I. L. Boyd, D. E. Claridge, C. W. Clark, C. Gagon, B. L. Southall, and P. L. Tyack. (2013a). Delphinid whistle production and call matching during playback of simulated military sonar. *Marine Mammal Science*, 29(2), E46–59.
- DeRuiter, S. L., S. B. L., J. Calambokidis, W. M. X. Zimmer, D. Sadykova, E. A. Falcone, A. S. Friedlaender, J. E. Joseph, D. Moretti, G. S. Schorr, L. Thomas, and P. L. Tyack. (2013b). First direct measurements of behavioural responses by Cuvier's beaked whales to mid-frequency active sonar. *Biology Letters*, 9, 201–223.
- DeRuiter, S. L., R. Langrock, T. Skirbutas, J. A. Goldbogen, J. Calambokidis, A. S. Friedlaender, and B. L. Southall. (2017). A multivariate mixed hidden Markov model for blue whale behaviour and responses to sound exposure. *The Annals of Applied Statistics*, 11(1), 362–392.
- DiMarzio, N., S. Watwood, T. Featherston, and D. Moretti. (2018). Marine Mammal Monitoring on Navy Ranges (M3R) on the Southern California Anti-Submarine Warfare Range (SOAR) and the Pacific Missile Range Facility (PMRF). Prepared for: U.S. Navy, U.S. Pacific Fleet, Pearl Harbor, HI. Prepared by: Naval Undersea Warfare Center Newport, Newport, RI. 52 pp.

- Di Iorio, L., and C. W. Clark. (2009/2010). Exposure to seismic survey alters blue whale acoustic communication. *Biology Letters*, 6, 51–54.
- Doksaeter, L., O. R. Godo, N. O. Handegard, P. H. Kvadsheim, F. P. A. Lam, C. Donovan, and P. J. O. Miller. (2009). Behavioral responses of herring (*Clupea harengus*) to 1-2 and 6-7 kHz sonar signals and killer whale feeding sounds. *The Journal of Acoustical Society of America*, 125(1), 554–564.
- Doksaeter, L., N. O. Handegard, O. R. Godo, P. H. Kvadsheim, and N. Nordlund. (2012). Behavior of captive herring exposed to naval sonar transmissions (1.0–1.6 kHz) throughout a yearly cycle. *The Journal of Acoustical Society of America*, 131(2), 1632–1642.
- Dooling, R.J. (2004). Audition: Can Birds Hear Everything They Sing? *Nature's Music: The Science of Birdsong*. P. Marler and H. Slabbekoorn, Eds.), pp 206-225. Elsevier-Academic Press, San Diego.
- Douglas, A. B., J. Calambokidis, S. Raverty, S. J. Jeffries, D. M. Lambourn, and S. A. Norman. (2008). Incidence of ship strikes of large whales in Washington State. *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1121–1132.
- Dukas, R. (2002). Behavioural and ecological consequences of limited attention. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, 357(1427), 1539-1547.
- Dunlop, R. A. (2016). The effect of vessel noise on humpback whale, *Megaptera novaeangliae*, communication behaviour. *Animal Behaviour*, 111, 13–21.
- Dunlop, R. A., D. H. Cato, and M. J. Noad. (2010). Your attention please: Increasing ambient noise levels elicits a change in communication behaviour in humpback whales (*Megoptera novaeangliae*). *Proceedings of the Royal Society B: Biological Sciences*, 277, 2521–2529.
- Dunlop, R. A., D. H. Cato, and M. J. Noad. (2014). Evidence of a Lombard response in migrating humpback whales (*Megaptera novaeangliae*). *The Journal of the Acoustical Society of America*, 136(1), 430–437.
- Dunlop, R. A. (2019). The effects of vessel noise on the communication network of humpback whales. *Royal Society Open Science*, 6(11), p.190967.
- Eaton, R.L. (1979). Speculations on Strandings as “Burial”, Suicide and Interspecies Communication, *Carnivore*, 3(24).
- Edds-Walton, P. L., and J. J. Finneran. (2006). *Evaluation of Evidence for Altered Behavior and Auditory Deficits in Fishes Due to Human-Generated Noise Sources*. (Technical Report 1939). San Diego, CA: SSC San Diego.
- Elsasser, T. H., K. C. Klasing, N. Filipov, and F. Thompson. (2000). The metabolic consequences of stress: targets for stress and priorities of nutrient use. In *The biology of animal stress: basic principles and implications for animal welfare* (pp. 77-110). Oxon, UK: CAB International.
- Ellison, W. T., B. L. Southall, C. W. Clark, and A. S. Frankel. (2011/2012). A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology*, 26(1), 21–28.
- Erbe, C. (2002). Underwater noise of whale-watching boats and potential effects on killer whales (*Orcinus Orca*), based on an acoustic impact model. *Marine Mammal Science*, 18(2), 394–418.
- Erbe, C. 2008. Critical ratios of beluga whales (*Delphinapterus leucas*) and masked signal duration. *Journal of the Acoustical Society of America*, 124 (4), 2216-2223.
- Erbe, C., and D. M. Farmer. (2000). A software model to estimate zones of impact on marine mammals around anthropogenic noise. *The Journal of the Acoustical Society of America*, 108(3), 1327-1331.
- Erbe, C., C. Reichmuth, K. Cunningham, K. Lucke, and R. Dooling. (2016). Communication masking in marine mammals: a review and research strategy. *Marine Pollution Bulletin*, 103(1-2), 15-38.
- Eschmeyer, W. N., and J. D. Fong. (2016). *Species by Family/Subfamily in the Catalog of Fishes*. San Francisco, CA: California Academy of Sciences.
- Evans, D.L. and G. R. England, G.R. (2001). Joint Interim Report Bahamas Marine Mammal Stranding Event 15-16 March 2000. US Navy and NMFS Report, Washington, DC and Silver Spring, MD USA.
- Evans, P. G. H., and L. A. Miller. (2003). *Proceedings of the workshop on active sonar and cetaceans* (European cetacean society newsletter, No. 42—Special Issue). Las Palmas, Gran Canaria.

- Evans, P. G. H., P. J. Canwell, and E. J. Lewis. (1992). An experimental study of the effects of pleasure craft noise upon bottle-nosed dolphins in Cardigan Bay, West Wales. Pages 43-46 in P. G. H. Evans, eds. *European research on cetaceans*. European Cetacean Society, Cambridge.
- Evans, P. G. H., Q. Carson, P. Fisher, W. Jordan, R. Limer, and I. Rees. (1994). A study of the reactions of harbour porpoises to various boats in the coastal waters of southeast Shetland. *European Research on Cetaceans* 8: 60-64.
- Fahlman, A., P. L. Tyack, P. J. O. Miller, and P. H. Kvadsheim. (2014). How man-made interference might cause gas bubble emboli in deep diving whales. *Frontiers in Physiology*, 5(13), 1–6.
- Fair, P. A., and P. R. Becker. (2000). Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery*, 7(4), 335-354.
- Fair, P. A., A. M. Schaefer, T. A. Romano, G. D. Bossart, S. V. Lamb, and J. S. Reif. (2014). Stress response of wild bottlenose dolphins (*Tursiops truncatus*) during capture-release health assessment studies. *General and Comparative Endocrinology*, 206, 203–212.
- Falcone, E. A., and G. S. Schorr. (2012). *Distribution and demographics of marine mammals in SOCAL through photo-identification, genetics, and satellite telemetry: a summary of surveys conducted 1 July 2011 - 15 June 2012*. Monterey, CA: U.S. Navy Postgraduate School.
- Falcone, E. A., & G. S. Schorr. (2014). *Distribution and Demographics of Marine Mammals in SOCAL through Photo-Identification, Genetics, and Satellite Telemetry* (Prepared for Chief of Naval Operations Energy and Environmental Readiness Division: NPS-OC-14-005CR). Monterey, CA: U.S. Navy Post Graduate School.
- Falcone, E. A., G. S. Schorr, S. L. Watwood, S. L. DeRuiter, A. N. Zerbini, R. D. Andrews, R. P. Morrissey, and D. J. Moretti. (2017). Diving behaviour of Cuvier's beaked whales exposed to two types of military sonar. *Royal Society Open Science*, 4(170629), 1–21.
- Farmer, N. A., D. P. Noren, E. M. Fougères, A. Machernis, and K. Baker. (2018). Resilience of the endangered sperm whale *Physeter macrocephalus* to foraging disturbance in the Gulf of Mexico, USA: A bioenergetic approach. *Marine Ecology Progress Series*, 589, 241–261.
- Fay, R. (2009). Soundscapes and the sense of hearing of fishes. *Integrative Zoology*, 4(1), 26-32.
- Feare, C. J. (1976). Desertion and abnormal development in a colony of Sooty Terns *Sterna fuscata* infested by virus-infected ticks. *Ibis*, 118(1), 112-115.
- Félix, F. 2001. Observed changes of behavior in humpback whales during whale watching encounters off Ecuador. 14th Biennial Conference on the Biology of Marine Mammals, Vancouver, Canada.
- Ferguson, M. C., J. Barlow, P. Feidler, S. B. Reilly, and T. Gerrodette. (2006a). Spatial models of delphinid (family *Delphinidae*) encounter rate and group size in the eastern Pacific Ocean. *Ecological Modelling*, 193, 645–662.
- Fernandez, A., J. Edwards, F. Rodriguez, A. Espinosa De Los Monteros, P. Herraiez, P. Castro, J. Jaber, V. Martin, and M. Arbelo. (2005). "Gas and fat embolic syndrome" involving a mass stranding of beaked whales (Family *Ziphiidae*) exposed to anthropogenic sonar signals. *Veterinary Pathology*, 42(4), 446–457.
- Fernandez, A. (2006). *Beaked whale (Ziphius cavirostris) mass stranding on Almeria's coasts in southern Spain* (Report of the University of Las Palmas de Gran Canaria, Canary Islands).
- Fernandez, A., M. Arbelo, R. Deaville, I. A. P. Patterson, P. Castro, J. R. Baker, and F. Rodriguez. (2004). Beaked whales, sonar and decompression sickness. *Nature*, 428(6984), U1-2.
- Fernández, A., J. F. Edwards, F. Rodríguez, A. Espinosa de los Monteros, P. Herráez, P. Castro, J. R. Jaber, V. Martín, and M. Arbelo. (2005). "Gas and fat embolic syndrome" involving a mass stranding of beaked whales (family *Ziphiidae*) exposed to anthropogenic sonar signals. *Journal of Veterinary Pathology*, 42, 446–457.
- Fewtrell, J. L., and R. D. McCauley. (2012). Impact of air gun noise on the behaviour of marine fish and squid. *Marine Pollution Bulletin*, 64(5), 984–993.
- Finneran, J. J. (2015). Noise-induced hearing loss in marine mammals: a review of temporary threshold shift studies from 1996 to 2015. *The Journal of Acoustical Society of America*, 138(3), 1702–1726.

- Finneran, J. J. (2016). Auditory weighting functions and TTS/PTS exposure functions for marine mammals exposed to underwater noise. Technical REport 3026. SSC Pacific. San Diego, CA.
- Finneran, J. J. (2018). Conditioned attenuation of auditory brainstem responses in dolphins warned of an intense noise exposure: Temporal and spectral patterns. *The Journal of the Acoustical Society of America*, 143(2), 795.
- Finneran, J. J., and B. K. Branstetter. (2013). Effects of Noise on Sound Perception in Marine Mammals Animal Communication and Noise (Vol. 2, pp. 273–308). Springer Berlin Heidelb.
- Finneran, J. J. and Schlundt, C. E. (2010). Frequency-dependent and longitudinal changes in noise-induced hearing loss in a bottlenose dolphin (*Tursiops truncatus*). *Journal of the Acoustical Society of America*, 128(2), 567-570. 10.1121/1.3458814.
- Finneran, J. J., and C. E. Schlundt. (2013). Effects of fatiguing tone frequency on temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 133(3), 1819–1826.
- Finneran, J. J., C. E. Schlundt, D. A. Carder, J. A. Clark, J. A. Young, J. B. Gaspin, and S. H. Ridgway. (2000). Auditory and behavioral responses of bottlenose dolphins (*Tursiops truncatus*) and a beluga whale (*Delphinapterus leucas*) to impulsive sounds resembling distant signatures of underwater explosions. *The Journal of the Acoustical Society of America*, 108(1), 417–431.
- Finneran, J. J., C. E. Schlundt, R. Dear, D. A. Carder, and S. H. Ridgway. (2002). Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *The Journal of the Acoustical Society of America*, 111(6), 2929–2940.
- Finneran, J. J., R. Dear, D. A. Carder, and S. H. Ridgway. (2003). Auditory and behavioral responses of California sea lions (*Zalophus californianus*) to single underwater impulses from an arc-gap transducer. *The Journal of Acoustical Society of America*, 114(3), 1667–1677.
- Finneran, J. J., C. E. Schlundt, B. Branstetter, and R. L. Dear. (2007). Assessing temporary threshold shift in a bottlenose dolphin (*Tursiops truncatus*) using multiple simultaneous auditory evoked potentials. *The Journal of the Acoustical Society of America*, 122(2), 1249–1264.
- Finneran, J. J., D. A. Carder, C. E. Schlundt, and R. L. Dear. (2010). Growth and recovery of temporary threshold shift at 3 kHz in bottlenose dolphins: Experimental data and mathematical models. *The Journal of Acoustical Society of America*, 127(5), 3256–3266.
- Finneran, J. J., D. A. Carder, C. E. Schlundt, and R. L. Dear. (2010). Temporary threshold shift in a bottlenose dolphin (*Tursiops truncatus*) exposed to intermittent tones. *The Journal of Acoustical Society of America*, 127(5), 3267–3272.
- Fish, J. F., and J. S. Vania. (1971). Killer whale, *Orcinus orca*, sounds repel white whales, *Delphinapterus leucas*. *Fishery Bulletin*, 69(3), 531–535.
- Fonnesbeck, C. J., L. P. Garrison, L. I. Ward-Geiger, and R. D. Baumstark. (2008). Bayesian hierarchical model for evaluating the risk of vessel strikes on North Atlantic right whales in the SE United States. *Endangered Species Research*, 6(1), 87-94.
- Foote, A. D., R. W. Osborne, and A. R. Hoelzel. (2004). Whale-call response to masking boat noise. *Nature*, 428, 910.
- Fournet, M.E., L. P. Matthews, C. M. Gabriele, S. Haver, D. K. Mellinger, and H. Klinck. (2018). Humpback whales *Megaptera novaeangliae* alter calling behavior in response to natural sounds and vessel noise. *Marine Ecology Progress Series*, 607, pp.251-268.
- Forney, K. A., M. C. Ferguson, E. A. Becker, P. C. Fiedler, J. V. Redfern, J. Barlow, I. L. Vilchis, and L. T. Ballance. (2012). Habitat-based spatial models of cetacean density in the eastern Pacific Ocean. *Endangered Species Research*, 16(2), 113–133.
- Forney, K. A., E. A. Becker, D. G. Foley, J. Barlow, and E. M. Oleson. (2015). Habitat-based Models of Cetacean Density and Distribution in the Central North Pacific. *Endangered Species Research*, 27, 1–20.
- Forney, K. A., B. L. Southall, E. Slooten, S. Dawson, A. J. Read, R. W. Baird, and R. L. Brownell, Jr. (2017). Nowhere to go: noise impact assessments for marine mammal populations with high site fidelity. *Endangered Species Research*, 32, 391–413.

- Francis, C. and J. Barber. (2013). A framework for understanding noise impacts on wildlife: An urgent conservation priority. *Frontiers in Ecology and the Environment*, 11, 10.1890/120183.
- Frankel, A. S., and C. W. Clark. (2000). Behavioral responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. *The Journal of Acoustical Society of America*, 108(4), 1930–1937.
- Frantzis, A. (1998). Does acoustic testing strand whales? *Nature*, 392, 29.
- Frantzis, A. (2004). The first mass stranding that was associated with the use of active sonar (Kyparissiakos Gulf, Greece, 1996). *ECS Newsletter*, 42(Special Issue), 14-20.
- Freitas, L. 2004. The stranding of three Cuvier's beaked whales *Ziphius cavirostris* in Madeira archipelago – May 2000. *ECS Newsletter*, 42(Special Issue), 28-32.
- Frid, A., and L. Dill. (2002). Human-caused disturbance stimuli as a form of predation risk. *Conservation Ecology*, 6(1).
- Frid, A. (2003). Dall's sheep responses to overflights by helicopter and fixed-wing aircraft. *Biological Conservation*, 110(3), 387-399.
- Friedlaender, A. S., E. L. Hazen, J. A. Goldbogen, A. K. Stimpert, J. Calambokidis, and B. L. Southall. (2016). Prey-mediated behavioral responses of feeding blue whales in controlled sound exposure experiments. *Ecological Applications*, 26(4), 1075–1085.
- Frings, H., and M. Frings. (1967). Behavioral manipulation (visual, mechanical, and acoustical). Pages 387- 454 in W. W. Kilgore and R. L. Doult, eds. Pest control. Academic Press, London, U.K.
- Fristrup, K. M., L. T. Hatch, and C. W. Clark. (2003). Variation in humpback whale (*Megaptera novaeangliae*) song length in relation to low-frequency sound broadcasts. *The Journal of Acoustical Society of America*, 113(6), 3411–3424.
- Fritz, H., M. Guillemain, and D. Durant. (2002). The cost of vigilance for intake rate in the mallard (*Anas platyrhynchos*): an approach through foraging experiments. *Ethology Ecology & Evolution*, 14(2), 91-97.
- Gabriele, C. M., D. W. Ponirakis, C. W. Clark, J. N. Womble, and P. Vanselow. (2018). Underwater acoustic ecology metrics in an Alaska marine protected area reveal marine mammal communication masking and management alternatives. *Frontiers in Marine Science*, 5, 270.
- Gailey, G., B. Würsig, and T. L. McDonald. (2007). Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, Northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134, 75–91.
- Gailey, G., O. Sychenko, T. McDonald, R. Racca, A. Rutenko, and K. Bröker. (2016). Behavioural responses of western gray whales to a 4-D seismic survey off northeastern Sakhalin Island, Russia. *Endangered Species Research*, 30, 53–71.
- García-Aguilar, M. C., F. R. Elorriaga-Verplancken, H. Rosales-Nanduca, and Y. Schramm. (2018). Population status of the Guadalupe fur seal (*Arctocephalus townsendi*). *Journal of Mammalogy*, 99(6), 1522– 1528.
- Gaspin, J. B. (1975). Experimental Investigations of the Effects of Underwater Explosions on Swimbladder Fish, I: 1973 Chesapeake Bay Tests. Naval Surface Weapons Center, White Oak Laboratory, Silver Spring, MD.
- Gaspin, J. B., G. B. Peters, and M. L. Wisely. (1976). Experimental investigations of the effects of underwater explosions on swimbladder fish. Naval Ordnance Lab, Silver Spring, MD.
- Gende, S. M., A. N. Hendrix, K. R. Harris, B. Eichenlaub, J. Nielsen, and S. Pyare. (2011). A Bayesian approach for understanding the role of ship speed in whale-ship encounters. *Ecological Applications*, 21(6), 2232–2240.
- Geraci, J. R., S. A. Testaverde, D. J. St Aubin, and T. H. Loop. (1976). A mass stranding of the Atlantic white-sided dolphin. *Lagenorhynchus acutus*. A Study into Pathobiology and Life History. Marine Mammal Commission Report Number MMC 75/12.
- Gervaise, C., Y. Simard, N. Roy, B. Kinda, and N. Menard. (2012). Shipping noise in whale habitat: Characteristics, sources, budget, and impact on belugas in Saguenay–St. Lawrence Marine Park hub. *The Journal of the Acoustical Society of America*, 132(1), 76–89.

- Goertner, J. F. (1982). *Prediction of Underwater Explosion Safe Ranges for Sea Mammals*. Dahlgren, VA: Naval Surface Weapons Center.
- Goertner, J. F., M. L. Wiley, G. A. Young, and W. W. McDonald. (1994). *Effects of underwater explosions on fish without swimbladders*. Silver Spring, MD: Naval Surface Warfare Center.
- Goldbogen, J. A., B. L. Southall, S. L. DeRuiter, J. Calambokidis, A. S. Friedlaender, E. L. Hazen, E. A. Falcone, G. S. Schorr, A. Douglas, D. J. Moretti, C. Kyburg, M. F. McKenna, and P. L. Tyack. (2013). Blue whales respond to simulated mid-frequency military sonar. *Proceedings of Biological Science*, 280(1765), 20130657.
- Gomez, C., J. W. Lawson, A. J. Wright, A. D. Buren, D. Tollit, and V. Lesaged. (2016). A systematic review on the behavioural responses of wild marine mammals to noise: the disparity between science and policy. *Canadian Journal of Zoology*, 2016, 94(12): 801-819.
- Goodwin, L., and P. A. Cotton. 2004. Effects of boat traffic on the behaviour of bottlenose dolphins (*Tursiops truncatus*). *Aquatic Mammals*, 30(2), 279-283.
- Goold, J. C., and P. J. Fish. (1998). Broadband spectra of seismic survey air-gun emissions, with reference to dolphin auditory thresholds. *The Journal of the Acoustical Society of America*, 103(4), 2177-2184.
- Goold, J. C. (1996). Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom*, 76(3), 811-820.
- Gordon, J., D. Gillespie, J. Potter, A. Frantzis, M. P. Simmonds, R. Swift, and D. Thompson. (2003). A review of the effects of seismic surveys on marine mammals. *Marine Technology Society Journal*, 37(4), 16–34.
- Götz, T., G. Hastie, L.T. Hatch, O. Raustein, B.L. Southall, M. Tasker, and F. Thomsen. (2009). Overview of the impacts of anthropogenic underwater sound in the marine environment. OSPAR Commission: 134.
- Halvorsen, M. B., W. T. Ellison, D. R. Choicoine, and A. N. Popper. (2012). Effects of mid-frequency active sonar on hearing in fish. *Journal of Acoustical Society of America*, 131(1), 599-607.
- Halvorsen, M. B., B. M. Casper, C. M. Woodley, T. J. Carlson, and A. N. Popper. (2012). Threshold for onset of injury in Chinook salmon from exposure to impulsive pile driving sounds. *PLoS ONE*, 7(6), e38968.
- Halvorsen, M. B., B. M. Casper, F. Matthews, T. J. Carlson, and A. N. Popper. (2012). Effects of exposure to pile-driving sounds on the lake sturgeon, Nile tilapia and hogchoker. *Proceedings of the Royal Society of London B: Biological Sciences*, 279(1748), 4705-4714.
- Hanson, M. B., E. J. Ward, C. K. Emmons, and M. M. Holt. (2018). Modeling the occurrence of endangered killer whales near a U.S. Navy Training Range in Washington State using satellite-tag locations to improve acoustic detection data. Seattle, WA: Northwest Fisheries Science Center.
- Harris, R. E., G. W. Miller, and W. J. Richardson. (2001). Seal responses to airgun sounds during summer seismic surveys in the Alaskan Beaufort Sea. *Marine Mammal Science*, 17: 795–812.
- Harris, C. M., L. Thomas, E. A. Falcone, J. Hildebrand, D. Houser, P. H. Kvadsheim, Frans-Peter A. Lam, P. J. O. Miller, D. J. Moretti, A. J. Read, H. Slabbekoorn, B. L. Southall, P. L. Tyack, D. Wartzok, and V. N. Janik. (2017/2018). Marine mammals and sonar: Dose-response studies, the risk-disturbance hypothesis and the role of exposure context. *Journal of Ecology* 55, 396–404.
- Harrington, F. H., and A. M. Veitch. (1992). Calving success of woodland caribou exposed to low-level jet fighter overflights. *Arctic*, 213-218.
- Hatch, L. T., C. W. Clark, S. M. Van Parijs, A. S. Frankel, and D. W. Ponirakis. (2012). Quantifying loss of acoustic communication space for right whales in and around a U.S. National Marine Sanctuary. *Conservation Biology*, 26(6), 983–994.
- Haviland-Howell, G., A. S. Frankel, C. M. Powell, A. Bocconcelli, R. L. Herman, and L. S. Sayigh. (2007). Recreational boating traffic: a chronic source of anthropogenic noise in the Wilmington, North Carolina Intracoastal Waterway. *The Journal of the Acoustical Society of America*, 122(1), 151-160.

- Hawkins, A. D., and A. D. F. Johnstone. (1978). The hearing of the Atlantic salmon, *Salmo salar*. *Journal of Fish Biology*, 13, 655–673.
- Hawkins, A. D., A. E. Pembroke, and A. N. Popper. (2014). Information gaps in understanding the effects of noise on fishes and invertebrates. *Reviews in Fish Biology and Fisheries*, 25(1), 39–64.
- Heenehan, H. L., J. A. Tyne, L. Bejder, S. M. Van Parijs, and D. W. Johnston. (2016). Passive acoustic monitoring of coastally associated Hawaiian spinner dolphins, *Stenella longirostris*, ground-truthed through visual surveys. *The Journal of the Acoustical Society of America*, 140(1), 206.
- Helker, V. T., M. M. Muto, K. Savage, S. Teerlink, L. A. Jemison, K. Wilkinson, and J. Jannot. (2017). Human-Caused Mortality and Injury of NMFS-Managed Alaska Marine Mammal Stocks, 2011–2015 (NOAA Technical Memorandum NMFS-AFSC-354). Seattle, WA: Alaska Fisheries Science Center.
- Hemilä, S., S. Nummela, A. Berta, and T. Reuter. (2006). High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints (L). *Journal of the Acoustical Society of America*, 120(6), 3463–3466.
- Henderson, E.E., Martin, S.W., Manzano-Roth, R. and Matsuyama, B.M., (2016). Occurrence and habitat use of foraging Blainville's beaked whales (*Mesoplodon densirostris*) on a US Navy range in Hawaii. *Aquatic Mammals*, 42(4), p.54.
- Hermannsen, L., K. Beedholm, J. Tougaard, and P. T. Madsen. (2014). High frequency components of ship noise in shallow water with a discussion of implications for harbor porpoises (*Phocoena phocoena*). *The Journal of the Acoustical Society of America*, 136(4), 1640–1653.
- Hildebrand, J. (2004). Impacts of anthropogenic sound on cetaceans. Unpublished paper submitted to the International Whaling Commission Scientific Committee SC/56 E 13.
- Hildebrand, J. A. (2009). Anthropogenic and natural sources of ambient noise in the ocean. *Marine Ecology Progress Series*, 395, 5–20.
- Hildebrand, J. A., and M. A. McDonald. (2009). Beaked Whale Presence, Habitat, and Sound Production in the North Pacific. Unpublished technical report on file. 5 pp.
- Hill, S. H. (1978). A guide to the effects of underwater shock waves on arctic marine mammals and fish. Pacific Marine Science Report 78–26: Institute of Ocean Sciences, Patricia Bay BC.
- Holberton, R. L., B. Helmuth, and J. C. Wingfield. (1996). The corticosterone stress response in gentoo and king penguins during the non-fasting period. *The Condor*, 98(4), 850–854.
- Holt, M. M., D. P. Noren, V. Veirs, C. K. Emmons, and S. Veirs. (2008). Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *The Journal of the Acoustical Society of America*, 125(1), EL27–EL32.
- Holt, M. M., D. P. Noren, V. Veirs, C. K. Emmons, and S. Veirs. (2009). Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *The Journal of the Acoustical Society of America*, 125(1), EL27–EL32.
- Holt, M. M., D. P. Noren, and C. K. Emmons. (2011). Effects of noise levels and call types on the source levels of killer whale calls. *The Journal of the Acoustical Society of America*, 130(5), 3100–3106.
- Holt, M. M., D. P. Noren, R. C. Dunkin, and T. M. Williams. (2015). Vocal performance affects metabolic rate in dolphins: implications for animals communicating in noisy environments. *The Journal of Experimental Biology*, 218(Pt 11), 1647–1654.
- Hood, L. C., P. D. Boersma, and J. C. Wingfield. (1998). The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *The Auk*, 76–84.
- Hooker, S. K., and R. W. Baird. (1999). Deep-diving behaviour of the northern bottlenose whale, *Hyperoodon ampullatus* (Cetacea: Ziphiidae). *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 266(1420), 671–676.
- Hooker, S. K., R. W. Baird, and A. Fahlman. (2009). Could beaked whales get the bends? Effect of diving behaviour and physiology on modelled gas exchange for three species: *Ziphius cavirostris*, *Mesoplodon densirostris* and *Hyperoodon ampullatus*. *Respiratory Physiology & Neurobiology*, 167(3), 235–46.
- Hooker, S. K., A. Fahlman, M. J. Moore, N. A. de Soto, Y. B. de Quiros, A. O. Brubakk, D. P. Costa, A. M. Costidis, S. Dennison, K. J. Falke, A. Fernandez, M. Ferrigno, J. R. Fitz-Clarke, M. M. Garner, D.

- S. Houser, P. D. Jepson, D. R. Ketten, P. H. Kvasdshiem, P. T. Madsen, N. W. Pollock, D. S. Rotstein, T. K. Rowles, S. E. Simmons, W. Van Bonn, P. K. Weathersby, M. J. Weise, T. M. Williams, and P. L. Tyack. (2012). Deadly diving? Physiological and behavioural management of decompression stress in diving mammals. *Proceedings of the Royal Society B: Biological Sciences*, 279(1731), 1041–1050.
- Hotchkin, C., and S. Parks. (2013). The Lombard effect and other noise-induced vocal modifications: Insight from mammalian communication systems. *Biological Reviews of the Cambridge Philosophical Society*, 88(4), 809–824.
- Houser, D. S., D. A. Helweg, and P. W. B. Moore. (2001). A bandpass filter-bank model of auditory sensitivity in the humpback whale. *Aquatic Mammals*, 27(2), 82–91.
- Houser, D. S., R. Howard, and S. Ridgway. (2001b). Can diving-induced tissue nitrogen supersaturation increase the chance of acoustically driven bubble growth in marine mammals? *Journal of Theoretical Biology*, 213, 183–195.
- Hu, M., H. Y. Yan, W. S. Chung, J. C. Shiao, and P. P. Hwang. 2009. Acoustical evoked potentials in two cephalopods inferred using the auditory brainstem response (ABR) approach. *Comparative Biochemistry and Physiology Part A: Molecular and Integrative Physiology*, 153, 278–283.
- Huggins, J. L., S. A. Raverty, S. A. Norman, J. Calambokidis, J. K. Gaydos, D. A. Duffield, D. M. Lambourn, J. M. Rice, B. Hanson, K. Wilkinson, S. J. Jeffries, B. Norberg, and L. Barre. (2015). Increased harbor porpoise mortality in the Pacific Northwest, USA: Understanding when higher levels may be normal. *Diseases of Aquatic Organisms*, 115(2), 93–102.
- International Council for Exploration of the Sea (ICES). (2005). Report of the ad-hoc group on the impacts of sonar on cetaceans and fish (AGISC). International Council for the Exploration of the Sea. Accessed: <http://www.ices.dk/advice/Request/EC/DG±20Env/sonar/agisc05.pdf>.
- International Whaling Commission (IWC). (2005). Report on the Scientific Committee. Annex K. Report of the Standing Working Group on Environmental Concerns. *Journal of Cetacean Research and Management*, (Suppl) 7, 267–305.
- Isojunno, S., C. Curé, P. H. Kvasdshiem, F. A. Lam, P. L. Tyack, P. Jacobus, P. J. Wensveen, and P. J. O. Miller. (2016). Sperm whales reduce foraging effort during exposure to 1–2 kHz sonar and killer whale sounds. *Ecological Applications*, 26(1), 77–93.
- Jansen, G. (1998). Chapter 25: Physiological Effects of Noise. *Handbook of Acoustical Measurements and Noise Control* (C. Harris, Ed.), Third Edition.
- Jansen, J. K., P. L. Boveng, S. P. Dahle, and J. L. Bengtson. (2010). Reaction of harbor seals to cruise ships. *Journal of Wildlife Management*, 74(6), 1186–1194.
- Jefferson, T. A., D. Fertl, M. Michael, and T. D. Fagin. (2006). An unusual encounter with a mixed school of melon-headed whales (*Peponocephala electra*) and rough-toothed dolphins (*Steno bredanensis*) at Rota, Northern Mariana Islands. *Micronesica*, 38(2), 23–244.
- Jefferson, T. A., M. A. Smultea, & C. A. Bacon. (2014). Southern California Bight marine mammal density and abundance from aerial surveys, 2008–2013. *Journal of Marine Animals and Their Ecology*, 7(2), 14–30.
- Jensen, A. S., and G. K. Silber. (2003). *Large Whale Ship Strike Database*. Retrieved from: <http://www.nmfs.noaa.gov/pr/overview/publicat.html>
- Jepson, P. D., M. Arbelo, R. Deaville, I. A. R. Patterson, P. Castro, J. R. Baker, E. Degollada, H. M. Ross, P. Herráez, A. M. Pocknell, F. Rodriguez, F. E. Howie, A. Espinosa, R. J. Reid, J. R. Jaber, V. Martin, A. A. Cunningham, and A. Fernandez. (2003). Gas-bubble lesions in stranded cetaceans: Was sonar responsible for a spate of whale deaths after an Atlantic military exercise? *Nature*, 425, 575–576.
- Jepson, P. D., P. M. Bennett, R. Deaville, C. R. Allchin, J. R. Baker, and R. J. Law. (2005). Relationships between polychlorinated biphenyls and health status in harbor porpoises (*Phocoena Phocoena*) stranded in the United Kingdom. *Environmental Toxicology and Chemistry*, 24(1), 238–248.
- Jepson P. D., and R. Deaville. (2009). Investigation of the common dolphin mass stranding event in Cornwall, 9th June 2008. Report to the Department for Environment, Food and Rural Affairs (under a

variation to Contract CR0364). Defra website. Available:
http://randd.defra.gov.uk/Document.aspx?Document = WC0601_8031_TRP.pdf Accessed 2013 Mar 11.

- Jessop, T. S., A. D. Tucker, C. J. Limpus, and J. M. Whittier. (2003). Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and Comparative Endocrinology*, 132(1), 161-170.
- Johnson, C. S., M. W. McManus, and D. Skaar. (1989). Masked tonal hearing thresholds in the beluga whale. *The Journal of the Acoustical Society of America*, 85(6), 2651–2654.
- Johnson, S.R., W.J. Richardson, S.B. Yazvenko, S.A. Blokhin, G. Gailey, M.R. Jenkerson, et al. (2007). A western gray whale mitigation and monitoring program for a 3-D seismic survey, Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134 (1-3), 1-19.
- Johnston, D. W. (2002). The effect of acoustic harassment devices on harbour porpoises (*Phocoena phocoena*) in the Bay of Fundy, Canada. *Biological Conservation*, 108, 113–118.
- Jones, D.M., and D.E. Broadbent. (1998). Chapter 24: Human Performance and Noise. *Handbook of Acoustical Measurements and Noise Control*. Acoustical Society of America, Woodbury, NY USA.
- Jørgensen, R., K. K. Olsen, I. B. Falk-Petersen, and P. Kanapthippilai. (2005). *Investigations of Potential Effects of Low Frequency Sonar Signals on Survival, Development and Behaviour of Fish Larvae and Juveniles*. Tromsø, Norway: University of Tromsø.
- Joyce, T. W., J. W. Durban, D. E. Claridge, C. A. Dunn, L. S. Hickmott, H. Fearnbach, K. Dolan, K. and D. Moretti. (2019). Behavioral responses of satellite tracked Blainville's beaked whales (*Mesoplodon densirostris*) to mid-frequency active sonar. *Marine Mammal Science*.
- Juanes, F., K. Cox, and L. Brennan. (2017). The effect of anthropogenic and biological noise on fish behavior and physiology: A meta-analysis. *Journal of the Acoustic Society of America*, 141(3862).
- Kaifu, K., T. Akamatsu, and S. Segawa. (2008). Underwater sound detection by cephalopod statocyst. *Fisheries Science*, 74, 781-786.
- Kane, A. S., J. Song, M. B. Halvorsen, D. L. Miller, J. D. Salierno, L. E. Wysocki, D. Zeddies, and A. N. Popper. (2010). Exposure of fish to high intensity sonar does not induce acute pathology. *Journal of Fish Biology*, 76(7), 1825–1840.
- Kastak, D., B. L. Southall, R. J. Schusterman, and C. R. Kastak. (2005). Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. *The Journal of the Acoustical Society of America*, 118(5), 3154–3163.
- Kastak, D., C. Reichmuth, M. M. Holt, J. Mulsow, B. L. Southall, and R. J. Schusterman. (2007). Onset, growth, and recovery of in-air temporary threshold shift in a California sea lion (*Zalophus californianus*). *The Journal of Acoustical Society of America*, 122(5), 2916–2924.
- Kastelein, R. A., H. T. Rippe, N. Vaughan, N. M. Schooneman, W. C. Verboom, and D. de Haan. (2000). The effects of acoustic alarms on the behavior of harbor porpoises (*Phocoena phocoena*) in a floating pen. *Marine Mammal Science*, 16(1), 46–64.
- Kastelein, R. A., D. de Haan, N. Vaughan, C. Staal, and N. M. Schooneman. (2001). The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research*, 52, 351-371.
- Kastelein, R. A., W. C. Verboom, M. Muijsers, N. V. Jennings, & S. van der Heul. (2005). Influence of acoustic emissions for underwater data transmission on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research*, 59, 287–307.
- Kastelein, R. A., N. Jennings, W. C. Verboom, D. De Haan, and N. M. Schooneman. (2006a). Differences in the response of a striped dolphin (*Stenella coeruleoalba*) and a harbour porpoise (*Phocoena phocoena*) to an acoustic alarm. *Marine Environmental Research*, 61(3), 363-378.
- Kastelein, R. A., S. van der Heul, W. C. Verboom, R. J. Triesscheijn, and N. V. Jennings. (2006b). The influence of underwater data transmission sounds on the displacement behaviour of captive harbour seals (*Phoca vitulina*). *Marine Environmental Research*, 61(1), 19-39.

- Kastelein, R. A., P. J. Wensveen, L. Hoek, L., and J. M. Terhune. (2009). Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America*, 126(1), 476–483.
- Kastelein, R. A., R. Gransier, L. Hoek, A. Macleod, and J. M. Terhune. (2012a). Hearing threshold shifts and recovery in harbor seals (*Phoca vitulina*) after octave-band noise exposure at 4 kHz. *The Journal of the Acoustical Society of America*, 132(4), 2745–2761.
- Kastelein, R. A., R. Gransier, L. Hoek, and J. Olthuis. (2012b). Temporary threshold shifts and recovery in a harbor porpoise (*Phocoena phocoena*) after octave-band noise at 4 kHz. *The Journal of the Acoustical Society of America*, 132(5), 3525–3537.
- Kastelein, R. A., R. Gransier, L. Hoek, and M. Rambags. (2013a). Hearing frequency thresholds of a harbor porpoise (*Phocoena phocoena*) temporarily affected by a continuous 1.5 kHz tone. *The Journal of the Acoustical Society of America*, 134(3), 2286–2292.
- Kastelein, R. A., L. Hoek, R. Gransier, M. Rambags, and N. Claeys. (2014b). Effect of level, duration, and inter-pulse interval of 1–2 kHz sonar signal exposures on harbor porpoise hearing. *The Journal of the Acoustical Society of America*, 136(1), 412–422.
- Kastelein, R. A., J. Schop, R. Gransier, and L. Hoek. (2014c). Frequency of greatest temporary hearing threshold shift in harbor porpoises (*Phocoena phocoena*) depends on the noise level. *The Journal of the Acoustical Society of America*, 136(3), 1410–1418.
- Kastelein, R. A., R. Gransier, J. Schop, and L. Hoek. (2015b). Effects of exposure to intermittent and continuous 6–7 kHz sonar sweeps on harbor porpoise (*Phocoena phocoena*) hearing. *The Journal of the Acoustical Society of America*, 137(4), 1623–1633.
- Keevin, T. M., and G. L. Hempen. (1997). *The Environmental Effects of Underwater Explosions with Methods to Mitigate Impacts*. St. Louis, MO: U.S. Army Corps of Engineers.
- Ketten, D. R. (1995). Estimates of blast injury and acoustic trauma zones for marine mammals from underwater explosions. Pages 391–407 In R. A. Kastelein, J. A. Thomas, and P. E. Nachtigall, editors. *Sensory Systems of Aquatic Mammals*. De Spil Publishers, Woerden.
- Ketten, D. R. (2000). Cetacean Ears. In W. Au, A. N. Popper & R. R. Fay (Eds.), *Hearing by Whales and Dolphins* (1st ed., pp. 43–108). New York, NY: Springer-Verlag.
- King, S. L., R. S. Schick, C. Donovan, C. G. Booth, M. Burgman, L. Thomas, and J. Harwood. (2015). An interim framework for assessing the population consequences of disturbance. *Methods in Ecology and Evolution*, 6(10), 1150–1158.
- Kooyman, G. L., J. P. Schroeder, D. M. Denison, D. D. Hammond, J. J. Wright, and W. P. Bergman. (1972). Blood nitrogen tensions of seals during simulated deep dives. *American Journal of Physiology*, 223(5), 1016–1020.
- Krausman, P. R., L. K. Harris, C. L. Blasch, K. K. G. Koenen, and J. Francine. 2004. Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs*, 157, 1–41.
- Kryter, K. D., W. D. Ward, J. D. Miller, and D. H. Eldredge. (1966). Hazardous exposure to intermittent and steady-state noise. *The Journal of the Acoustical Society of America*, 39(3), 451–464.
- Kryter, K.D. (1985). *The Effects of Noise on Man*. Academic Press.
- Kvadsheim, P. H., and E. M. Sevaldsen. (2005). *The potential impact of 1-8 kHz active sonar on stocks of juvenile fish during sonar exercises*. Forsvarets Forskningsinstitut, Norwegian Defence Research Establishment, P.O. Box 25, NO-2027 Kjeller, Norway.
- Kvadsheim, P., Benders, F., Miller, P., Doksæter, L., Knudsen, F., Tyack, P., ... and Godø, O. R. (2007). *Herring (sild), killer whales (spekkhogger) and sonar: The 3S-2006 cruise report with preliminary results*. Kjeller: Forsvarets forskningsinstitut/Norwegian Defence Research Establishment (FFI).
- Kvadsheim, P. H., E. M. Sevaldsen, D. Scheie, L. P. Folkow, and A. S. Blix. (2010). Effects of naval sonar on seals. Kjeller, Norway: Norwegian Defense Research Establishment.
- Kvadsheim, P. H., P. J. O. Miller, P. L. Tyack, L. D. Sivle, F. P. A. Lam, and A. Fahlman. (2012). Estimated tissue and blood N₂ levels and risk of decompression sickness in deep-, intermediate-, and

- shallow-diving toothed whales during exposure to naval sonar. *Frontiers in Physiology*, 3(Article 125).
- Kvadsheim, P. H., S. DeRuiter, L. D. Sivle, J. Goldbogen, R. Roland-Hansen, P. J. O. Miller, F. A. Lam, J. Calambokidis, A. Friedlaender, F. Visser, P. L. Tyack, L. Kleivane, and B. Southall. (2017). Avoidance responses of minke whales to 1-4 kHz naval sonar. *Marine Pollution Bulletin*, 121(1–2), 60–68.
- Laake, J. L., M. S. Lowry, R. L. DeLong, S. R. Melin, and J. V. Carretta. (2018). Population growth and status of California sea lions. *The Journal of Wildlife Management*, DOI: 10.1002/jwmg.21405.
- Ladich, F., and A. N. Popper. (2004). Parallel Evolution in Fish Hearing Organs. In G. A. Manley, A. N. Popper & R. R. Fay (Eds.), *Evolution of the Vertebrate Auditory System, Springer Handbook of Auditory Research*. New York, NY: Springer-Verlag.
- Ladich, F., and R. R. Fay. (2013). Auditory evoked potential audiometry in fish. *Reviews in Fish Biology and Fisheries*, 23(3), 317–364.
- Ladich, F., and T. Schulz-Mirbach. (2016). Diversity in Fish Auditory Systems: One of the Riddles of Sensory Biology. *Frontiers in Ecology and Evolution*, 4, 26.
- Laggner, D. (2009). Blue whale (*Baleanoptera musculus*) ship strike threat assessment in the Santa Barbara Channel, California. (Master's Thesis). Evergreen State College.
- Laist, D. W., A. R. Knowlton, J. G. Mead, A. S. Collet, and M. Podesta. (2001). Collisions between ships and whales. *Marine Mammal Science*, 17(1), 35–75.
- Lambrechts, M. M. (1996). Organization of bird song and constraints on performance. - In: Kroodsma, D. E. and Miller, E. H. (eds). *Ecology and evolution of acoustic communication in birds*. Cornell University Press, Ithaca and London, pp. 305-320.
- Lammers, M. O., A. A. Pack, and L. Davis. (2003). Historical evidence of whale/vessel collisions in Hawaiian waters (1975—Present). OSI Technical Report 2003-01. 25 pp.
- Landsberg, P.G. (2000). Underwater blast injuries. *Trauma Emer Med*. 17(2).
- Lankford, S. E., T. E. Adams, R. A. Miller, and J. J. Cech Jr. (2005). The cost of chronic stress: impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology*, 78(4), 599-609.
- Lemon, M., T. P. Lynch, D. H. Cato, and R. G. Harcourt. (2006). Response of travelling bottlenose dolphins (*Tursiops aduncus*) to experimental approaches by a powerboat in Jervis Bay, New South Wales, Australia. *Biological Conservation*, 127(4), 363-372.
- Lesage, V., C. Barrette, M. C. S. Kingsley, and B. Sjare. (1999). The effect of vessel noise on the vocal behavior of belugas in the St. Lawrence River estuary, Canada. *Marine Mammal Science*, 15(1), 65–84.
- Lignon, A.D., R. W. Baird, D. L. Webster, D. J. McSweeney, and G. S. Schorr. (2007). Habitat preferences of melon-headed whales (*Peponocephala electra*) around the main Hawaiian Islands: Implications for interpretation of the 2004 Hanalei Bay stranding event. Abstract, 17th Biennial Conference on the Biology of Marine Mammals, Society of Marine Mammalogy, Cape Town, South Africa, 29 November–3 December 2008.
- Lillis, A., D. D. Bohnenstiehl, and D. Eggleston. (2014). Soundscape manipulation enhances larval recruitment of a reef-building mollusk. *PeerJ*, 3, 10.7717/peerj.999.
- Liu, M., L. Dong, M. Lin, and S. Li. (2017). Broadband ship noise and its potential impacts on Indo-Pacific humpback dolphins: Implications for conservation and management. *The Journal of the Acoustical Society of America*, 142(5), 2766.
- Lohr, B., T. F. Wright, and R. J. Dooling. (2003). Detection and discrimination of natural calls in masking noise by birds: estimating the active space of a signal. *Animal Behaviour*, 65(4), 763-777.
- Lonsbury-Martin, B. L., G. K. Martin, and B. A. Bohne. (1987). Repeated TTS exposures in monkeys: Alterations in hearing, cochlear structure, and single-unit thresholds. *The Journal of the Acoustical Society of America*, 81(5), 1507-1518.

- Lovell, J. M., M. M. Findlay, R. M. Moate, and H. Y. Yan. (2005). The hearing abilities of the prawn *Palaemon serratus*. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 140(1), 89-100.
- Lowry, M. S., R. Condit, B. Hatfield, S. G. Allen, R. Berger, P. A. Morris, B. J. Le Boeuf, and J. Reiter. (2014). Abundance, Distribution, and Population Growth of the Northern Elephant Seal (*Mirounga angustirostris*) in the United States from 1991 to 2010. *Aquatic Mammals*, 40(1), 20-31.
- Lowry, M. S., S. R. Melin, and J. L. Laake. (2017). Breeding season distribution and population growth of California sea lions, *Zalophus californianus*, in the United States during 1964-2014. NOAA Technical Memorandum, NOAA-TM-SWFSC-574. 63 pp.
- Lozano, E. and M. Hente. (2014). The Effects of Disturbances on Harbor Seals on a Haul-Out site Off Yellow Island, Washington. Ecology and Conservation of Marine Birds and Mammals. Friday Harbor Laboratories, University of Washington.
- Luick, B. R., J. A. Kitchens, R. G. White, and S. M. Murphy. (1996). Modeling energy and reproductive costs in caribou exposed to low flying military jet aircraft. *Rangifer*, 16(4), 209-212.
- Lusseau, D. (2003). Effects of tour boats on the behavior of bottlenose dolphins: Using Markov chains to model anthropogenic impacts. *Conservation Biology*, 17(6), 1785-1793.
- Lusseau, D. (2006). The short-term behavioral reactions of bottlenose dolphins to interactions with boats in Doubtful Sound, New Zealand. *Marine Mammal Science*, 22(4), 802-818.
- Lusseau, D., and L. Bejder. (2007). The Long-term Consequences of Short-term Responses to Disturbance Experiences from Whalewatching Impact Assessment. *International Journal of Comparative Psychology*, 20, 228-236.
- Lyamin, O. I., S. M. Korneva, V. V. Rozhnov, and L. M. Mukhametov. (2011). Cardiorespiratory changes in beluga in response to acoustic noise. *Doklady Biological Sciences*, 440(5), 704-707.
- Madsen, J. (1994). Impacts on disturbance on migratory waterfowl. *IBIS* 137, S67-S74.
- Madsen, P. T., M. Johnson, P. J. O. Miller, N. A. Soto, J. Lynch, and P. Tyack. (2006a). Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *The Journal of Acoustical Society of America*, 120(4), 2366-2379.
- Magalhaes, S., and coauthors. 2002. Short-term reactions of sperm whales (*Physeter macrocephalus*) to whale-watching vessels in the Azores. *Aquatic Mammals*, 28(3), 267- 274.
- Malme, C. I., P. R. Miles, C. W. Clark, P. Tyack, and J. E. Bird. (1984). Investigations of the potential effects of underwater noise from petroleum industry activities on migrating gray whale behavior/Phase II: January 1984 migration. BBN Rep. 5586. Rep. from Bolt Beranek & Newman Inc., Cambridge, MA, for MMS, Alaska OCS Region, Anchorage, AK. NTIS PB86-218377.
- Malme, C. I., B. Würsig, J. E. Bird, and P. Tyack. (1986). *Behavioral responses of gray whales to industrial noise: Feeding observations and predictive modelling* (Outer Continental Shelf Environmental Assessment Program, Final Report of Principal Investigators MMS 88-0048). Anchorage, AK: Bolt Beranek, & Newman, Inc.
- Malme, C. I., B. Würsig, J. E. Bird, and P. Tyack. (1988). Observations of feeding gray whale responses to controlled industrial noise exposure. In W. M. Sackinger, M. O. Jeffries, J. L. Imm & S. D. Tracey (Eds.), *Port and Ocean Engineering Under Arctic Conditions* (Vol. 2, pp. 55-73). Fairbanks, AK: Geophysical Institute, University of Alaska.
- Mann, D. A., A. N. Popper, and B. Wilson. (2005). Pacific herring hearing does not include ultrasound. *Biology Letters*, 1, 158-161.
- Mann, D. A. (2016). Acoustic Communications in Fishes and Potential Effects of Noise. In A. N. Popper & A. D. Hawkins (Eds.), *The Effects of Noise on Aquatic Life II* (pp. 673-678). New York, NY: Springer.
- Manzano-Roth, R. A., E. A. Henderson, S. W. Martin, and B. Matsuyama. (2013). *Impacts of a U.S. Navy training event on beaked whale dives in Hawaiian waters*. Pearl Harbor, HI: U.S. Navy Pacific Fleet.

- Manzano-Roth, R., E. E. Henderson, S. W. Martin, C. Martin, and B. M. Matsuyama. (2016). Impacts of U.S. Navy Training Events on Blainville's Beaked Whale (*Mesoplodon densirostris*) Foraging Dives in Hawaiian Waters. *Aquatic Mammals*, 42(4), 507–518.
- Marten, K., and P. Marler. (1977). Sound transmission and its significance for animal vocalization. *Behavioral ecology and sociobiology*, 2(3), 271-290.
- Martin, S. W., C. R. Martin, B. M. Matsuyama, and E. E. Henderson. (2015). Minke whales (*Balaenoptera acutorostrata*) respond to navy training. *The Journal of the Acoustical Society of America*, 137(5), 2533–2541.
- Mate, B. R., D. M. Palacios, C. S. Baker, B. A. Lagerquist, L. M. Irvine, T. Follett, D. Steel, C. Hayslip, and M. H. Winsor. (2017). Baleen Whale Tagging in Support of Marine Mammal Monitoring Across Multiple Navy Training Areas Covering the Years 2014, 2015, and 2016. Final Report. Pearl Harbor, HI: Naval Facilities Engineering Command, Pacific.
- Matthews, M.-N.R., A. Schlesinger, and D. Hannay. (2016). Cumulative and Chronic Effects in the Beaufort and Chukchi Seas: Estimating Reduction of Listening Area and Communication Space Due to Seismic and Exploratory Drilling Activities in Support of the NMFS PEIS. JASCO Doc. #01072. Tech. Rep. by JASCO Appl. Sci. AECOM. JASCO Document #01072. Technical Report by JASCO Applied Sciences for AECOM
- Maybaum, H. L. (1993). Responses of humpback whales to sonar sounds. *The Journal of the Acoustical Society of America*, 94(3), 1848-1849.
- McCann, T. S. (1985). Size, status and demography of southern elephant seal (*Mirounga leonina*) populations. In J. K. Ling and M. M. Bryden (eds.), *Studies of Sea Mammals in South Latitudes*. South Australian Museum. 132 pp.
- McCarthy, E., D. Moretti, L. Thomas, N. DiMarzio, R. Morrissey, S. Jarvis, J. Ward, A. Izzi, and A. Dilley. (2011). Changes in spatial and temporal distribution and vocal behavior of Blainville's beaked whales (*Mesoplodon densirostris*) during multiship exercises with mid-frequency sonar. *Marine Mammal Science*, 27(3), E206–E226.
- McCauley, R. D., M. N. Jenner, C. Jenner, K. A. McCabe, and J. Murdoch. (1998). The response of humpback whales (*Megaptera novaeangliae*) to offshore seismic survey noise: Preliminary results of observations about a working seismic vessel and experimental exposures. *APPEA Journal*, 692–706.
- McCauley, R. D., J. Fewtrell, A. J. Duncan, C. Jenner, M. N. Jenner, J. D. Penrose, R. I. T. Prince, A. Adhitya, J. Murdoch, & K. McCabe. (2000a). Marine seismic surveys—A study of environmental implications. *Australian Petroleum Production Exploration Association Journal*, 692–708.
- McCauley, R. D., and coauthors. (2000). *Marine Seismic Surveys: Analysis and Propagation of Air-gun Signals; and Effects of Air-gun Exposure on Humpback Whales, Sea Turtles, Fishes and Squid*. Centre for Marine Science and Technology, R99-15, Western Australia.
- McCauley, R., R. Day, K. Swadling, Q. P. Fitzgibbon, R. A. Watson, and J. M. Semmens. (2017). Widely used marine seismic survey air gun operations negatively impact zooplankton. *Nature Ecology and Evolution*, 1, 0195.
- McDonald, M. A., J. A. Hildebrand, and S. C. Webb. (1995). Blue and fin whales observed on a seafloor array in the Northeast Pacific. *The Journal of Acoustical Society of America*, 98(2), 712–721.
- McDonald, M. A., J. A. Hildebrand, S. M. Wiggins, D. W. Johnston, and J. J. Polovina. (2009). An acoustic survey of beaked whales at Cross Seamount near Hawaii. *The Journal of the Acoustical Society of America*, 125(2), 624–627.
- McEwen, B. S., and J. C. Wingfield. (2003). The concept of allostasis in biology and biomedicine. *Hormones and Behavior*, 43(1), 2-15.
- McHuron, E. A., L. K. Schwarz, D. P. Costa, and M. Mangel. (2018). A state-dependent model for assessing the population consequences of disturbance on income-breeding mammals. *Ecological Modelling*, 385, 133–144.
- McKenna, M. F., J. Calambokidis, E. M. Oleson, D. W. Laist, and J. A. Goldbogen. (2015). Simultaneous tracking of blue whales and large ships demonstrates limited behavioral responses for avoiding collision. *Endangered Species Research*, 27(3), 219-232.

- Melcón, M. L., A. J. Cummins, S. M. Kerosky, L. K. Roche, S. M. Wiggins, and J. A. Hildebrand. (2012). Blue whales respond to anthropogenic noise. *PLoS ONE*, 7(2).
- Meissner, A. M., F. Christiansen, E. Martinez, M. D. Pawley, M. B. Orams, and K. A. Stockin. (2015). Behavioural effects of tourism on oceanic common dolphins, *Delphinus* sp., in New Zealand: The effects of Markov analysis variations and current tour operator compliance with regulations. *PLoS ONE*, 10(1), e0116962.
- Miksis, J. L., R. C. Connor, M. D. Grund, D. P. Nowacek, A. R. Solow, and P. L. Tyack. (2001). Cardiac responses to acoustic playback experiments in the captive bottlenose dolphin (*Tursiops truncatus*). *Journal of Comparative Psychology*, 115(3), 227–232.
- Miksis-Olds, J.L. (2006). Manatee Response to Environmental Noise. A Dissertation Submitted in Partial Fulfillment of the Requirements for the Degree of Doctor of Philosophy in Oceanography. University of Rhode Island, 2006.
- Miksis-Olds, J. L., P. L. Donaghay, J. H. Miller, and P. L. Tyack. (2005). Environmental noise levels affect the activity budget of the Florida manatee. *The Journal of the Acoustical Society of America*, 118(3), 1910-1910.
- Miksis-Olds, J. L., P. L. Donaghay, J. H. Miller, P. L. Tyack, and J. A. Nystuen. (2007). Noise level correlates with manatee use of foraging habitats. *The Journal of the Acoustical Society of America*, 121(5), 3011-3020.
- Miller, P. J. O., N. Biassoni, A. Samuels, and P. L. Tyack. (2000). Whale songs lengthen in response to sonar. *Nature*, 405(6789), 903.
- Miller, P. J. O., M. P. Johnson, P. T. Madsen, N. Biassoni, M. Quero, and P. L. Tyack. (2009). Using at-sea experiments to study the effects of airguns on the foraging behavior of sperm whales in the Gulf of Mexico. *Deep Sea Research I*, 56(7), 1168–1181.
- Miller, P., R. Antunes, A. C. Alves, P. Wensveen, P. Kvaldsheim, L. Kleivane, N. Nordlund, F.-P. Lam, S. van IJsselmuide, F. Visser, and P. Tyack. (2011). *The 3S experiments: studying the behavioural effects of naval sonar on killer whales (Orcinus orca), sperm whales (Physeter macrocephalus), and long-finned pilot whales (Globicephala melas) in Norwegian waters* (Scottish Oceans Inst. Tech. Rept., SOI-2011-001).
- Miller, P. J. O., P. H. Kvaldsheim, F.-P. A. Lam, P. J. Wensveen, R. Antunes, A. C. Alves, F. Visser, L. Kleivane, P. L. Tyack, and L. D. Sivle. (2012). The severity of behavioral changes observed during experimental exposures of killer (*Orcinus orca*), long-finned pilot (*Globicephala melas*), and sperm (*Physeter macrocephalus*) whales to naval sonar. *Aquatic Mammals*, 38(4), 362–401.
- Miller, P. J., P. H. Kvaldsheim, F. P. Lam, P. L. Tyack, C. Cure, S. L. DeRuiter, L. Kleivane, L. D. Sivle, I. S. P. van, F. Visser, P. J. Wensveen, A. M. von Benda-Beckmann, L. M. Martin Lopez, T. Narazaki, and S. K. Hooker. (2015). First indications that northern bottlenose whales are sensitive to behavioural disturbance from anthropogenic noise. *Royal Society Open Science*, 2(6), 140484.
- Moberg, G. P. (1987). A model for assessing the impact of behavioral stress on domestic animals. *Journal of Animal Science*, 65(5), 1228-1235.
- Moberg, G. P., and J. A. Mench. (2000). *The Biology of Animal Stress; Basic Principles and Implications for Animal Welfare*. London, UK: CAB International.
- Mobley, J. R. (2007). Marine Mammal Monitoring Surveys in Support of "Valiant Shield" Training Exercises (Aug. 13-17, 2007)—Final Report. Pearl Harbor, HI: Commander, U.S. Pacific Fleet.
- Mooney, T. A., P. E. Nachtigall, M. Breese, S. Vlachos, and W. W. L. Au. (2009a). Predicting temporary threshold shifts in a bottlenose dolphin (*Tursiops truncatus*): The effects of noise level and duration. *Journal of Acoustical Society of America*, 125(3), 1816–1826.
- Mooney, T. A., P. E. Nachtigall, and S. Vlachos. (2009b). Sonar-induced temporary hearing loss in dolphins. *Biology Letters*, 5(4), 565–567.
- Mooney, T. A., R. T. Hanlon, J. Christensen-Dalsgaard, P. T. Madsen, D. R. Ketten, and P. E. Nachtigall. (2010). Sound detection by the longfin squid (*Loligo pealeii*) studied with auditory evoked potentials: sensitivity to low-frequency particle motion and not pressure. *Journal of Experimental Biology*, 213(21), 3748-3759.

- Moore, J. E., and J. P. Barlow. (2013). Declining abundance of beaked whales (Family Ziphiidae) in the California Current Large Marine Ecosystem. *PLoS ONE*, 8(1), e52770.
- Moore, M. J., J. van der Hoop, S. G. Barco, A. M. Costidis, F. M. Gulland, P. D. Jepson, K. T. Moore, S. Raverty, and W. A. McLellan. (2013). Criteria and case definitions for serious injury and death of pinnipeds and cetaceans caused by anthropogenic trauma. *Diseases of Aquatic Organisms*, 103(3), 229–264.
- Morete, M. E., T. L. Bisi, and S. Rosso. (2007). Mother and calf humpback whale responses to vessels around the Abrolhos Archipelago, Bahia, Brazil. *Journal of Cetacean Research Management*, 9(3), 241-248.
- Moretti, D., N. DiMarzio, R. Morrissey, E. McCarthy, and S. Jarvis. (2009, 7-10 December). *An opportunistic study of the effect of sonar on marine mammals, marine mammal monitoring on navy ranges (M3R)*. Paper presented at the 2009 ONR Marine Mammal Program Review, Alexandria, VA.
- Moretti, D., L. Thomas, T. Marques, J. Harwood, A. Dilley, B. Neales, J. Shaffer, E. McCarthy, L. New, S. Jarvis, and R. Morrissey. (2014). A risk function for behavioral disruption of Blainville's beaked whales (*Mesoplodon densirostris*) from mid-frequency active sonar. *PLoS ONE*, 9(1), e85064.
- Morton, A. B., and H. K. Symond. (2002). Displacement of *Orcinus orca* (L.) by high amplitude sound in British Columbia, Canada. *ICES Journal of Marine Science*, 59(1), 71-80.
- Müllner, A., K. E. Linsenmair, and M. Wikelski. (2004). Exposure to ecotourism reduces survival and affects stress response in hoatzin chicks (*Opisthocomus hoazin*). *Biological Conservation*, 118(4), 549-558.
- Muto, M. M., V. T. Helker, R. P. Angliss, P. L. Boveng, J. M. Breiwick, M. F. Cameron, P. J. Clapham, S. P. Dahle, M. E. Dahlheim, B. S. Fadely, M. C. Ferguson, L. W. Fritz, R. C. Hobbs, Y. V. Ivashchenko, A. S. Kennedy, J. M. London, S. A. Mizroch, R. R. Ream, E. L. Richmond, K. E. W. Sheldon, K. L. Sweeney, R. G. Towell, P. R. Wade, J. M. Waite, and A. N. Zerbini. (2019). Alaska Marine Mammal Stock Assessments, 2018. Seattle, WA: National Marine Fisheries Service, Alaska Fisheries Science Center.
- Muto, M. M., V. T. Helker, B. J. Delean, R. P. Angliss, P. L. Boveng, J. M. Breiwick, B. M. Brost, M. F. Cameron, P. J. Clapham, S. P. Dahle, M. E. Dahlheim, B. S. Fadely, M. C. Ferguson, L. W. Fritz, R. C. Hobbs, Y. V. Ivashchenko, A. S. Kennedy, J. M. London, S. A. Mizroch, R. R. Ream, E. L. Richmond, K. E. W. Sheldon, K. L. Sweeney, R. G. Towell, P. R. Wade, J. M. Waite, and A. N. Zerbini. (2020). Draft Alaska Marine Mammal Stock Assessments, 2019. Seattle, WA: National Marine Fisheries Service, Alaska Fisheries Science Center.
- Nachtigall, P. E., A. Y. Supin, J. Pawloski, and W. W. L. Au. (2004). Temporary threshold shifts after noise exposure in the bottlenose dolphin (*Tursiops truncatus*) measured using evoked auditory potentials. *Marine Mammal Science*, 20(4), 673–687.
- Nachtigall, P. E., A. Y. Supin, A. F. Pacini, and R. A. Kastelein. (2018). Four odontocete species change hearing levels when warned of impending loud sound. *Integrative Zoology*, 13, 2–20.
- National Institute for Occupational Safety and Health. (1998). Criteria for a recommended standard: Occupational noise exposure. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.
- National Academies of Sciences Engineering and Medicine (NAS). (2017). *Approaches to Understanding the Cumulative Effects of Stressors on Marine Mammals*. Washington, DC: The National Academies Press Series.
- National Marine Fisheries Service. (2005). Assessment of Acoustic Exposures on Marine Mammals in Conjunction with USS Shoup Active Sonar Transmissions in the Eastern Strait of Juan de Fuca and Haro Strait, Washington (5 May 2003). Seattle, WA: National Marine Fisheries Service.
- National Marine Fisheries Service (NMFS). (2018). Revision to Technical Guidance for Assessing Effects of Anthropogenic Sound on Marine Mammal Hearing. Office of Protected Resources, National Marine Fisheries Service, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Silver Spring, Maryland.

- National Oceanic and Atmospheric Administration (NOAA). (2002). Report of the Workshop on acoustic resonance as a source of tissue trauma in cetaceans. Silver Spring, MD: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service.
- National Research Council. (2003). *Ocean Noise and Marine Mammals*. Washington, DC: National Academies Press.
- National Research Council. (2005). *Marine Mammal Populations and Ocean Noise*. Washington, DC: National Academies Press.
- Nedelec, S. L., Simpson, S. D., Morley, E. L., Nedelec, B., and Radford, A. N. (2015). Impacts of regular and random noise on the behaviour, growth and development of larval Atlantic cod (*Gadus morhua*). *Proceedings of the Royal Society B*, 282(1817), 20151943.
- Nedwell, J. R., B. Edwards, A. W. H. Turnpenny, and J. Gordon. (2004). *Fish and marine mammal audiograms: A summary of available information* (Subacoustech Report ref: 534R0214). Hampshire, UK.
- New, L. F., J. Harwood, L. Thomas, C. Donovan, J. S. Clark, G. Hastie, P. M. Thompson, B. Cheney, L. Scott-Hayward, D. Lusseau, and D. Costa. (2013a). Modelling the biological significance of behavioural change in coastal bottlenose dolphins in response to disturbance. *Functional Ecology*, 27(2), 314–322.
- New, L. F., D. J. Moretti, S. K. Hooker, D. P. Costa, and S. E. Simmons. (2013b). Using energetic models to investigate the survival and reproduction of beaked whales (family *Ziphiidae*). *PLoS One*, 8(7), e68725.
- New, L. F., J. S. Clark, D. P. Costa, E. Fleishman, M. A. Hindell, T. Klanjšček, D. Lusseau, S. Kraus, C. R. McMahon, P. W. Robinson, R. S. Schick, L. K. Schwarz, S. E. Simmons, L. Thomas, P. Tyack, and J. Harwood. (2014). Using short-term measures of behaviour to estimate long-term fitness of southern elephant seals. *Marine Ecology Progress Series*, 496, 99–108.
- Ng, S. L., and S. Leung. (2003). Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Marine Environmental Research*, 56(5), 555–567.
- Noren, D. P., A. H. Johnson, D. Rehder, and A. Larson. (2009). Close approaches by vessels elicit surface active behaviors by southern resident killer whales. *Endangered Species Research*, 8(3), 179–192.
- Norman, S. A., S. Raverty, B. McClellan, A. Pabst, D. Ketten, M. Fleetwood, J. K. Gaydos, B. Norberg, L. Barre, T. Cox, B. Hanson, and S. Jeffries. (2004). Multidisciplinary investigation of stranded harbor porpoises (*Phocoena phocoena*) in Washington State with an assessment of acoustic trauma as a contributory factor (2 May–2 June 2003). United States Department of Commerce.
- Nowacek, S. M., R. S. Wells, and A. R. Solow. (2001). Short-term effects of boat traffic on bottlenose dolphins, *Tursiops truncatus*, in Sarasota Bay, Florida. *Marine Mammal Science*, 17(4), 673–688.
- Nowacek, D., L. H. Thorne, D. Johnston, and P. Tyack. (2007). Responses of cetaceans to anthropogenic noise. *Mammal Review*, 37(2), 81–115.
- Nowacek, D. P., M. P. Johnson, and P. L. Tyack. (2004). North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London*, 271(B), 227–231.
- Nuka Research & Planning Group, LLC. (2012). Southeast Alaska Vessel Traffic Study. Seldovia, AK: Nuka Research & Planning Group, LLC.
- O'Keefe, D. J. (1984). Guidelines for Predicting the Effects of Underwater Explosions on Swimbladder Fish. Dahlgren, VA.
- O'Keefe, D. J., and G. A. Young. (1984). Handbook on the Environmental Effects of Underwater Explosions. Silver Spring, MD: U.S. Navy, Naval Surface Weapons Center (Code R14).
- Odell, D.K., E. D. Asper, J. Baucom, and L. H. Cornell. (1980). A recurrent mass stranding of false killer whales in Florida. *Fishery Bulletin*, 78(1), 171–177.
- Office of National Marine Sanctuaries (ONMS). (2008). Olympic Coast National Marine Sanctuary Condition Report 2008. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Office of National Marine Sanctuaries, Silver Spring, MD. 72 pp.

- Office of Naval Research (ONR). (2009). Workshop: Effects of Stress on Marine Mammals. Arlington, VA, 4-5 November, 2009.
- Packard, A., H. E. Karlsen, and O. Sand. (1990). Low frequency hearing in cephalopods. *Journal of Comparative Physiology A*, 166(4), 501-505.
- Palka, D. L., and P. S. Hammond. (2001). Accounting for responsive movement in line transect estimates of abundance. *Canadian Journal of Fisheries and Aquatic Sciences*, 58(4), 777-787.
- Papale, E., M. Gamba, M. Perez-Gil, V. M. Martin, and C. Giacoma. (2015). Dolphins adjust species specific frequency parameters to compensate for increasing background noise. *PLoS ONE*, 10(4), e0121711.
- Parks, S. E., C. W. Clark, and P. L. Tyack. (2007). Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. *The Journal of Acoustical Society of America*, 122(6), 3725–3731.
- Parks, S. E. (2009). Assessment of acoustic adaptations for noise compensation in marine mammals. Paper presented at the 2009 Office of Naval Research Marine Mammal Program Review. Alexandria, VA.
- Parks, S. E., M. Johnson, D. Nowacek, and P. L. Tyack. (2011). Individual right whales call louder in increased environmental noise. *Biology Letters*, 7, 33–35.
- Patricelli, G. L., and J. L. Blickley. (2006). Avian communication in urban noise: causes and consequences of vocal adjustment. *The Auk*, 123(3), 639-649.
- Payne, J. F., C. A. Andrews, L. L. Fancey, A. L. Cook, and J. R. Christian. (2007). Pilot Study on the Effect of Seismic Air Gun Noise on Lobster (*Homarus Americanus*) Environmental Studies Research Funds Report No. 171. St. John's, NL. 34 p.
- Payne, J. F., C. D. Andrews, L. L. Fancey, J. Guiney, A. Cook, and J. R. Christian. (2008). Are seismic surveys an important risk factor for fish and shellfish? *Bioacoustics*, 17(1-3), pp.262-265.
- Phillips, G. E., and A. W. Alldredge. (2000). Reproductive success of elk following disturbance by humans during calving season. *The Journal of Wildlife Management*, 521-530.
- Piantadosi, C. A., and E. D. Thalmann. (2004). Whales, sonar and decompression sickness. *Nature*, 1.
- Pijanowski, B., L. Villanueva-Rivera, S. Dumyahn, A. Farina, B. Krause, B. Napoletano, . . . N. Pieretti. (2011). Soundscape Ecology: The Science of Sound in the Landscape. *BioScience*, 61(3), 203-216. doi:10.1525/bio.2011.61.3.6
- Pirotta, E., Milor, R., Quick, N., Moretti, D., Di Marzio, N., Tyack, P., Boyd, I., & Hastie, G. (2012). Vessel Noise Affects Beaked Whale Behavior: Results of a Dedicated Acoustic Response Study.
- Pirotta, E., J. Harwood, P. M. Thompson, L. New, B. Cheney, M. Arso, P. S. Hammond, C. Donovan, and D. Lusseau. (2015a). Predicting the effects of human developments on individual dolphins to understand potential long-term population consequences. *Proceedings of the Royal Society B: Biological Sciences*, 282(1818), 20152109.
- Pirotta, E., N. D. Merchant, P. M. Thompson, T. R. Barton, & D. Lusseau. (2015b). Quantifying the effect of boat disturbance on bottlenose dolphin foraging activity. *Biological Conservation*, 181, 82–89.
- Pirotta, E., M. Mangel, D. P. Costa, B. Mate, J. A. Goldbogen, D. M. Palacios, L. A. Huckstadt, E. A. McHuron, L. Schwarz, and L. New. (2018a). A dynamic state model of migratory behavior and physiology to assess the consequences of environmental variation and anthropogenic disturbance on marine vertebrates. *The American Naturalist*, 191(2), E40-E56.
- Pirotta, E., C. G. Booth, D. P. Costa, E. Fleishman, S. D. Kraus, D. Lusseau, D. Moretti, L. F. New, R. S. Schick, L. K. Schwarz, S. E. Simmons, L. Thomas, P. L. Tyack, M. J. Weise, R. S. Wells, and J. Harwood. (2018b). Understanding the population consequences of disturbance. *Ecology and Evolution*, 8(19), 9934-9946.
- Polacheck, T., and L. Thorpe. (1990). The swimming direction of harbor porpoise in relationship to a survey vessel. *Reports of the International Whaling Commission*, 40, 463–470.

- Popov, V. V., A. Y. Supin, D. Wang, K. Wang, L. Dong, and S. Wang. (2011). Noise-induced temporary threshold shift and recovery in Yangtze finless porpoises, *Neophocaena phocaenoides asiaeorientalis*. *The Journal of the Acoustical Society of America*, 130(1), 574–584.
- Popov, V. V., A. Y. Supin, V. V. Rozhnov, D. I. Nechaev, E. V. Sysuyeva, V. O. Klishin, M. G. Pletenko, and M. B. Tarakanov. (2013). Hearing threshold shifts and recovery after noise exposure in beluga whales, *Delphinapterus leucas*. *The Journal of Experimental Biology*, 216(9), 1587–1596.
- Popov, V. V., A. Y. Supin, V. V. Rozhnov, D. I. Nechaev, and E. V. Sysueva. (2014). The limits of applicability of the sound exposure level (SEL) metric to temporal threshold shifts (TTS) in beluga whales, *Delphinapterus leucas*. *The Journal of Experimental Biology*, 217(Pt 10), 1804–1810.
- Popper, A. N., R. R. Fay, C. Platt, and O. Sand. (2003). Sound detection mechanisms and capabilities of teleost fishes. In S. P. Collin & N. J. Marshall (Eds.), *Sensory Processing in Aquatic Environment*. New York, NY: Springer-Verlag.
- Popper, A. N., J. Ramcharitar, and S. E. Campana. (2005). Why Otoliths? Insights from Inner Ear Physiology and Fisheries Biology. *Marine and Freshwater Research*, 56, 8.
- Popper, A. N., M. B. Halvorsen, A. Kane, D. L. Miller, M. E. Smith, J. Song, P. Stein, and L. E. Wysocki. (2007). The effects of high-intensity, low-frequency active sonar on rainbow trout. *The Journal of Acoustical Society of America*, 122(1), 623–635.
- Popper, A. N., and M. C. Hastings. (2009a). The effects of anthropogenic sources of sound on fishes. *Journal of Fish Biology*, 75(3), 455–489.
- Popper, A. N., and M. C. Hastings. (2009b). The effects of human-generated sound on fish. *Integrative Zoology*, 4, 43–52.
- Popper, A. N., and R. R. Fay. (2011). Rethinking sound detection by fishes. *Hearing Research*, 273(1–2), 25–36.
- Popper, A. N., A. D. Hawkins, R. R. Fay, D. A. Mann, S. M. Bartol, T. J. Carlson, S. Coombs, W. T. Ellison, R. L. Gentry, M. B. Halvorsen, S. Løkkeborg, P. H. Rogers, B. L. Southall, D. G. Zeddies, and W. N. Tavolga. (2014). *ASA S3/SC1. 4 TR-2014 Sound exposure guidelines for fishes and sea turtles: A technical report prepared by ANSI-Accredited standards committee S3/SC1 and registered with ANSI*. Springer.
- Popper, A. N., and A. Hawkins. (2016). *The Effects of Noise on Aquatic Life II*. New York, NY: Springer New York.
- Popper, A. N., J. A. Gross, T. J. Carlson, J. Skalski, J. V. Young, A. D. Hawkins, & D. G. Zeddies. (2016). Effects of exposure to the sound from seismic airguns on pallid sturgeon and paddlefish. *PLoS ONE*, 11(8), e0159486.
- Posner, M. I. (1994). Attention: the mechanisms of consciousness. *Proceedings of the National Academy of Sciences*, 91(16), 7398-7403.
- Purser, J. and A.N. Radford. 2011. Acoustic noise induces attention shifts and reduces foraging performance in three-spined sticklebacks (*Gasterosteus aculeatus*). *PLoS ONE*, 6, (2):e17478.
- Read, A. J., S. Barco, J. Bell, D. L. Borchers, M. L. Burt, E. W. Cummings, J. Dunn, E. M. Fougères, L. Hazen, and L. E. W. Hodge. (2014). Occurrence, distribution and abundance of cetaceans in Onslow Bay, North Carolina, USA. *Journal of Cetacean Research Management*, 14, 23–35.
- Redfern, J. V., Ferguson, M. C., Becker, E. A., Hyrenbach, K. D., Good, C., Barlow, J., ... & Fauchald, P. (2006). Techniques for cetacean–habitat modeling. *Marine Ecology Progress Series*, 310, 271-295.
- Reeves, R. (2005). Impacts of Sakhalin II Phase 2 on western North Pacific gray whales and related biodiversity. Independent Scientific Review Panel: 129.
- Reichmuth, C., M. M. Holt, J. Mulsow, J. M. Sills, and B. L. Southall. (2013). Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory Neural, and Behavioral Physiology*, 199(6), 491–507.
- Reichmuth, C., J. M. Sills, J. Mulsow, and A. Ghaul. 2019. Long-term evidence of noise-induced permanent threshold shift in a harbor seal (*Phoca vitulina*). *The Journal of the Acoustical Society of America*, 146(4), 2552-2561.

- Relyea, R. A. (2005a). The impact of insecticides and herbicides on the biodiversity and productivity of aquatic communities. *Ecological applications*, 15(2), 618-627.
- Relyea, R. A. (2005b). The lethal impacts of Roundup and predatory stress on six species of North American tadpoles. *Archives of Environmental Contamination and Toxicology*, 48(3), 351-357.
- Reneerkens, J., R. G. Morrison, M. Ramenofsky, T. Piersma, and J. C. Wingfield. (2002). Baseline and stress-induced levels of corticosterone during different life cycle substages in a shorebird on the high arctic breeding grounds. *Physiological and Biochemical Zoology*, 75(2), 200-208.
- Richardson, W. J., C. R. Greene, Jr., C. I. Malme, and D. H. Thomson. (1995). *Marine Mammals and Noise*. San Diego, CA: Academic Press.
- Richardson, W. J., K. J. Finley, G. W. Miller, R. A. Davis, and W. R. Koski. (1995b). Feeding, social and migration behavior of bowhead whales, *Balaena mysticetus*, in Baffin Bay vs. the Beaufort Sea—regions with different amounts of human activity. *Marine mammal science*, 11(1), 1-45.
- Richter, C. F., S. M. Dawson, and E. Slooten. (2003). Sperm whale watching off Kaikoura, New Zealand: Effects of current activities on surfacing and vocalisation patterns. *Science for Conservation*, 219.
- Ridgway, S., D. Carder, J. Finneran, M. Keogh, T. Kamolnick, M. Todd, and A. Goldblatt. (2006). Dolphin continuous auditory vigilance for five days. *Journal of Experimental Biology*, 209(18), 3621-3628.
- Ridgway, S. H., and R. Howard. (1979). Dolphin lung collapse and intramuscular circulation during free diving: Evidence from nitrogen washout. *Science*, 206, 1182–1183.
- Risch, D., P. J. Corkeron, W. T. Ellison, and S. M. Van Parijs. (2012). Changes in humpback whale song occurrence in response to an acoustic source 200 km away. *PLoS ONE*, 7(1), e29741.
- Ritter, F. (2012). Collisions of sailing vessels with cetaceans worldwide: First insights into a seemingly growing problem. *Journal of Cetacean Research and Management*, 12(1):119-127.
- Rivier, C., and S. Rivest. (1991). Effect of stress on the activity of the hypothalamic-pituitary-gonadal axis: peripheral and central mechanisms. *Biology of Reproduction*, 45(4), 523-532.
- Rockwood C.R., J. Calambokidis, and J. Jahncke. (2017). High mortality of blue, humpback and fin whales from modeling of vessel collisions on the U.S. West Coast suggests population impacts and insufficient protection. *PLoS ONE*, 12(8).
- Rolland, R. M., S. E. Parks, K. E. Hunt, M. Castellote, P. J. Corkeron, D. P. Nowacek, S. K. Wasser, and S. D. Kraus. (2012). Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society B: Biological Sciences*, 279(1737), 2363–2368.
- Romano, T., M. Keogh, and K. Danil. (2002a). Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the eastern tropical Pacific. Administrative Report LJ-02-35C, National Marine Fisheries Service: 37.
- Romano, T. A., J. A. Olschowka, S. Y. Felten, V. Quaranta, S. H. Ridgway, and D. L. Felten. (2002b). Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 In: *Molecular and Cell Biology of Marine Mammals*. Krieger Publishing Co., Malabar, Florida.
- Romano, T. A., M. J. Keogh, C. Kelly, P. Feng, L. Berk, C. E. Schlundt, D. A. Carder, and J. J. Finneran. (2004). Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposures. *Canadian Journal of Fisheries and Aquatic Sciences*, 61, 1124–1134.
- Romero, L. M. (2004). Physiological stress in ecology: lessons from biomedical research. *Trends in Ecology & Evolution*, 19(5), 249-255.
- Rommel, S. A., A. M. Costidis, A. Fernandez, P. D. Jepson, D. A. Pabst, D. S. Houser, ... and N. B. Barros. (2006). Elements of beaked whale anatomy and diving physiology and some hypothetical causes of sonar-related stranding. *Journal of Cetacean Research and Management*, 7(3), 189-209.
- Rosen, G., and G. R. Lotufo. (2010). Fate and effects of composition B in multispecies marine exposures. *Environmental Toxicology and Chemistry*, 9999(12), 1–8.
- Saino, N. (1994). Time budget variation in relation to flock size in carrion crows, *Corvus corone corone*. *Animal Behaviour*, 47(5), 1189-1196.

- Sapolsky, R. M. (2005). The influence of social hierarchy on primate health. *Science*, 308(5722), 648-652.
- Saunders, K. J., P. R. White, and T. G. Leighton. (2008). Models for predicting Nitrogen tensions and decompression sickness risk in diving beaked whales. *Proceedings of the Institute of Acoustics*, 30(5).
- Scheidat, M., C. Castro, J. Gonzalez, and R. Williams. (2004). Behavioural responses of humpback whales (*Megaptera novaeangliae*) to whale watching boats near Isla de la Plata, Machalilla National Park, Ecuador. *Journal of Cetacean Research and Management*, 6(1), 63-68.
- Scheifele, P. M., S. Andrew, R. A. Cooper, M. Darre, F. E. Musiek, and L. Max. (2005). Indication of a Lombard vocal response in the St. Lawrence River beluga. *The Journal of the Acoustical Society of America*, 117(3), 1486-1492.
- Schorr, G. S., E. A. Falcone, D. J. Moretti, and R. D. Andrews. (2014). First long-term behavioral records from Cuvier's beaked whales (*Ziphius cavirostris*) reveal record-breaking dives. *PLoS ONE*, 9(3), e92633.
- Schorr, G.S., E.A. Falcone, B.K. Rone, and E.L. Keene. (2019). Distribution and demographics of Cuvier's beaked whales and fin whales in the Southern California Bight. Annual Report for 2018. Prepared by: Marine Ecology and Telemetry Research, Cascadia WA. Contract N66604-18-Q-2187. Prepared for: US Pacific Fleet, Pearl Harbor, HI. 30 pp.
- Schlundt, C. E., J. J. Finneran, D. A. Carder, and S. H. Ridgway. (2000). Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. *The Journal of the Acoustical Society of America*, 107(6), 3496-3508.
- Seyle, H. (1950). *The Physiology and Pathology of Exposure to Stress*. Oxford, England: Acta, Inc. 203 pp.
- Silber, G. K., J. Slutsky, and S. Bettridge. (2010). Hydrodynamics of a ship/whale collision. *Journal of Experimental Marine Biology and Ecology*, 391, 10-19.
- Sih, A., A. M. Bell, and J. L. Kerby. (2004). Two stressors are far deadlier than one. *Trends in Ecology & Evolution*, 19(6), 274-276.
- Simeone, C. A., F. M. Gulland, T. Norris, and T. K. Rowles. (2015). A systematic review of changes in marine mammal health in North America, 1972-2012: The need for a novel integrated approach. *PLoS ONE*, 10(11), e0142105.
- Simeone, C and Moore K. (2017). Stranding response, and Appendix 5. In: *CRC Handbook of Marine Mammal Medicine*. Third edition, eds Gulland, FMD, Dierauf and Whitman KL, CRC Pres, Boca Raton, FL. USA.
- Similä, T. (1997). Sonar observations of killer whales (*Orcinus orca*) feeding on herring schools. *Aquatic Mammals*, 23, 119-126.
- Simmonds, M. P., and L. F. Lopez-Jurado. (1991). Whales and the military. *Nature*, 351, 448.
- Simmonds, M. P. (2005). Whale watching and monitoring: some considerations. Unpublished paper submitted to the Scientific Committee of the International Whaling Commission SC/57/WW5, Cambridge, United Kingdom.
- Simpson S. D., J. Purser and A. N. Radford. (2014). Anthropogenic noise compromises antipredator behaviour in European eels. *Global Change Biology*, 21, 586- 593.
- Sivle, L. D., P. H. Kvalsheim, M. A. Ainslie, A. Solow, N. O. Handegard, N. Nordlund, and F. P. A. Lam. (2012). Impact of naval sonar signals on Atlantic herring (*Clupea harengus*) during summer feeding. *ICES Journal of Marine Science*, 69(6), 1078-1085.
- Sivle, L. D., P. H. Kvalsheim, and M. A. Ainslie. (2014). Potential for population-level disturbance by active sonar in herring. *ICES Journal of Marine Science*, 72(2), 558-567.
- Sivle, L. D., P. H. Kvalsheim, C. Curé, S. Isojunno, P. J. Wensveen, F. A. Lam, F. Visser, L. Kleivane, P. L. Tyack, C. M. Harris, and P. J. O. Miller. (2015). Severity of expert-identified behavioural responses of humpback whale, minke whale, and northern bottlenose whale to naval sonar. *Aquatic Mammals*, 41(4), 469-502.

- Sivle, L. D., P. J. Wensveen, P. H. Kvasdheim, F. P. A. Lam, F. Visser, C. Curé, C. M. Harris, P. L. Tyack, and P. J. O. Miller. (2016). Naval sonar disrupts foraging in humpback whales. *Marine Ecology Progress Series*, 562, 211–220.
- Slabbekoorn, H., N. Bouton, I. van Opzeeland, A. Coers, C. ten Cate, and A. N. Popper, A. N. (2010). A noisy spring: the impact of globally rising underwater sound levels on fish. *Trends in Ecology & Evolution*, 25(7), 419-427.
- Smith, M. E., A. S. Kane, and A. N. Popper. (2004a). Acoustical stress and hearing sensitivity in fishes: does the linear threshold shift hypothesis hold water? *Journal of Experimental Biology*, 207(20), 3591-3602.
- Smith, M. E., A. S. Kane, and A. N. Popper. (2004b). Noise-induced stress response and hearing loss in goldfish (*Carassius auratus*). *Journal of Experimental Biology*, 207(3), 427-435.
- Smith, M. E., Coffin, A. B., Miller, D. L., and Popper, A. N. (2006). Anatomical and functional recovery of the goldfish (*Carassius auratus*) ear following noise exposure. *Journal of Experimental Biology*, 209(21), 4193-4202.
- Smith, M. E. (2016). Relationship Between Hair Cell Loss and Hearing Loss in Fishes. In A. N. Popper & A. Hawkins (Eds.), *The Effects of Noise on Aquatic Life II* (pp. 8). New York: Springer.
- Sole, M., M. Lenoir, M. Durfort, M. Lopez-Bejar, A. Lombarte, and M. Andre. (2013). Ultrastructural damage of *Loligo vulgaris* and *Illex coindetii* statocysts after low frequency sound exposure. *PLoS ONE*, 8 (10):e78825.
- Solé, M., M. Monge, M. André, and C. Quero. Analysis of the protein content of the statocyst endolymph in common cuttlefish (*Sepia officinalis*): a contribution to assess acoustic trauma after exposure to sound. *Hydrobiologia*.
- Sole, M., P. Sigray, M. Lenoir, M. Van der Schaar, E. Lalander, and M. Andre. (2017b). Offshore exposure experiments on cuttlefish indicate received sound pressure and particle motion levels associated with acoustic trauma. *Scientific Reports*, 7(45899), 1–13.
- Soto, N.A., M. Johnson, P.T. Madsen, P.L. Tyack, A. Bocconcelli, and J.F. Borsani. (2006). Does intense ship noise disrupt foraging in deep-diving Cuvier's beaked whales (*Ziphius cavirostris*)? *Marine Mammal Science*, 22(3):690-699.
- Southall, B. L., A. E. Bowles, W. T. Ellison, J. J. Finneran, R. L. Gentry, C. R. Greene, Jr., D. Kastak, D. R. Ketten, J. H. Miller, P. E. Nachtigall, W. J. Richardson, J. A. Thomas, and P. L. Tyack. (2007). Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals*, 33(4), 411–521.
- Southall, B. L., P. L. Tyack, D. Moretti, C. Clark, D. Claridge, and I. Boyd. (2009). *Behavioral responses of beaked whales and other cetaceans to controlled exposures of simulated sonar and other sounds*. Paper presented at the 18th Biennial Conference on the Biology of Marine Mammals, Quebec City, Canada.
- Southall, B., J. Calambokidis, P. Tyack, D. Moretti, J. Hildebrand, C. Kyburg, R. Carson, A. Friedlaender, E. Falcone, G. Schorr, A. Douglas, S. DeRuiter, J. Goldbogen, and J. Barlow. (2011). *Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2010 ("SOCAL-10")*. Pearl Harbor, HI: U.S. Navy Pacific Fleet.
- Southall, B., Calambokidis, J., Tyack, P., Moretti, D., Friedlaender, A., De Ruiter, S., Goldbogen, J., Falcone, E., Schorr, G., Douglas, A., Stimpert, A., Hildebrand, J., Kyburg, C., Carlson, R., Yack, T., and Barlow, J. (2012a). *Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2011 ("SOCAL-11")*, Final Project Report, 8 March 2012.
- Southall, B. L., D. Moretti, B. Abraham, J. Calambokidis, S. L. DeRuiter, and P. L. Tyack. (2012b). Marine Mammal Behavioral Response Studies in Southern California: Advances in Technology and Experimental Methods. *Marine Technology Society Journal*, 46(4), 46-59.
- Southall, B., J. Calambokidis, J. Barlow, D. Moretti, A. Friedlaender, A. Stimpert, A. Douglas, K. Southall, S. Arranz, S. DeRuiter, E. Hazen, J. Goldbogen, E. Falcone, and G. Schorr. (2013). *Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2012 ("SOCAL-12")*.

- Southall, B., J. Calambokidis, J. Barlow, D. Moretti, A. Friedlaender, A. Stimpert, A. Douglas, K. Southall, P. Arranz, S. DeRuiter, J. Goldbogen, E. Falcone, and G. Schorr. (2014). *Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2013 ("SOCAL-13")*. Pearl Harbor, HI: U.S. Navy Pacific Fleet.
- Southall, B. L., D. P. Nowacek, P. J. O. Miller, and P. L. Tyack. (2016). Experimental field studies to measure behavioral responses of cetaceans to sonar. *Endangered Species Research*, 31, 293–315.
- Southall, B. L., J. J. Finneran, C. Reichmuth, P. E. Nachtigall, D. R. Ketten, A. E. Bowles, W. T. Ellison, D. P. Nowacek, and P. L. Tyack. (2019a). Marine Mammal Noise Exposure Criteria: Updated Scientific Recommendations for Residual Hearing Effects. *Aquatic Mammals*, 45(2), 125-232.
- Southall, B. L., S. L. DeRuiter, A. Friedlaender, A. K. Stimpert, J. A. Goldbogen, E. Hazen, C. Casey, S. Fregosi, D. E. Cade, A. N. Allen, and C. M. Harris. 2019b. Behavioral responses of individual blue whales (*Balaenoptera musculus*). *Journal of Experimental Biology*, 222(5), p.jeb190637.
- St. Aubin, D. J., S. H. Ridgway, R. S. Wells, and H. Rhinehart. (1996). Dolphin thyroid and adrenal hormones: Circulating levels in wild and semidomesticated *Tursiops truncatus*, and influence of sex, age, and season. *Marine Mammal Science*, 12(1), 1–13.
- St. Aubin, D., and L. A. Dierauf. (2001). Stress and Marine Mammals. In L. A. Dierauf & F. M. D. Gulland (Eds.), *Marine Mammal Medicine* (2nd ed., pp. 253–269). Boca Raton, FL: CRC Press
- Steidl, R. J., and R. G. Anthony. (1996). Responses of bald eagles to human activity during the summer in interior Alaska. *Ecological Applications*, 6(2), 482-491.
- Stimpert, A.K., S.L. DeRuiter, B.L. Southall, D.J. Moretti, E.A. Falcone, J.A. Godbogen, A. Friedlaender, G.S. Schorr, and J. Calambokidis. 2014. Acoustic and foraging behavior of a Baird’s beaked whale, *Berardius bairdii*, exposed to simulated sonar. *Sci Rep* 4:7031. DOI: 10.1038/srep07031
- Stockwell, C. A., G. C. Bateman, and J. Berger. (1991). Conflicts in National Parks: a case study of helicopters and bighorn sheep time budgets at the Grand Canyon. *Biological Conservation*, 56, 317-328.
- Stone, C. J. (2015). Marine mammal observations during seismic surveys from 1994–2010. JNCC Rep. No. 463a. 64 p.
- Stone, G. S., L. Cavagnaro, A. Hutt, S. Kraus, K. Baldwin, and J. Brown. (2000). Reactions of Hector's dolphins to acoustic gillnet pingers. New Zealand Department of Conservation: 28.
- Sutherland, W. J., and N. J. Crockford. (1993). Factors affecting the feeding distribution of red-breasted geese *Branta ruficollis* wintering in Romania. *Biological Conservation*, 63(1), 61-65.
- Swingle, W. M., S. G. Barco, T. D. Pitchford, W. A. McLellan, and D. A. Pabst. (1993). Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. *Marine Mammal Science*, 9(3), 309-315.
- Swisdak, M. M., Jr., and P. E. Montaro. (1992). Airblast and fragmentation hazards produced by underwater explosions. Silver Spring, MD: Naval Surface Warfare Center.
- Tal, D., H. Shachar-Bener, D. Hershkovitz, Y. Arieli, and A. Shupak. (2015). Evidence for the initiation of decompression sickness by exposure to intense underwater sound. *Journal of Neurophysiology*, 114(3), 1521-1529.
- Taylor, B., Barlow, J., Pitman, R., Ballance, L., Klinger, T., DeMaster, D., ... and Mead, J. (2004, July). A call for research to assess risk of acoustic impact on beaked whale populations. In *Scientific Committee at the 56th Meeting of the International Whaling Commission* (Vol. 29).
- Techer, D., S. Milla, and D. Banas. (2017). Sublethal Effect Assessment of a Low-power and Dual-frequency Anti-cyanobacterial Ultrasound Device on the Common Carp (*Cyprinus carpio*): a Field Study. *Environmental Science and Pollution Research*, 24, 10.
- Teilmann, J., J. Tougaard, L. A. Miller, T. Kirketerp, K. Hansen, and S. Brando. (2006). Reactions of captive harbor porpoises (*Phocoena phocoena*) to pinger-like sounds. *Marine Mammal Science*, 22(2), 240–260.
- Tennessen, J. B., and S. E. Parks. (2016). Acoustic propagation modeling indicates vocal compensation in noise improves communication range for North Atlantic right whales. *Endangered Species Research*, 30, 225–237.

- The Northwest Seaport Alliance. (2018). The Northwest Seaport Alliance 5-Year Cargo Volume History. Retrieved from https://www.nwseaportalliance.com/sites/default/files/seaport_alliance-5-year_history_feb_17.pdf.
- Thomas, J. A., R. A. Kastelein, and F. T. Awbrey. (1990). Behavior and blood catecholamines of captive belugas during playbacks of noise from an oil drilling platform. *Zoo Biology*, 9(5), 393–402.
- Thompson, D. R., and K. C. Hamer. (2000). Stress in seabirds: causes, consequences and diagnostic value. *Journal of Aquatic Ecosystem Stress and Recovery*, 7(1), 91-109.
- Thompson, D., M. Sjoberg, M. E. Bryant, P. Lovell, and A. Bjorge. (1998). Behavioral and physiological responses of harbour (Phoca vitulina) and grey (Halichoerus grypus) seals to seismic surveys (Report to European Commission of BROMMAD Project. MAS2 C7940098). Brussels, Belgium: European Commission.
- Todd, S., P. Stevick, J. Lien, F. Marques, and D. Ketten. (1996). Behavioural effects of exposure to underwater explosions in humpback whales (*Megaptera novaeangliae*). *Canadian Journal of Zoology*, 74, 1661–1672.
- Treves, A. (2000). Theory and method in studies of vigilance and aggregation. *Animal Behaviour*, 60(6), 711-722.
- Trimper, P. G., Standen, N. M., Lye, L. M., Lemon, D., Chubbs, T. E., and Humphries, G. W. (1998). Effects of low-level jet aircraft noise on the behaviour of nesting osprey. *Journal of Applied Ecology*, 35(1), 122-130.
- Tyack, P. L. (2000). Functional aspects of cetacean communication. In: J. Mann, R. C. Connor, P. L. Tyack, and H. Whitehead (Eds.), *Cetacean societies: Field studies of dolphins and whales*. Chicago, IL: University of Chicago Press.
- Tyack, P. L., M. Johnson, N. A. Soto, A. Sturlese, and P. T. Madsen. (2006). Extreme diving of beaked whales. *Journal of Experimental Biology*, 209(21), 4238–4253.
- Tyack, P. L., W. M. X. Zimmer, D. Moretti, B. L. Southall, D. E. Claridge, J. W. Durban, C. W. Clark, A. D'Amico, N. DiMarzio, S. Jarvis, E. McCarthy, R. Morrissey, J. Ward, and I. L. Boyd. (2011). Beaked whales respond to simulated and actual Navy sonar. *PLoS ONE*, 6(3), 15.
- U.S. Department of the Navy. (2008a). Hawaii Range Complex, Final Environmental Impact Statement/Overseas Environmental Impact Statement. Pearl Harbor, HI: Hawaii Range Complex.
- U.S. Department of the Navy. (2008b). Southern California Range Complex Environmental Impact Statement/Overseas Environmental Impact Statement. San Diego, CA: Naval Facilities Engineering Command Southwest.
- U.S. Department of the Navy. (2011). Scientific Advisory Group for Navy Marine Species Monitoring - Workshop Report and Recommendations. Washington, DC: U.S. Department of the Navy.
- U.S. Department of the Navy. (2012). Criteria and Criteria and Thresholds for U.S. Navy Acoustic and Explosive Effects Analysis Technical Report.
- U.S. Department of the Navy. (2013b). Comprehensive Exercise and Marine Species Monitoring Report for the U.S. Navy's Atlantic Fleet Active Sonar Training (AFAST) and Virginia Capes, Cherry Point, Jacksonville, and Gulf of Mexico Range Complexes 2009–2012. Norfolk, VA: United States Fleet Forces Command.
- U.S. Department of the Navy. (2017a). U.S. Navy Marine Species Density Database Phase III for the Hawaii-Southern California Training and Testing Study Area (Naval Facilities Engineering Command Pacific Technical Report). Pearl Harbor, HI: Naval Facilities Engineering Command Pacific.
- U.S. Department of the Navy. (2017b). Marine Mammal Strandings Associated with U.S. Navy Sonar Activities. San Diego, CA: U.S. Navy Marine Mammal Program and SPAWAR Naval Facilities Engineering Command.
- U.S. Department of the Navy. (2017c). Criteria and Thresholds for U.S. Navy Acoustic and Explosive Effects Analysis (Phase III) San Diego, CA: Space and Naval Warfare System Command, Pacific.
- U.S. Department of the Navy. (2018a). Quantifying Acoustic Impacts on Marine Mammals and Sea Turtles: Methods and Analytical Approach for Phase III Training and Testing (Technical Report

- prepared by NUWC Division Newport, Space and Naval Warfare Systems Center Pacific, G2 Software Systems, and the National Marine Mammal Foundation). Newport, RI: Naval Undersea Warfare Center.
- U.S. Department of the Navy. (2019). U.S. Navy Marine Species Density Database Phase III for the Northwest Training and Testing Study Area (Naval Facilities Engineering Command Pacific Technical Report). Pearl Harbor, HI: Naval Facilities Engineering Command Pacific.
- Vancouver Fraser Port Authority. (2017). Port of Vancouver Statistics Overview 2016. Vancouver, BC: Decision Support Services.
- Van der Hoop, J. M., A. S. M. Vanderlaan, and C. T. Taggart. (2012). Absolute probability estimates of lethal vessel strikes to North Atlantic right whales in Roseway Basin, Scotian Shelf. *Ecological Applications*, 22(7), 2021–2033.
- Van der Hoop, J. M., M. J. Moore, S. G. Barco, T. V. Cole, P. Y. Daoust, A. G. Henry, D. F. McAlpine, W. A. McLellan, T. Wimmer, and A. R. Solow. (2013). Assessment of management to mitigate anthropogenic effects on large whales. *Conservation biology : the journal of the Society for Conservation Biology*, 27(1), 121–133.
- Vanderlaan, M. S. A., and T. C. Taggart. (2007). Vessel collisions with whales: the probability of lethal injury based on vessel speed. *Marine Mammal Science*, 23(1), 144–156.
- Vanderlaan, A.S.M., C.T. Taggart, A.R. Serdyska, R.D. Kenney, and M.W. Brown. (2008). Reducing the risk of lethal encounters: Vessels and right whales in the Bay of Fundy and on the Scotian Shelf. *Endangered Species Research*, 4(3), 283-283.
- Van Parijs, S. M. (2015). Letter of Introduction to the Biologically Important Areas issue. In: S. M. Van Parijs, C. Curtice, & M. C. Ferguson (Eds.), *Biologically Important Areas for cetaceans within U.S. waters* (p. 1). *Aquatic Mammals (Special Issue)*, 41(1). 128 pp.
- van Rij, N. G. (2007). Implicit and explicit capture of attention: what it takes to be noticed. Thesis. University of Canterbury.
- Villegas-Amtmann, S., L. K. Schwarz, J. L. Sumich, and D. P. Costa. (2015). A bioenergetics model to evaluate demographic consequences of disturbance in marine mammals applied to gray whales. *Ecosphere*, 6(10), 1-19.
- Visser, F., C. Cure, P. H. Kvadsheim, F. P. Lam, P. L. Tyack, and P. J. Miller. (2016). Disturbance-specific social responses in long-finned pilot whales, *Globicephala melas*. *Scientific Reports*, 6, 28641.
- Wade, P. R. (1998). Calculating limits to the allowable human-caused mortality of cetaceans and pinnipeds. *Marine Mammal Science*, 14(1), 1-37.
- Wade, P. R. (2017). Estimates of abundance and migratory destination for North Pacific humpback whales in both summer feeding areas and winter mating and calving areas – revision of estimates in International Whaling Commission, SC/66b/IA21.
- Ward, W. D. (1997). Effects of high-intensity sound, In: M. J. Crocker (Ed.), *Encyclopedia of Acoustics* (pp. 1497-1507). New York, NY: Wiley.
- Ward, D. H., R. A. Stehn, W. P. Erickson, and D. V. Derksen. (1999). Response of fall-staging brant and Canada geese to aircraft overflights in southwestern Alaska. *The Journal of Wildlife Management*, 373-381.
- Wartzok, D., and D. R. Ketten. (1999). Marine Mammal Sensory Systems. In J. E. Reynolds, III & S. A. Rommel (Eds.), *Biology of Marine Mammals* (pp. 117–175). Washington, DC: Smithsonian Institution Press.
- Wartzok, D., A. N. Popper, J. Gordon, and J. Merrill. (2003). Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal*, 37(4), 6–15.
- Watkins, W. A., K. E. Moore, and P. Tyack. (1985). Sperm whale acoustic behavior in the southeast Caribbean. *Cetology*, 49, 1–15.
- Watkins, W. A. (1986). Whale reactions to human activities in Cape Cod waters. *Marine Mammal Science*, 2(4), 251–262.

- Watwood, S. L., J. D. Iafate, E. A. Reyier, and W. E. Redfoot. (2016). Behavioral Response of Reef Fish and Green Sea Turtles to Mid-Frequency Sonar. In A. N. Popper & A. Hawkins (Eds.), *The Effects of Noise on Aquatic Life II* (pp. 1213–1221). New York, NY: Springer New York.
- Welch, B.L. and A.S. Welch. (1970). *Physiological Effects of Noise*. Plenum Press.
- Weller, D. W., A. M. Burdin, B. Würsig, B. L. Taylor, and R. L. Brownell, Jr. (2002). The western gray whale: A review of past exploitation, current status and potential threats. *Journal of Cetacean Research and Management*, 4(1), 7–12.
- Weller, D. W., G. A. Tsidulko, Y. V. Ivashchenko, A. M. Burdin, and R. L. Brownell Jr. (2006). A re-evaluation of the influence of 2001 seismic surveys on western gray whales off Sakhalin Island, Russia. International Whaling Commission Scientific Committee: 9.
- Wensveen, P. J., P. H. Kvadsheim, F.-P. A. Lam, A. M. Von Benda-Beckmann, L. D. Sivle, F. Visser, C. Curé, P. Tyack, and P. J. O. Miller. (2017). Lack of behavioural responses of humpback whales (*Megaptera novaeangliae*) indicate limited effectiveness of sonar mitigation. *The Journal of Experimental Biology*, 220, 1–12.
- Wensveen, P. J., S. Isojunno, R. R. Hansen, A. M. von Benda-Beckmann, L. Kleivane, S. van IJsselmuide, F. P. A. Lam, P. H. Kvadsheim, S. L. DeRuiter, C. Curé, and T. Narazaki. (2019). Northern bottlenose whales in a pristine environment respond strongly to close and distant navy sonar signals. *Proceedings of the Royal Society B*, 286(1899), p.20182592.
- White Jr, D., K. C. Kendall, and H. D. Picton. (1999). Potential energetic effects of mountain climbers on foraging grizzly bears. *Wildlife Society Bulletin*, 146-151.
- Wiley, M. L., J. B. Gaspin, and J. F. Goertner. (1981). Effects of underwater explosions on fish with a dynamical model to predict fishkill. *Ocean Science and Engineering*, 6(2), 223–284.
- Wiley, D. N., & Asmutis, R. A. (1995). Stranding and mortality of humpback whales, *Megaptera novaeangliae*. *Fishery Bulletin*, 93, 196-205.
- Wiley, D. N., C. A. Mayo, E. M. Maloney, and M. J. Moore. (2016). Vessel strike mitigation lessons from direct observations involving two collisions between noncommercial vessels and North Atlantic right whales (*Eubalaena glacialis*). *Marine Mammal Science*, 32(4), 1501–1509.
- Williams, R. M., A. W. Trites, and D. E. Bain. (2002). Behavioral responses of killer whales (*Orcinus orca*) to whale-watching boats: Opportunistic observations and experimental approaches. *Journal of Zoology*, 256(2), 255-270.
- Williams, R., D. Lusseau, and P. S. Hammond. (2006). Estimating relative energetic costs of human disturbance to killer whales (*Orcinus orca*). *Biological Conservation*, 133, 301–311.
- Williams, R., D. E. Bain, J. C. Smith, and D. Lusseau. (2009). Effects of vessels on behaviour patterns of individual southern resident killer whales, *Orcinus orca*. *Endangered Species Research*, 6, 199–209.
- Williams, R., C. W. Clark, D. Ponirakis, and E. Ashe. (2014a). Acoustic quality of critical habitats for three threatened whale populations. *Animal Conservation*, 17(2), 174–185.
- Williams, R., C. Erbe, E. Ashe, A. Beerman, and J. Smith. (2014b). Severity of killer whale behavioral responses to ship noise: a dose-response study. *Marine Pollution Bulletin*, 79(1-2), 254–260.
- Williams, T. M., T. L. Kendall, B. P. Richter, C. R. Ribeiro-French, J. S. John, K. L. Odell, B. A. Losch, D. A. Feuerbach, and M. A. Stamper. (2017). Swimming and diving energetics in dolphins: A stroke-by-stroke analysis for predicting the cost of flight responses in wild odontocetes. *The Journal of Experimental Biology*, 220(6), 1135–1145.
- Wood, W. E., and S. M. Yezerinac. (2006). Song sparrow (*Melospiza melodia*) song varies with urban noise. *The Auk*, 123(3), 650-659.
- Wright, D. G. (1982). *A discussion paper on the effects of explosives on fish and marine mammals in the waters of the Northwest Territories* (Canadian Technical Report of Fisheries and Aquatic Sciences). Winnipeg, Manitoba: Western Region Department of Fisheries and Oceans.
- Wursig, B., S. K. Lynn, T. A. Jefferson, and K. D. Mullin. (1998). Behaviour of cetaceans in the northern Gulf of Mexico relative to survey ships and aircraft. *Aquatic Mammals*, 24.1:41-50.

- Yarmoloy, C., M. Bayer, and V. Geist. (1988). Behavior responses and reproduction of mule deer, *Odocoileus hemionus*, does following experimental harassment with an all-terrain vehicle. *Canadian field-naturalist. Ottawa ON*, 102(3), 425-429.
- Yazvenko, S. B., T. L. McDonald, S. A. Blokhin, S. R. Johnson, H. R. Melton, M. W. Newcomer, R. Nielson, and P. W. Wainwright. (2007). Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134(1-3), 93-106.
- Yelverton, J. T., D. R. Richmond, E. R. Fletcher, and R. K. Jones. (1973). Safe distances from underwater explosions for mammals and birds. Albuquerque, NM: Lovelace Foundation for Medical Education and Research.
- Yelverton, J. T., D. R. Richmond, W. Hicks, K. Saunders, and E. R. Fletcher. (1975). *The relationship between fish size and their response to underwater blast*. Washington, DC: Lovelace Foundation for Medical Education and Research.
- Zaitseva, K. A., V. P. Morozov, A. I. and Akopian. (1980). Comparative characteristics of spatial hearing in the dolphin *Tursiops truncatus* and man. *Neuroscience and behavioral physiology*, 10(2), 180-182.
- Zelick R., D. A. Mann, and A. N. Popper. (1999). Acoustic communication in fishes and frogs. In: *Comparative hearing: fish and amphibians*. New York (NY): Springer
- Zimmer, W. M. X., and P. L. Tyack. (2007). Repetitive shallow dives pose decompression risk in deep-diving beaked whales. *Marine Mammal Science*, 23(4), 888-925.